R3850-1.1

Length of Stay by Diagnosis, United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 5
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 17
    Summary of All Patients. 18
    Summary of All Patients Except Newborn 19
    Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Instituttions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

:

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — see Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — see Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — see Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	**3**	5	7	8	11
20-34	1724	3.4	5	1	1	**3**	4	6	7	11
35-49	1625	3.6	6	1	1	**3**	5	7	8	12
50-64	1648	4.2	8	1	1	**4**	5	8	10	14
65+	1465	5.3	16	1	2	**5**	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	**7**	9	11	13	18
20-34	15024	7.4	8	4	5	**7**	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	**8**	10	13	15	21
65+	7394	10.4	24	5	6	**9**	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	857079	3.2	10	1	1	3	4	5	6	14
20-34	510893	3.7	21	<1	1	3	4	6	10	25
35-49	190080	5.4	35	1	1	4	6	11	16	30
50-64	147997	5.9	37	1	1	4	7	12	16	30
65+	144286	6.7	44	1	2	5	8	13	18	34
B. *Operated*										
0-19 YRS	331715	2.9	11	<1	1	2	3	6	8	16
20-34	613979	3.5	9	<1	1	3	4	6	8	15
35-49	285580	4.5	19	<1	1	3	6	9	12	21
50-64	256552	5.3	27	1	1	4	7	11	15	24
65+	258679	6.2	42	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	661127	4.6	34	1	1	3	5	8	11	32
20-34	387695	5.8	47	1	1	4	7	12	18	35
35-49	392579	6.7	46	1	2	5	8	13	19	34
50-64	653319	7.4	47	1	2	6	9	14	19	35
65+	1314352	9.1	66	2	3	7	11	18	23	44
B. *Operated*										
0-19 YRS	244087	5.5	78	<1	1	3	6	11	20	56
20-34	617486	5.4	38	1	2	4	6	9	14	34
35-49	439077	7.2	58	1	2	5	8	14	20	42
50-64	556632	9.4	94	1	2	7	12	19	27	54
65+	820844	12.2	139	2	2	9	16	26	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1850335	4.1	27	1	1	3	4	7	11	25
B. *Operated*	1746505	4.2	20	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3409072	7.2	54	1	2	5	9	15	20	38
B. *Operated*	2678126	8.6	95	1	2	6	11	19	27	54
1. SINGLE DX	3596840	4.1	21	1	1	3	5	8	12	23
2. MULTIPLE DX	6087198	7.8	73	1	2	5	10	16	23	46
A. NOT OPERATED	5259407	6.1	45	1	1	4	7	13	18	35
B. OPERATED	4424631	6.9	70	1	1	4	8	15	22	45
TOTAL 0-19 YRS	2094008	3.9	27	1	1	3	4	6	9	27
20-34	2130053	4.5	28	1	1	3	5	8	12	28
35-49	1307316	6.2	44	1	1	4	8	12	17	34
50-64	1614500	7.6	61	1	2	5	10	15	21	41
65+	2538161	9.6	90	2	2	7	12	20	27	52
GRAND TOTAL	**9684038**	**6.5**	**57**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

1,499 Hospitals, United States, January-December 1983

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368750	3.6	21	1	1	3	4	6	9	24
20-34	510893	3.7	21	<1	1	3	4	6	10	25
35-49	190080	5.4	35	1	1	4	6	11	16	30
50-64	147997	5.9	37	1	1	4	7	12	16	30
65+	144286	6.7	44	1	2	5	8	13	18	34
B. *Operated*										
0-19 YRS	331508	2.9	11	<1	1	2	3	6	8	16
20-34	613979	3.5	9	<1	1	3	4	6	8	15
35-49	285580	4.5	19	<1	1	3	6	9	12	21
50-64	256552	5.3	27	1	1	4	7	11	15	24
65+	258679	6.2	42	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378241	4.7	42	1	1	3	5	8	13	37
20-34	387695	5.8	47	1	1	4	7	12	18	35
35-49	392579	6.7	46	1	2	5	8	13	19	34
50-64	653319	7.4	47	1	2	6	9	14	19	35
65+	1314352	9.1	66	2	3	7	11	18	23	44
B. *Operated*										
0-19 YRS	233583	4.9	53	<1	1	3	5	10	16	42
20-34	617486	5.4	38	1	2	4	6	9	14	34
35-49	439077	7.2	58	1	2	5	8	14	20	42
50-64	556632	9.4	94	1	2	7	12	19	27	54
65+	820844	12.2	139	2	2	9	16	26	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1362006	4.5	29	1	1	3	5	9	13	28
B. *Operated*	1746298	4.2	20	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3126186	7.5	57	1	2	5	9	15	21	39
B. *Operated*	2667622	8.6	93	1	2	6	10	19	27	54
1. SINGLE DX	3108304	4.3	24	<1	1	3	5	9	12	24
2. MULTIPLE DX	5793808	8.0	74	1	2	5	10	17	24	46
A. NOT OPERATED	4488192	6.6	50	1	1	4	8	14	19	36
B. OPERATED	4413920	6.8	69	1	1	4	8	15	22	45
TOTAL 0-19 YRS	1312082	4.0	31	<1	1	3	4	7	11	30
20-34	2130053	4.5	28	1	1	3	5	8	12	28
35-49	1307316	6.2	44	1	1	4	8	12	17	34
50-64	1614500	7.6	61	1	2	5	10	15	21	41
65+	2538161	9.6	90	2	2	7	12	20	27	52
GRAND TOTAL	**8902112**	**6.7**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	8330	3.2	6	1	1	3	4	6	7	12
20-34	3440	3.2	5	1	1	3	4	6	7	11
35-49	1520	3.6	7	1	1	3	5	6	8	14
50-64	842	4.0	10	1	1	3	5	7	9	14
65+	762	4.3	10	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS.	172	5.6	28	2	2	4	6	10	13	36
20-34	239	5.2	10	2	2	5	6	8	11	19
35-49	99	5.8	15	1	2	5	8	11	14	19
50-64	50	7.3	30	1	2	6	10	12	21	26
65+	28	6.8	20	2	2	6	8	11	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	11575	3.7	8	1	1	3	4	6	8	14
20-34	4317	3.6	8	1	1	3	5	7	8	13
35-49	2560	4.5	13	1	2	4	5	8	10	17
50-64	2955	5.0	14	1	2	4	6	9	11	20
65+	5090	6.3	30	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS.	245	7.9	85	2	3	5	8	16	25	64
20-34	322	7.4	41	2	2	5	9	14	19	36
35-49	260	8.7	64	2	3	6	11	16	23	39
50-64	268	11.6	151	2	3	8	13	23	38	66
65+	447	12.8	144	3	4	9	16	25	33	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14894	3.3	6	1	1	3	4	6	7	12
B. *Operated*	588	5.7	18	1	2	5	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	26497	4.4	14	1	2	3	5	8	11	18
B. *Operated*	1542	10.0	106	2	3	7	12	20	27	61
1. SINGLE DX	15482	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	28039	4.7	21	1	2	4	6	9	12	22
A. NOT OPERATED	41391	4.0	11	1	1	3	5	7	10	16
B. OPERATED	2130	8.8	85	2	2	6	10	17	24	58
TOTAL 0-19 YRS.	20322	3.6	8	1	1	3	4	6	8	14
20-34	8318	3.7	8	1	1	3	5	7	8	14
35-49	4439	4.4	15	1	1	4	5	8	11	19
50-64	4115	5.3	25	1	2	4	6	9	13	24
65+	6327	6.5	39	2	2	5	8	12	16	30
GRAND TOTAL	**43521**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	71	7.4	48	2	2	5	9	17	24	33
20-34	157	10.9	58	3	4	9	14	19	23	39
35-49	125	11.6	88	2	4	9	16	22	23	45
50-64	92	12.8	102	3	3	9	17	29	35	46
65+	116	11.5	75	2	3	10	15	21	29	48
B. *Operated*										
0-19 YRS.	22	10.9	160	2	3	8	13	17	38	63
20-34	62	11.1	55	2	4	9	15	21	26	35
35-49	76	11.5	96	2	3	10	16	20	22	49
50-64	74	11.6	65	2	3	10	15	26	27	34
65+	90	14.0	160	2	3	12	17	23	32	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	49	8.2	47	3	3	6	10	18	23	36
20-34	161	16.2	171	2	4	12	19	36	61	99
35-49	250	14.3	151	3	4	11	17	32	46	99
50-64	298	15.5	196	2	4	12	21	32	49	99+
65+	492	15.9	164	3	4	13	21	31	46	75
B. *Operated*										
0-19 YRS.	19	14.5	206	3	4	11	13	38	53	58
20-34	95	15.6	157	2	4	14	18	28	55	99+
35-49	175	16.7	212	4	5	13	20	30	50	90
50-64	256	16.7	186	3	5	13	21	32	43	82
65+	419	19.5	225	3	6	15	26	40	52	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	11.1	76	2	3	9	15	21	26	42
B. *Operated*	324	12.1	96	2	3	10	16	22	27	54
2. MULTIPLE DX										
A. *Not Operated*	1250	15.2	160	3	4	12	19	32	47	97
B. *Operated*	964	17.7	207	3	5	14	22	36	51	84
1. SINGLE DX	885	11.4	83	2	3	9	15	21	26	46
2. MULTIPLE DX	2214	16.3	193	3	4	13	20	33	49	91
A. NOT OPERATED	1811	13.9	151	3	3	11	17	27	40	84
B. OPERATED	1288	16.3	185	3	4	13	20	32	46	80
TOTAL 0-19 YRS.	161	9.0	85	2	3	6	11	19	26	57
20-34	475	13.7	155	2	4	11	17	24	39	93
35-49	626	14.1	148	3	4	11	17	28	36	84
50-64	720	15.2	169	3	4	12	20	31	42	88
65+	1117	16.6	183	3	4	13	21	33	48	75
GRAND TOTAL	**3099**	**14.9**	**167**	**3**	**4**	**12**	**19**	**29**	**43**	**82**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	18	2.7	2	<1	<1	3	3	5	5	5
35-49	6	3.0	8	<1	<1	2	4	8	8	8
50-64	8	1.5	2	<1	<1	1	1	4	5	5
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	695	1.9	1	<1	<1	2	2	3	4	6
20-34	1827	2.0	2	<1	<1	2	3	4	4	6
35-49	496	2.2	3	<1	<1	2	3	4	5	9
50-64	158	2.5	4	<1	<1	2	3	5	6	9
65+	36	2.8	3	<1	1	2	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	2	<1	<1	1	3	4	5	6
20-34	35	2.3	4	<1	<1	1	2	5	8	8
35-49	13	3.2	7	<1	<1	3	4	8	9	9
50-64	11	5.8	44	<1	1	2	7	18	19	19
65+	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-19 YRS	171	3.0	14	<1	<1	2	3	5	7	19
20-34	654	3.0	8	<1	1	2	4	5	7	11
35-49	288	3.5	9	<1	1	3	4	7	8	13
50-64	145	4.2	16	<1	1	3	4	9	11	21
65+	72	5.2	15	1	2	4	7	11	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.2	2	<1	<1	2	3	4	5	8
B. *Operated*	3212	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	90	2.7	10	<1	<1	2	3	6	8	19
B. *Operated*	1330	3.4	10	<1	1	3	4	6	9	16
1. SINGLE DX	3256	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	1420	3.3	10	<1	1	2	4	6	8	17
A. NOT OPERATED	134	2.6	7	<1	<1	2	3	5	8	18
B. OPERATED	4542	2.4	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	902	2.1	4	<1	<1	2	2	4	5	8
20-34	2534	2.3	4	<1	<1	2	3	4	5	8
35-49	803	2.7	6	<1	<1	2	3	5	7	10
50-64	322	3.4	11	<1	1	2	4	7	9	19
65+	115	4.2	12	1	1	3	5	9	12	18
GRAND TOTAL	**4676**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7222	2.9	3	1	1	3	4	5	6	8
20-34	1714	3.3	4	1	1	3	4	6	7	11
35-49	680	3.9	9	1	1	3	5	7	9	15
50-64	412	4.1	6	1	1	4	5	7	9	12
65+	340	4.7	15	1	2	4	6	8	10	24
B. *Operated*										
0-19 YRS	218	3.4	7	<1	1	3	4	7	9	15
20-34	110	4.8	24	<1	1	3	6	12	17	56
35-49	53	6.0	36	<1	1	4	8	13	17	33
50-64	38	8.1	156	2	2	5	10	13	18	78
65+	19	9.4	56	2	2	7	14	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8120	3.2	5	1	1	3	4	5	7	11
20-34	2860	4.0	12	1	1	3	5	7	9	16
35-49	1846	4.6	19	1	2	4	5	8	10	18
50-64	1969	5.0	13	1.	2	4	6	9	11	19
65+	3202	6.2	26	2	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	293	5.8	42	1	2	4	7	10	13	52
20-34	210	8.0	79	1	2	5	9	16	24	48
35-49	168	9.4	108	2	3	7	11	18	24	69
50-64	181	11.5	110	2	3	9	14	23	29	80
65+	213	14.3	205	2	3	9	18	33	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10368	3.1	4	1	1	3	4	5	7	10
B. *Operated*	438	4.8	32	<1	1	3	6	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	17997	4.2	14	1	2	3	5	8	10	18
B. *Operated*	1065	9.5	113	2	2	6	11	20	29	66
1. SINGLE DX	10806	3.2	6	1	1	3	4	5	7	12
2. MULTIPLE DX	19062	4.5	21	1	2	3	5	8	11	21
A. NOT OPERATED	28365	3.8	10	1	1	3	5	7	9	16
B. OPERATED	1503	8.1	94	1	2	5	10	17	25	64
TOTAL 0-19 YRS	15853	3.1	5	1	1	3	4	5	6	11
20-34	4894	3.9	14	1	1	3	5	7	9	17
35-49	2747	4.8	24	1	2	4	6	9	11	21
50-64	2600	5.4	24	1	2	4	6	10	12	22
65+	3774	6.5	39	2	2	5	8	12	16	34
GRAND TOTAL	**29868**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.4	35	2	2	4	6	17	20	20
20-34	13	6.8	100	<1	1	3	6	17	34	38
35-49	7	28.4	1031	4	4	17	41	84	93	93
50-64	10	6.8	26	2	2	5	10	15	15	15
65+	14	11.6	50	3	4	9	18	19	24	26
B. *Operated*										
0-19 YRS	39	9.6	265	<1	<1	4	9	24	55	74
20-34	32	8.4	71	1	2	5	11	17	29	40
35-49	29	13.6	158	1	1	9	24	33	35	42
50-64	28	11.2	136	2	2	6	15	26	32	54
65+	17	15.5	163	2	2	14	21	34	43	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	17.9	341	1	3	10	28	38	62	69
20-34	31	10.7	134	1	1	8	12	29	39	51
35-49	27	18.0	459	1	3	9	21	57	77	77
50-64	59	9.6	53	2	3	8	12	19	25	37
65+	91	13.4	114	3	4	10	18	27	42	79
B. *Operated*										
0-19 YRS	25	12.2	124	1	2	9	20	32	56	99+
20-34	52	24.0	425	3	4	18	38	63	76	99+
35-49	49	19.4	273	3	4	14	31	48	81	99+
50-64	78	19.1	269	2	3	17	25	39	50	85
65+	95	23.5	407	2	4	19	33	59	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	10.8	214	2	2	6	15	20	36	91
B. *Operated*	145	11.1	165	1	1	6	14	30	36	62
2. MULTIPLE DX										
A. *Not Operated*	222	12.8	161	2	3	9	15	28	41	77
B. *Operated*	299	20.8	336	2	3	16	29	50	69	99+
1. SINGLE DX	199	11.0	177	1	1	6	14	27	37	68
2. MULTIPLE DX	521	17.4	277	2	3	12	23	42	60	99+
A. NOT OPERATED	276	12.4	171	2	3	8	15	26	40	77
B. OPERATED	444	17.6	300	1	2	13	25	45	60	99+
TOTAL 0-19 YRS	88	11.3	216	<1	1	6	14	31	49	90
20-34	128	15.1	284	1	2	9	18	41	53	86
35-49	112	18.1	334	1	2	12	25	45	74	99+
50-64	175	13.9	182	2	2	10	20	30	39	59
65+	217	17.8	265	3	4	14	23	43	58	99+
GRAND TOTAL	**720**	**15.7**	**257**	**1**	**2**	**10**	**21**	**39**	**53**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	850	2.8	7	1	1	2	3	4	5	8
20-34	314	3.0	2	1	1	3	4	5	5	7
35-49	84	3.5	3	1	2	3	5	6	7	9
50-64	35	3.9	4	1	2	4	5	6	8	9
65+	16	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	124	2.0	2	1	1	2	2	3	4	10
20-34	24	1.9	1	1	1	2	3	3	3	3
35-49	5	1.4		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1781	3.2	3	1	1	3	4	5	7	10
20-34	548	3.7	4	1	2	3	4	6	7	11
35-49	216	4.0	4	2	2	4	5	6	8	12
50-64	138	5.4	10	2	2	5	7	10	11	16
65+	96	6.3	26	2	3	5	7	11	15	32
B. *Operated*										
0-19 YRS	87	3.3	16	1	1	2	4	7	8	26
20-34	26	5.7	18	1	2	5	6	13	15	17
35-49	6	5.5	11	1	1	6	8	9	9	9
50-64	11	9.3	66	1	2	5	16	21	25	25
65+	5	18.2	138	12	12	12	22	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1299	2.5	5	1	1	3	4	5	5	8
B. *Operated*	153	1.9	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	2779	3.6	5	1	2	3	4	6	8	11
B. *Operated*	135	4.9	33	1	1	2	6	12	16	31
1. SINGLE DX	1452	2.8	5	1	1	2	3	5	5	8
2. MULTIPLE DX	2914	3.6	6	1	2	3	4	6	8	13
A. NOT OPERATED	4078	3.3	5	1	1	3	4	6	7	11
B. OPERATED	288	3.3	18	1	1	2	3	7	12	23
TOTAL 0-19 YRS	2842	3.0	5	1	1	3	4	5	6	9
20-34	912	3.4	4	1	2	3	4	5	7	11
35-49	311	3.9	4	1	2	3	5	6	7	10
50-64	184	5.3	13	2	2	4	7	9	11	20
65+	117	6.4	33	2	2	5	7	12	16	37
GRAND TOTAL	**4366**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1244	5.2	13	1	2	4	7	10	12	16
20-34	94	7.1	45	2	2	5	8	15	22	37
35-49	63	6.9	24	2	3	6	9	11	15	28
50-64	94	8.4	32	2	3	7	10	14	20	34
65+	244	10.1	54	3	4	9	12	17	22	53
B. *Operated*										
0-19 YRS	35	9.0	22	2	3	10	12	14	16	20
20-34	11	12.5	115	2	2	10	14	32	33	33
35-49	6	8.3	17	3	3	8	12	14	14	14
50-64	8	7.4	28	1	2	6	11	15	16	16
65+	17	18.3	194	6	7	12	22	45	51	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1930	6.6	24	2	2	5	9	12	15	25
20-34	592	10.1	77	2	3	7	12	22	28	42
35-49	702	10.6	65	3	4	9	13	19	27	42
50-64	1643	12.1	77	3	5	10	15	22	29	47
65+	6622	13.6	94	4	5	11	16	23	32	58
B. *Operated*										
0-19 YRS	166	14.1	144	3	4	11	16	31	40	70
20-34	216	17.5	203	4	5	12	23	39	50	99+
35-49	245	19.6	248	4	5	14	30	45	57	99+
50-64	564	22.3	272	6	7	18	29	46	61	99+
65+	1689	23.3	265	7	9	18	29	47	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1739	6.2	25	1	2	5	8	11	14	27
B. *Operated*	77	11.3	85	2	3	10	13	20	32	51
2. MULTIPLE DX										
A. *Not Operated*	11489	11.8	84	3	4	10	15	21	29	50
B. *Operated*	2880	21.8	259	5	7	17	28	45	61	99+
1. SINGLE DX	1816	6.4	28	2	2	5	8	12	15	29
2. MULTIPLE DX	14369	13.8	135	3	4	11	17	27	37	71
A. NOT OPERATED	13228	11.1	80	2	3	9	14	20	27	47
B. OPERATED	2957	21.5	258	5	7	17	28	45	60	99+
TOTAL 0-19 YRS	3375	6.5	29	2	2	5	8	12	15	29
20-34	913	11.5	116	2	3	8	14	25	34	58
35-49	1016	12.5	123	3	4	9	15	26	37	64
50-64	2309	14.4	144	4	5	11	17	29	39	72
65+	8572	15.4	142	4	6	12	18	29	40	76
GRAND TOTAL	**16185**	**13.0**	**128**	**3**	**3**	**10**	**16**	**26**	**35**	**68**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	903	7.0	19	2	2	6	10	13	15	21
20-34	203	5.7	18	2	2	4	7	11	13	17
35-49	125	6.8	32	2	3	5	9	14	17	33
50-64	111	6.0	21	2	2	4	7	14	16	24
65+	86	6.6	19	2	3	5	9	11	13	26
B. *Operated*										
0-19 YRS	60	7.9	81	1	1	5	11	14	16	51
20-34	22	10.0	131	1	1	7	11	28	36	46
35-49	19	9.2	32	1	2	9	12	16	20	23
50-64	23	9.4	141	1	1	6	13	18	32	57
65+	19	13.7	69	3	4	12	19	27	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	871	7.5	31	2	2	6	10	14	16	30
20-34	273	6.5	41	2	2	5	8	12	16	34
35-49	279	7.9	40	2	3	6	9	15	21	32
50-64	415	8.8	42	3	3	7	11	16	22	31
65+	742	11.1	108	3	4	8	13	20	31	70
B. *Operated*										
0-19 YRS	111	13.4	123	2	3	10	17	28	38	54
20-34	94	18.9	305	2	4	13	25	48	67	99+
35-49	94	17.7	236	3	4	13	24	37	45	76
50-64	149	19.1	338	2	4	13	28	45	58	99
65+	225	20.8	264	4	5	16	26	44	60	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1428	6.7	20	2	2	5	10	12	15	21
B. *Operated*	143	9.4	91	1	2	7	13	18	28	52
2. MULTIPLE DX										
A. *Not Operated*	2580	8.7	59	2	3	7	11	16	21	39
B. *Operated*	673	18.5	264	3	4	13	24	43	57	82
1. SINGLE DX	1571	6.9	27	2	2	6	10	13	15	26
2. MULTIPLE DX	3253	10.7	117	2	3	8	13	21	32	64
A. NOT OPERATED	4008	8.0	46	2	2	6	10	15	18	34
B. OPERATED	816	16.9	245	2	3	12	22	39	53	81
TOTAL 0-19 YRS	1945	7.6	34	2	2	6	10	14	16	29
20-34	592	8.3	99	2	2	5	9	16	29	65
35-49	517	9.5	86	2	3	7	11	19	27	45
50-64	698	10.6	125	2	3	7	13	21	31	62
65+	1072	12.8	151	3	4	9	15	26	36	72
GRAND TOTAL	**4824**	**9.5**	**91**	**2**	**3**	**7**	**11**	**18**	**27**	**56**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3845	3.4	4	1	1	3	4	6	7	11
20-34	2102	3.9	6	1	2	3	5	7	8	12
35-49	418	4.5	7	2	2	4	6	9	10	13
50-64	70	4.7	10	2	2	4	6	10	11	16
65+	24	5.9	10	1	2	5	8	10	12	13
B. *Operated*										
0-19 YRS	54	5.0	17	1	2	4	6	9	12	26
20-34	49	3.8	8	1	2	3	5	8	10	15
35-49	10	5.0	12	2	2	4	6	10	13	13
50-64	6	8.3	7	4	4	8	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1493	4.3	10	1	2	4	5	8	10	15
20-34	988	4.9	13	1	2	4	6	9	11	19
35-49	286	6.0	15	2	2	5	8	11	15	19
50-64	114	8.5	64	2	3	7	10	15	20	48
65+	69	11.4	91	2	3	9	13	24	34	92
B. *Operated*										
0-19 YRS	66	6.6	21	1	2	5	8	13	15	25
20-34	56	6.9	19	2	3	7	8	11	19	95
35-49	23	13.0	121	4	4	11	18	30	67	99+
50-64	18	21.8	353	4	5	17	30	53	64	68
65+	18	15.2	91	4	6	12	19	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6459	3.7	5	1	2	3	5	6	8	11
B. *Operated*	119	4.7	13	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2950	5.0	17	1	2	4	6	9	12	21
B. *Operated*	181	9.9	95	2	3	7	12	20	31	89
1. SINGLE DX	6578	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX	3131	5.3	23	1	2	4	6	10	13	27
A. NOT OPERATED	9409	4.1	9	1	2	3	5	7	9	15
B. OPERATED	300	7.8	69	2	2	5	9	16	25	63
TOTAL 0-19 YRS	5458	3.7	6	1	2	3	4	6	8	12
20-34	3195	4.3	8	1	2	4	5	7	9	16
35-49	737	5.4	16	2	2	4	7	10	13	20
50-64	208	8.4	88	2	2	6	10	16	22	63
65+	111	10.8	81	2	3	9	13	24	33	76
GRAND TOTAL	**9709**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1175	3.4	6	1	1	3	4	6	7	12
20-34	316	4.6	8	1	2	4	6	8	9	15
35-49	150	5.3	13	1	2	5	7	9	12	19
50-64	254	5.7	17	1	2	5	7	10	14	24
65+	579	6.7	21	2	2	6	8	12	15	24
B. *Operated*										
0-19 YRS	22	8.0	198	<1	<1	4	6	21	45	62
20-34	29	4.1	13	<1	<1	3	6	10	11	14
35-49	18	6.1	28	<1	<1	5	8	13	18	21
50-64	20	6.0	16	<1	2	5	8	11	14	17
65+	43	6.9	22	2	2	5	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2227	3.9	9	1	1	3	5	7	9	14
20-34	491	5.7	18	2	2	5	7	10	12	19
35-49	367	6.9	18	2	3	6	8	12	14	24
50-64	969	7.5	40	2	3	6	9	14	18	31
65+	3380	9.7	63	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	68	9.9	77	2	3	7	13	22	29	90
20-34	64	9.1	95	1	2	6	9	21	30	52
35-49	45	10.8	152	2	2	7	13	21	31	74
50-64	136	13.2	189	2	3	9	16	29	47	99+
65+	363	16.4	219	3	4	12	20	36	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2474	4.7	13	1	1	4	6	9	11	19
B. *Operated*	132	6.2	49	<1	<1	5	8	12	16	38
2. MULTIPLE DX										
A. *Not Operated*	7434	7.3	45	2	2	5	9	14	19	34
B. *Operated*	676	14.0	190	2	3	10	17	32	42	86
1. SINGLE DX	2606	4.7	15	1	1	4	6	9	12	20
2. MULTIPLE DX	8110	7.8	60	2	2	6	9	16	21	40
A. NOT OPERATED	9908	6.6	38	1	2	5	8	13	18	32
B. OPERATED	808	12.8	175	1	3	9	16	28	40	79
TOTAL 0-19 YRS	3492	3.9	12	1	1	3	5	7	9	15
20-34	900	5.5	21	1	2	5	7	9	12	21
35-49	580	6.7	29	2	2	6	8	12	15	27
50-64	1379	7.7	54	2	2	6	9	14	19	38
65+	4365	9.8	75	2	3	8	12	19	26	44
GRAND TOTAL	**10716**	**7.1**	**51**	**1**	**2**	**5**	**8**	**14**	**20**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	459	5.6	13	1	2	5	7	9	12	21
20-34	1390	6.9	19	2	3	6	9	12	16	23
35-49	451	7.4	25	2	3	6	10	14	17	22
50-64	190	8.6	52	2	3	7	11	16	23	42
65+	85	7.5	25	2	3	7	9	12	14	33
B. *Operated*										
0-19 YRS	5	8.0	134	1	1	2	11	30	30	30
20-34	59	6.5	36	<1	1	6	9	13	17	32
35-49	48	6.4	36	1	1	4	9	15	21	24
50-64	27	8.0	42	1	1	7	12	20	22	22
65+	17	9.9	60	<1	1	10	15	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	6.3	17	2	2	5	8	11	15	21
20-34	941	7.7	38	2	3	6	9	14	19	29
35-49	428	9.0	34	3	3	7	11	16	20	32
50-64	389	9.9	57	2	3	8	12	18	24	39
65+	386	10.5	54	3	4	9	13	18	24	39
B. *Operated*										
0-19 YRS	15	11.6	52	2	3	11	15	17	28	32
20-34	105	12.5	128	2	3	10	15	27	37	60
35-49	70	12.6	103	2	2	10	17	29	33	90
50-64	94	13.9	169	1	3	11	16	27	39	74
65+	99	15.4	192	2	4	13	19	31	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2575	6.9	22	2	2	6	9	12	16	24
B. *Operated*	156	7.1	43	1	1	5	10	16	22	30
2. MULTIPLE DX										
A. *Not Operated*	2404	8.6	42	2	3	7	11	16	20	32
B. *Operated*	383	13.6	147	2	3	11	17	28	37	61
1. SINGLE DX	2731	6.9	23	2	2	6	9	12	16	24
2. MULTIPLE DX	2787	9.3	60	2	3	7	12	17	22	39
A. NOT OPERATED	4979	7.7	32	2	3	6	10	14	18	28
B. OPERATED	539	11.7	126	1	2	9	15	24	33	59
TOTAL 0-19 YRS	739	6.0	17	2	2	5	8	11	14	22
20-34	2495	7.4	32	2	3	6	9	13	18	26
35-49	997	8.4	37	2	3	7	11	16	20	33
50-64	700	10.0	72	2	3	8	13	18	25	45
65+	587	10.9	78	3	4	9	14	19	25	49
GRAND TOTAL	**5518**	**8.1**	**43**	**2**	**3**	**7**	**10**	**15**	**19**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2038	4.1	6	1	2	4	5	7	8	12
20-34	627	4.8	8	1	2	4	6	8	10	15
35-49	112	5.3	8	2	2	5	7	9	11	14
50-64	30	7.8	21	3	3	7	11	13	16	22
65+	4	8.3	22	4	4	7	11	15	15	15
B. *Operated*										
0-19 YRS	26	6.0	22	1	1	5	8	13	17	20
20-34	23	6.7	31	1	2	4	10	15	19	22
35-49	6	6.3	7	3	3	6	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2455	4.5	7	2	2	4	5	8	9	14
20-34	813	5.3	15	2	2	4	6	9	11	18
35-49	122	6.5	18	2	3	6	8	12	13	27
50-64	47	7.3	30	2	2	6	8	15	19	26
65+	17	8.6	84	2	2	7	9	12	31	42
B. *Operated*										
0-19 YRS	81	7.3	55	1	2	6	9	14	15	50
20-34	46	8.8	41	2	3	8	11	20	22	31
35-49	8	9.3	33	5	5	8	9	19	23	23
50-64	6	13.2	35	7	7	11	19	22	22	22
65+	4	12.0	66	7	7	9	17	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2811	4.4	7	1	2	4	5	8	9	14
B. *Operated*	55	6.3	24	1	1	5	8	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	3454	4.8	10	2	2	4	6	8	10	15
B. *Operated*	145	8.2	50	1	3	6	10	15	22	35
1. SINGLE DX	2866	4.4	7	1	2	4	6	8	9	15
2. MULTIPLE DX	3599	4.9	12	2	2	4	6	9	11	16
A. NOT OPERATED	6265	4.6	9	2	2	4	6	8	10	15
B. OPERATED	200	7.7	43	1	2	6	10	15	21	32
TOTAL 0-19 YRS	4600	4.4	7	1	2	4	5	8	9	14
20-34	1509	5.2	14	2	2	4	6	9	11	20
35-49	248	6.0	14	2	2	5	8	10	13	23
50-64	83	7.9	28	2	3	7	11	15	20	25
65+	25	9.1	68	2	2	7	10	15	28	42
GRAND TOTAL	**6465**	**4.7**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	4.2	8	1	2	4	5	7	8	15
20-34	154	4.2	6	1	2	4	5	7	9	14
35-49	76	4.5	7	2	2	4	5	10	11	13
50-64	32	5.8	23	2	2	5	6	11	12	27
65+	20	6.9	13	2	2	7	9	12	13	14
B. *Operated*										
0-19 YRS	9	3.6	4	1	1	4	5	6	7	7
20-34	6	5.7	8	3	3	5	6	10	11	11
35-49	5	8.8	21	3	3	7	13	14	14	14
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.7	6	1	2	4	6	8	10	12
20-34	100	5.0	18	2	2	4	6	8	10	26
35-49	74	5.4	7	2	2	5	7	9	11	14
50-64	47	7.2	22	2	3	6	9	13	18	22
65+	49	8.8	[illegible]	3	3	8	11	15	18	26
B. *Operated*										
0-19 YRS	6	6.7	[illegible]	3	3	6	9	13	13	13
20-34	10	8.1	[illegible]	3	3	8	11	13	15	15
35-49	7	13.0	[illegible]	5	5	9	20	24	25	25
50-64	4	12.5	[illegible]	7	7	12	17	19	19	19
65+	9	16.7	[illegible]	4	5	12	22	40	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	4.5	9	1	2	4	5	8	10	14
B. *Operated*	22	5.5	13	1	2	5	7	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	384	5.7	16	2	2	5	7	10	13	22
B. *Operated*	36	11.4	80	3	3	9	14	22	25	50
1. SINGLE DX	535	4.5	9	1	2	4	5	8	10	14
2. MULTIPLE DX	420	6.2	24	2	2	5	7	11	15	25
A. NOT OPERATED	897	5.0	12	2	2	4	6	9	11	17
B. OPERATED	58	9.2	62	2	3	7	12	18	23	46
TOTAL 0-19 YRS	360	4.4	7	1	2	4	5	8	10	14
20-34	270	4.7	11	1	2	4	6	8	10	15
35-49	162	5.4	13	2	2	4	6	10	12	21
50-64	84	6.9	24	2	3	6	9	12	18	25
65+	79	9.1	50	2	3	8	11	15	23	43
GRAND TOTAL	**955**	**5.2**	**16**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	4.8	8	1	2	4	6	8	10	14
20-34	538	4.7	8	1	2	4	6	8	10	16
35-49	88	5.0	12	1	1	5	7	10	11	17
50-64	35	4.9	21	<1	1	4	8	13	14	17
65+	30	5.5	21	1	1	4	7	12	16	17
B. *Operated*										
0-19 YRS	59	3.4	5	<1	1	3	5	7	8	10
20-34	223	3.3	9	<1	<1	2	4	8	10	14
35-49	61	3.8	21	<1	1	2	4	9	13	26
50-64	22	5.0	14	2	2	4	7	10	14	15
65+	9	3.0	7	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	6.0	16	2	3	5	8	10	13	20
20-34	492	5.6	17	2	2	5	7	10	12	19
35-49	116	6.7	24	1	2	6	9	14	16	25
50-64	76	9.1	59	1	1	8	12	16	26	37
65+	151	10.1	92	1	2	8	13	19	25	84
B. *Operated*										
0-19 YRS	52	6.7	72	<1	1	4	9	14	19	54
20-34	174	6.9	105	1	1	5	8	11	18	71
35-49	82	8.2	76	<1	1	6	11	19	27	45
50-64	38	8.7	81	1	2	6	12	23	28	42
65+	45	15.0	203	2	2	10	23	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1057	4.8	9	1	2	4	6	8	10	16
B. *Operated*	374	3.5	11	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1109	6.7	33	1	2	5	8	13	16	30
B. *Operated*	391	8.3	109	1	1	5	10	18	29	56
1. SINGLE DX	1431	4.4	10	1	1	4	6	8	10	16
2. MULTIPLE DX	1500	7.1	53	1	2	5	9	13	18	39
A. NOT OPERATED	2166	5.7	22	1	2	5	7	10	13	23
B. OPERATED	765	5.9	66	<1	1	3	7	12	18	42
TOTAL 0-19 YRS	751	5.2	16	1	2	4	6	9	11	19
20-34	1427	5.1	24	1	2	4	6	9	11	20
35-49	347	6.1	35	1	1	5	8	13	17	32
50-64	171	7.6	53	1	1	5	11	15	23	37
65+	235	10.2	109	1	2	7	13	21	32	87
GRAND TOTAL	**2931**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.4	9	<1	<1	3	4	7	9	16
20-34	55	5.3	18	<1	2	4	7	9	15	24
35-49	34	8.8	76	<1	1	7	11	22	31	34
50-64	36	7.1	45	<1	1	6	9	12	13	41
65+	28	8.4	139	1	1	6	10	14	22	64
B. *Operated*										
0-19 YRS	24	5.9	55	<1	<1	4	7	12	20	36
20-34	53	10.5	173	<1	1	6	13	26	36	74
35-49	84	9.8	146	1	2	7	11	20	25	74
50-64	88	9.2	111	1	2	6	11	22	32	56
65+	53	8.7	151	1	1	7	10	16	21	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	4.7	13	<1	1	4	6	9	12	17
20-34	145	7.0	62	1	1	5	8	13	21	48
35-49	148	9.0	115	1	3	6	10	15	27	60
50-64	209	10.2	176	1	2	7	11	18	31	82
65+	361	10.7	106	2	3	8	13	19	26	73
B. *Operated*										
0-19 YRS	31	14.8	324	<1	1	8	20	43	60	64
20-34	95	17.4	397	1	2	9	25	49	81	99+
35-49	151	16.2	303	2	3	10	19	38	56	84
50-64	221	14.5	248	2	2	9	17	36	51	98
65+	244	17.7	301	2	3	12	23	43	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	5.4	40	<1	<1	4	7	10	15	34
B. *Operated*	302	9.3	134	<1	1	6	11	19	29	71
2. MULTIPLE DX										
A. *Not Operated*	1104	8.3	95	1	2	6	10	16	21	60
B. *Operated*	742	16.3	299	2	3	10	20	42	60	99+
1. SINGLE DX	578	7.5	93	<1	1	5	9	15	23	57
2. MULTIPLE DX	1926	11.4	188	1	2	7	13	25	42	83
A. NOT OPERATED	1460	7.8	86	<1	1	5	9	15	20	56
B. OPERATED	1044	14.3	261	1	2	9	17	37	54	95
TOTAL 0-19 YRS	499	5.1	39	<1	1	4	6	10	14	37
20-34	348	10.1	184	1	1	6	10	25	38	88
35-49	417	11.8	196	1	2	7	14	25	39	75
50-64	554	11.6	191	1	2	8	12	25	44	81
65+	686	12.9	192	1	2	9	15	29	42	90
GRAND TOTAL	**2504**	**10.5**	**169**	**1**	**2**	**7**	**12**	**23**	**37**	**78**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	4	1	1	3	4	7	7	8
20-34	22	6.3	16	<1	1	5	9	13	14	16
35-49	17	4.5	6	1	1	5	6	7	9	10
50-64	9	6.0	11	2	2	5	8	11	12	12
65+	7	5.4	20	3	3	3	6	13	15	15
B. *Operated*										
0-19 YRS	35	4.9	9	2	3	4	5	10	11	16
20-34	17	6.8	25	1	1	7	10	15	16	16
35-49	9	6.1	47	1	1	3	11	17	21	21
50-64	6	8.8	96	1	1	6	9	26	28	28
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.7	21	1	1	4	6	9	10	31
20-34	35	6.2	25	2	2	5	7	13	19	22
35-49	27	6.0	23	1	2	4	8	11	13	25
50-64	14	5.8	35	2	2	4	7	10	22	25
65+	18	9.7	69	2	4	6	14	25	30	30
B. *Operated*										
0-19 YRS	29	4.3	7	2	2	3	5	7	10	15
20-34	39	8.5	83	1	2	6	10	17	30	46
35-49	19	9.3	72	1	1	6	12	23	28	33
50-64	17	20.9	489	4	4	14	22	46	76	92
65+	11	12.7	125	3	4	8	14	33	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.8	11	1	1	4	7	9	12	16
B. *Operated*	69	5.7	25	1	1	4	7	11	16	27
2. MULTIPLE DX										
A. *Not Operated*	157	5.9	30	1	2	4	7	11	16	30
B. *Operated*	115	9.8	148	2	2	6	11	22	36	63
1. SINGLE DX	149	5.2	18	1	1	4	7	10	14	21
2. MULTIPLE DX	272	7.6	83	1	2	5	8	15	25	45
A. NOT OPERATED	237	5.6	24	1	2	4	7	10	14	29
B. OPERATED	184	8.3	105	1	2	5	10	16	27	47
TOTAL 0-19 YRS	152	4.4	13	1	2	3	5	8	10	16
20-34	113	7.1	44	1	2	5	9	14	17	40
35-49	72	6.5	37	1	1	5	8	12	22	31
50-64	46	11.8	247	2	3	7	14	26	44	92
65+	38	9.4	78	2	3	6	11	25	30	39
GRAND TOTAL	**421**	**6.8**	**61**	**1**	**2**	**5**	**8**	**13**	**20**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	4.1	10	<1	1	3	6	7	9	17
20-34	158	4.2	10	1	1	3	5	8	10	19
35-49	105	4.9	9	1	2	4	6	9	10	17
50-64	34	5.9	11	2	3	5	7	12	12	16
65+	18	6.6	28	1	2	5	8	13	20	23
B. *Operated*										
0-19 YRS	32	4.7	9	1	1	4	7	9	10	12
20-34	552	5.1	19	1	2	4	7	10	13	21
35-49	350	4.9	17	1	1	3	7	10	12	21
50-64	110	6.3	32	1	2	4	8	16	19	25
65+	28	7.1	30	1	2	6	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	6.4	21	2	2	5	8	12	15	26
20-34	354	6.5	40	1	2	5	8	12	17	34
35-49	337	7.9	45	2	2	6	10	15	21	35
50-64	246	8.9	36	2	3	7	12	16	22	30
65+	211	9.9	61	3	3	8	12	21	23	41
B. *Operated*										
0-19 YRS	51	10.0	68	1	2	8	14	23	26	35
20-34	505	10.0	104	2	2	7	13	22	30	55
35-49	456	11.7	160	2	2	8	15	24	35	71
50-64	243	13.8	172	2	3	9	18	29	44	60
65+	135	14.7	150	2	3	12	20	31	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.6	11	1	1	4	6	8	10	19
B. *Operated*	1072	5.2	20	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1355	7.8	42	2	2	6	10	15	20	34
B. *Operated*	1390	11.7	140	2	2	8	15	25	35	61
1. SINGLE DX	1492	5.0	17	1	2	4	7	10	13	21
2. MULTIPLE DX	2745	9.8	96	2	2	7	12	21	27	53
A. NOT OPERATED	1775	7.0	37	1	2	5	9	14	19	32
B. OPERATED	2462	8.9	98	1	2	6	11	20	26	54
TOTAL 0-19 YRS	395	6.1	26	1	2	5	8	11	16	28
20-34	1569	6.9	55	1	2	5	8	14	20	40
35-49	1248	8.2	85	1	2	6	10	17	23	52
50-64	633	10.2	95	2	2	7	13	22	28	54
65+	392	11.2	95	2	3	8	14	23	31	51
GRAND TOTAL	**4237**	**8.1**	**73**	**1**	**2**	**5**	**10**	**17**	**23**	**45**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	22	2	2	6	10	11	11	11
20-34										
35-49	3	13.3	32	7	7	15	17	18	18	18
50-64	5	9.2	41	5	5	6	12	20	20	20
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	20.0	31	15	15	18	23	28	28	28
50-64	8	8.0	71	1	1	5	11	22	26	26
65+	3	10.3	72	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	9	1	1	4	6	9	9	9
20-34	6	6.3	29	1	1	4	11	15	15	15
35-49	13	7.9	31	2	3	7	10	14	21	23
50-64	21	4.7	11	1	1	4	7	9	11	12
65+	28	7.8	36	2	3	6	10	14	17	31
B. *Operated*										
0-19 YRS	10	4.0	3	2	2	4	5	6	7	7
20-34	14	6.2	19	2	2	6	6	9	18	20
35-49	20	7.0	23	1	1	6	10	14	15	16
50-64	21	10.5	90	2	2	10	13	16	31	46
65+	16	17.3	322	<1	2	8	30	47	50	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.0	33	2	3	7	12	18	20	20
B. *Operated*	18	10.1	80	1	1	8	18	24	27	28
2. MULTIPLE DX										
A. *Not Operated*	75	6.5	26	1	1	5	9	12	15	29
B. *Operated*	81	9.4	111	2	2	6	11	19	36	50
1. SINGLE DX	31	9.6	59	1	2	8	15	20	26	28
2. MULTIPLE DX	156	8.0	72	1	2	6	10	15	26	48
A. NOT OPERATED	88	6.9	27	1	2	5	10	13	16	28
B. OPERATED	99	9.5	105	1	2	6	11	20	30	50
TOTAL 0-19 YRS	21	4.6	8	1	2	4	6	9	10	11
20-34	23	5.7	20	1	2	5	6	12	17	20
35-49	40	9.1	41	1	2	8	13	18	21	28
50-64	55	7.8	57	1	1	6	10	15	19	45
65+	48	11.1	147	2	2	6	12	30	43	51
GRAND TOTAL	**187**	**8.3**	**70**	**1**	**2**	**6**	**10**	**16**	**26**	**47**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.4	5	1	1	4	6	7	8	9
20-34	11	4.8	6	1	2	5	6	8	9	9
35-49	54	6.7	157	1	2	5	7	9	10	92
50-64	188	6.8	59	1	1	5	8	15	20	44
65+	133	5.9	34	1	1	4	7	13	18	30
B. *Operated*										
0-19 YRS	24	3.8	8	1	2	3	5	6	10	15
20-34	98	4.9	24	1	1	3	5	9	17	27
35-49	302	6.9	79	1	1	4	8	15	19	46
50-64	938	6.4	65	1	1	4	8	14	20	46
65+	960	6.2	54	1	1	4	7	14	19	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.2	12	1	2	4	7	10	12	17
20-34	41	8.5	115	1	2	6	9	16	23	66
35-49	175	7.4	64	1	1	5	9	14	26	43
50-64	630	8.5	88	1	2	6	9	19	29	52
65+	738	9.7	101	1	2	7	12	22	31	55
B. *Operated*										
0-19 YRS	21	5.3	16	1	1	4	8	11	14	14
20-34	74	10.9	125	1	2	7	15	28	34	56
35-49	415	13.8	215	1	2	9	18	31	46	83
50-64	1696	13.5	189	2	2	9	19	31	42	77
65+	2164	12.9	206	2	2	8	17	30	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	6.3	60	1	1	5	7	12	18	39
B. *Operated*	2322	6.3	60	1	1	4	8	14	19	42
2. MULTIPLE DX										
A. *Not Operated*	1625	8.9	91	1	2	6	10	19	30	54
B. *Operated*	4370	13.2	198	2	2	9	17	31	45	84
1. SINGLE DX	2724	6.3	60	1	1	4	8	14	19	42
2. MULTIPLE DX	5995	12.0	173	1	2	8	16	28	40	78
A. NOT OPERATED	2027	8.4	86	1	2	6	10	18	28	52
B. OPERATED	6692	10.8	161	1	2	6	14	26	37	75
TOTAL 0-19 YRS	102	4.7	11	1	1	4	6	9	12	16
20-34	224	7.6	80	1	2	5	9	16	25	46
35-49	946	10.0	151	1	2	6	12	24	35	70
50-64	3452	10.3	140	1	2	6	13	25	35	66
65+	3995	10.5	153	1	2	6	13	24	37	77
GRAND TOTAL	**8719**	**10.2**	**148**	**1**	**2**	**6**	**13**	**24**	**35**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	8.3	98	1	1	4	9	27	30	30
50-64	88	6.6	32	1	2	5	7	16	18	30
65+	110	7.1	58	1	2	5	9	14	17	46
B. *Operated*										
0-19 YRS										
20-34	6	6.3	15	3	3	5	9	13	13	13
35-49	39	13.9	252	1	2	11	15	25	38	94
50-64	177	13.2	149	2	2	11	17	29	36	81
65+	237	11.3	121	1	2	7	16	25	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.0	19	2	2	5	7	15	15	15
35-49	57	11.7	128	2	2	9	14	27	31	64
50-64	342	8.7	97	1	2	6	10	20	30	56
65+	532	9.7	95	1	2	7	12	20	29	48
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	11.2	33	1	2	12	15	17	17	17
35-49	106	19.3	204	2	4	15	26	43	51	76
50-64	687	18.6	229	2	4	15	24	37	50	84
65+	1041	19.7	319	2	3	14	26	47	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	7.0	49	1	2	5	8	15	18	41
B. *Operated*	459	12.2	142	1	2	9	16	26	35	62
2. MULTIPLE DX										
A. *Not Operated*	944	9.4	97	1	2	6	11	20	30	52
B. *Operated*	1842	19.2	278	2	3	15	25	43	56	93
1. SINGLE DX	668	10.6	119	1	2	7	14	24	32	49
2. MULTIPLE DX	2786	15.9	238	2	3	11	21	37	50	87
A. NOT OPERATED	1153	9.0	89	1	2	6	11	19	28	50
B. OPERATED	2301	17.8	258	2	3	14	24	40	53	92
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	25	7.3	24	2	2	5	11	15	16	17
35-49	213	15.7	199	2	2	12	21	37	44	76
50-64	1294	14.4	191	2	2	10	19	32	43	77
65+	1920	15.1	242	2	2	10	20	36	49	87
GRAND TOTAL	**3454**	**14.8**	**219**	**2**	**2**	**10**	**20**	**34**	**47**	**85**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	17	6.5	43	1	1	5	8	12	23	28
50-64	53	7.2	51	1	2	5	10	15	17	43
65+	115	7.7	83	1	1	5	9	16	25	55
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	11.2	57	1	2	9	17	22	25	25
35-49	66	15.5	107	4	5	14	19	24	35	60
50-64	216	13.6	98	2	4	12	17	24	28	58
65+	377	15.1	110	2	3	13	20	27	32	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	21	8.0	105	1	1	4	10	19	35	43
35-49	102	6.6	62	1	1	4	8	13	23	46
50-64	387	3.0	77	1	2	5	10	17	24	49
65+	1003	9.6	82	2	2	7	12	20	26	44
B. *Operated*										
0-19 YRS	5	15.4	65	5	5	18	22	24	24	24
20-34	48	15.9	210	3	4	13	19	26	35	95
35-49	254	18.5	178	3	6	15	24	36	45	67
50-64	1087	19.5	174	5	7	16	24	36	47	78
65+	2544	20.7	188	4	7	18	26	39	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	7.4	68	1	1	5	9	15	23	47
B. *Operated*	669	14.6	105	2	4	13	19	26	32	53
2. MULTIPLE DX										
A. *Not Operated*	1515	9.0	80	1	2	6	11	19	25	45
B. *Operated*	3938	20.2	184	4	7	17	25	38	48	77
1. SINGLE DX	858	13.0	106	1	2	11	17	25	30	51
2. MULTIPLE DX	5453	17.0	180	2	4	14	22	34	44	71
A. NOT OPERATED	1704	8.8	79	1	2	6	11	18	25	45
B. OPERATED	4607	19.3	177	4	6	16	24	36	46	74
TOTAL 0-19 YRS	11	9.3	63	3	3	5	16	22	24	24
20-34	79	13.2	173	1	2	11	17	25	31	81
35-49	439	14.8	161	1	2	12	20	31	41	62
50-64	1743	15.8	164	2	3	13	20	31	42	68
65+	4039	17.1	176	2	4	14	23	34	44	71
GRAND TOTAL	**6311**	**16.5**	**172**	**2**	**4**	**14**	**22**	**33**	**43**	**69**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	10.2	125	3	3	4	16	29	29	29
65+	6	6.8	21	3	3	5	6	15	16	16
B. *Operated*										
0-19 YRS	3	13.3	6	11	11	13	15	16	16	16
20-34	3	16.0	100	6	6	16	23	26	26	26
35-49	12	15.3	79	7	8	12	20	28	36	37
50-64	28	15.6	106	5	6	12	21	31	33	46
65+	24	16.4	90	4	7	14	22	33	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	16	6.3	27	1	1	5	7	15	19	20
50-64	38	9.3	87	1	2	5	13	23	28	42
65+	77	8.6	93	1	2	5	9	20	29	54
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	14	21.4	366	8	10	16	22	35	73	84
35-49	51	15.8	125	4	6	12	21	30	38	55
50-64	186	20.2	210	7	9	17	24	37	47	92
65+	322	21.1	187	7	9	17	26	41	55	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	7.9	53	3	3	5	12	17	26	29
B. *Operated*	70	15.8	87	6	7	13	22	30	35	44
2. MULTIPLE DX										
A. *Not Operated*	133	8.4	82	1	2	5	9	21	27	48
B. *Operated*	574	20.3	194	7	8	17	24	39	51	92
1. SINGLE DX	84	14.5	90	3	5	12	20	29	34	43
2. MULTIPLE DX	707	18.1	195	3	5	15	23	36	46	86
A. NOT OPERATED	147	8.4	79	1	2	5	9	20	27	46
B. OPERATED	644	19.8	184	7	8	16	24	37	43	88
TOTAL 0-19 YRS	4	14.3	8	11	11	14	16	17	17	17
20-34	21	17.0	304	2	3	13	20	28	54	84
35-49	80	13.8	109	2	4	11	18	26	37	53
50-64	257	17.9	194	3	5	14	22	34	45	87
65+	429	18.4	187	3	5	15	23	36	49	78
GRAND TOTAL	**791**	**17.7**	**185**	**3**	**5**	**14**	**22**	**34**	**45**	**83**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.0	27	2	2	5	10	13	13	13
35-49	25	4.7	14	<1	1	4	6	9	15	15
50-64	99	5.4	31	1	1	4	7	10	18	31
65+	240	5.9	32	1	1	4	7	11	17	29
B. *Operated*										
0-19 YRS	8	13.3	93	3	4	9	20	29	30	30
20-34	39	12.7	81	2	4	10	16	24	28	48
35-49	267	11.1	23	3	6	11	13	16	19	24
50-64	1184	12.0	28	5	7	11	14	18	21	28
65+	2175	13.8	57	3	8	12	16	22	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.4	60	5	5	7	9	20	21	31
20-34	41	8.2	59	1	1	5	10	18	24	39
35-49	224	7.6	76	1	2	5	9	18	24	41
50-64	950	7.8	49	2	2	6	9	15	21	35
65+	2767	9.7	87	2	2	7	12	21	28	49
B. *Operated*										
0-19 YRS	22	14.5	82	4	5	12	21	26	33	37
20-34	137	15.6	117	5	6	13	18	27	35	62
35-49	854	14.6	83	4	7	13	17	24	31	58
50-64	4627	15.8	89	6	8	14	19	27	33	57
65+	14184	18.9	131	7	9	16	23	33	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.7	30	1	1	4	7	11	17	28
B. *Operated*	3673	13.0	46	3	7	12	15	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	3992	9.1	78	2	2	6	11	19	26	46
B. *Operated*	19824	18.0	121	7	9	15	22	31	39	67
1. SINGLE DX	4041	12.3	49	2	5	12	15	20	24	37
2. MULTIPLE DX	23816	16.5	125	3	5	14	21	30	37	63
A. NOT OPERATED	4360	8.8	75	1	2	6	11	19	25	44
B. OPERATED	23497	17.2	113	6	8	15	21	29	37	63
TOTAL 0-19 YRS	40	13.0	79	4	5	9	18	28	31	37
20-34	221	13.6	106	2	4	12	17	25	32	51
35-49	1370	12.6	77	2	4	11	16	22	27	54
50-64	6860	13.9	81	3	5	12	17	24	30	50
65+	19366	16.9	128	3	6	14	21	30	38	64
GRAND TOTAL	**27857**	**15.9**	**116**	**3**	**5**	**14**	**20**	**28**	**36**	**60**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	3.7	3	1	1	4	4	6	7	7
35-49	22	3.2	6	<1	<1	3	4	7	8	8
50-64	108	6.1	51	1	1	4	7	14	18	41
65+	214	6.2	42	1	2	4	7	13	17	29
B. *Operated*										
0-19 YRS	4	7.3	16	4	4	7	10	12	12	12
20-34	44	10.3	38	2	3	10	13	18	23	25
35-49	227	11.0	53	2	2	10	15	19	24	36
50-64	952	12.2	43	2	3	12	16	20	24	30
65+	1567	13.4	86	2	3	13	17	23	28	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	8.4	49	1	2	6	13	19	23	26
35-49	168	8.6	98	1	2	5	10	17	26	61
50-64	622	8.9	92	1	2	5	10	20	28	50
65+	1587	10.0	102	2	2	7	12	21	30	52
B. *Operated*										
0-19 YRS	8	24.6	219	10	11	20	30	50	56	56
20-34	72	15.6	61	6	8	14	21	26	36	86
35-49	516	15.3	88	3	5	13	19	26	33	57
50-64	2874	16.8	105	4	7	15	20	29	37	58
65+	6516	19.2	150	4	7	17	24	34	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	5.9	42	1	1	4	7	12	16	28
B. *Operated*	2794	12.8	69	2	3	12	16	21	26	43
2. MULTIPLE DX										
A. *Not Operated*	2403	9.6	99	2	2	6	12	21	29	51
B. *Operated*	9986	18.3	135	4	7	16	23	32	41	67
1. SINGLE DX	3150	12.0	70	2	3	11	16	21	26	42
2. MULTIPLE DX	12389	16.6	140	3	4	14	21	31	39	65
A. NOT OPERATED	2759	9.1	93	1	2	6	11	20	28	51
B. OPERATED	12780	17.0	126	3	5	15	21	30	38	64
TOTAL 0-19 YRS	14	16.4	223	1	2	12	21	37	52	56
20-34	152	12.0	62	2	3	11	17	24	26	38
35-49	933	12.8	89	2	3	11	16	24	29	54
50-64	4556	14.5	100	2	4	13	18	26	33	53
65+	9884	16.5	145	3	4	14	21	31	39	66
GRAND TOTAL	**15539**	**15.6**	**129**	**2**	**4**	**14**	**20**	**29**	**37**	**62**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.2	52	1	1	2	4	5	15	38
20-34	11	5.8	17	1	1	5	10	11	12	12
35-49	40	5.6	59	<1	1	4	6	12	17	45
50-64	64	6.5	33	1	1	5	9	12	20	27
65+	113	7.0	48	1	1	5	8	14	19	42
B. *Operated*										
0-19 YRS	40	12.1	130	2	2	9	15	25	28	66
20-34	24	9.7	34	2	2	8	14	18	20	22
35-49	75	10.6	36	2	4	9	13	19	22	32
50-64	158	13.3	105	2	3	11	18	27	31	45
65+	227	12.7	81	2	2	11	17	24	27	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.5	31	1	1	4	6	12	18	29
20-34	41	5.3	18	1	1	4	7	12	13	18
35-49	107	9.3	134	1	1	5	12	19	33	60
50-64	317	8.2	77	1	1	6	10	19	24	43
65+	768	10.7	87	2	2	8	14	22	29	49
B. *Operated*										
0-19 YRS	37	18.4	261	2	4	12	25	49	53	63
20-34	64	15.0	165	3	3	11	19	30	53	95
35-49	188	15.5	128	2	4	13	20	30	41	89
50-64	675	17.9	163	4	6	15	23	34	45	67
65+	1583	20.5	178	5	8	18	26	38	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	6.3	45	1	1	5	8	12	19	41
B. *Operated*	524	12.4	84	2	3	11	16	24	28	47
2. MULTIPLE DX										
A. *Not Operated*	1298	9.6	86	1	2	7	12	20	28	49
B. *Operated*	2547	19.3	174	4	7	16	25	36	48	73
1. SINGLE DX	777	10.4	79	1	2	9	14	22	27	44
2. MULTIPLE DX	3845	16.0	165	2	3	13	21	32	42	66
A. NOT OPERATED	1551	9.0	81	1	2	6	12	19	25	47
B. OPERATED	3071	18.1	165	3	5	15	23	34	45	70
TOTAL 0-19 YRS	167	9.7	136	1	1	5	12	23	34	61
20-34	140	10.5	105	1	2	8	13	23	30	68
35-49	410	12.0	117	1	2	9	16	25	34	63
50-64	1214	14.2	146	2	3	11	19	29	37	65
65+	2691	16.5	162	2	4	14	22	33	42	65
GRAND TOTAL	**4622**	**15.1**	**155**	**2**	**3**	**12**	**20**	**31**	**40**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	22	4.8	22	<1	1	4	6	8	15	23
50-64	96	7.1	59	1	2	5	9	13	19	45
65+	161	8.0	50	1	2	6	10	17	23	35
B. *Operated*										
0-19 YRS	2	22.0	72	16	16	22	28	28	28	28
20-34	2	16.5	13	14	14	16	19	19	19	19
35-49	36	13.5	111	1	1	15	20	27	29	45
50-64	144	14.9	119	2	3	14	19	27	33	59
65+	226	17.3	186	2	3	15	22	32	42	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	6.4	10	2	3	6	9	11	12	12
35-49	129	7.6	111	1	2	5	8	15	19	75
50-64	691	8.3	60	1	2	6	11	17	22	38
65+	1386	10.3	74	2	2	8	14	20	27	44
B. *Operated*										
0-19 YRS	4	19.5	97	10	10	28	46	99+	99+	99+
20-34	21	15.7	124	3	5	13	26	32	36	38
35-49	241	19.0	186	3	6	16	24	37	52	69
50-64	1296	19.9	192	4	7	16	25	37	48	76
65+	2515	21.5	169	5	8	19	27	39	47	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	7.4	51	1	2	5	9	15	22	34
B. *Operated*	410	16.1	155	2	3	15	21	29	39	61
2. MULTIPLE DX										
A. *Not Operated*	2223	9.5	72	1	2	7	12	19	25	43
B. *Operated*	4077	20.8	178	4	8	18	26	38	48	70
1. SINGLE DX	692	12.6	131	1	2	10	18	25	32	55
2. MULTIPLE DX	6300	16.8	170	2	4	14	22	33	43	65
A. NOT OPERATED	2505	9.2	70	1	2	7	12	19	25	40
B. OPERATED	4487	20.4	178	4	7	18	26	38	47	70
TOTAL 0-19 YRS	9	14.2	131	1	1	14	28	64	99+	99+
20-34	40	11.8	90	2	3	8	15	29	33	38
35-49	428	14.3	179	1	2	11	19	29	41	69
50-64	2227	15.4	171	2	3	12	20	32	42	65
65+	4288	17.1	164	2	4	15	23	34	42	62
GRAND TOTAL	**6992**	**16.4**	**168**	**2**	**3**	**14**	**22**	**32**	**42**	**63**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	41	3	3	7	11	19	19	19
20-34	10	3.9	9	1	1	3	5	9	10	10
35-49	207	4.9	37	1	1	3	5	11	16	41
50-64	971	5.5	44	1	1	3	6	12	17	36
65+	1060	6.5	49	1	1	4	8	15	21	36
B. *Operated*										
0-19 YRS	15	6.7	15	<1	2	7	9	12	14	14
20-34	38	9.5	25	2	3	9	13	17	18	20
35-49	549	9.5	41	2	2	9	12	18	21	31
50-64	2344	10.3	61	1	2	9	14	20	24	37
65+	2616	10.4	64	2	2	9	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.5	58	1	2	4	11	21	25	27
20-34	72	6.2	53	1	1	4	8	12	15	45
35-49	1381	7.5	54	1	2	5	9	17	23	33
50-64	6951	8.4	74	1	2	6	11	18	24	43
65+	9254	9.6	82	1	2	7	12	20	27	48
B. *Operated*										
0-19 YRS	21	11.4	77	3	3	8	17	26	30	31
20-34	96	14.0	104	3	4	11	17	28	35	52
35-49	1739	13.4	112	2	3	11	17	26	32	60
50-64	9890	14.2	117	2	4	12	18	27	34	58
65+	13320	15.2	136	2	4	12	20	29	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2253	5.9	46	1	1	4	7	13	19	36
B. *Operated*	5562	10.3	61	1	2	9	14	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	17674	8.9	77	1	2	6	11	19	26	45
B. *Operated*	25066	14.7	127	2	4	12	19	28	36	60
1. SINGLE DX	7815	9.0	60	1	2	7	12	19	23	37
2. MULTIPLE DX	42740	12.3	115	2	2	10	16	25	33	55
A. NOT OPERATED	19927	8.6	75	1	2	6	11	19	25	44
B. OPERATED	30628	13.9	118	2	3	11	18	27	34	57
TOTAL 0-19 YRS	57	8.8	54	2	2	7	12	19	26	31
20-34	216	10.1	82	1	2	8	13	20	27	51
35-49	3876	10.3	86	1	2	8	14	21	27	47
50-64	20156	11.3	101	2	2	9	15	23	30	51
65+	26250	12.4	115	2	2	10	16	25	33	55
GRAND TOTAL	**50555**	**11.8**	**108**	**2**	**2**	**9**	**16**	**24**	**31**	**53**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	12	1	1	4	8	10	10	10
20-34	23	5.6	79	<1	1	4	5	8	21	45
35-49	29	6.0	31	1	2	3	8	13	19	25
50-64	98	4.8	15	<1	1	4	7	9	12	19
65+	100	6.2	41	1	1	4	8	16	19	33
B. *Operated*										
0-19 YRS	25	5.4	18	1	1	5	8	11	14	15
20-34	64	9.0	44	1	2	8	13	15	22	34
35-49	243	6.2	49	<1	1	2	10	15	18	36
50-64	891	6.9	61	1	1	3	11	17	21	35
65+	869	7.0	78	1	1	3	11	18	24	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.5	9	1	2	3	6	9	10	12
20-34	59	5.0	15	1	1	5	6	8	12	23
35-49	80	8.1	165	<1	1	4	10	19	26	77
50-64	316	8.1	71	1	1	6	10	16	23	45
65+	364	8.1	79	1	2	6	10	16	23	45
B. *Operated*										
0-19 YRS	27	13.4	276	2	3	9	18	25	36	88
20-34	89	15.0	169	3	3	12	17	28	42	72
35-49	243	14.7	212	2	2	13	19	29	41	95
50-64	1267	14.3	176	1	2	12	20	31	41	83
65+	1463	14.6	191	1	2	11	21	35	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	5.6	32	1	1	4	7	12	17	32
B. *Operated*	2092	6.9	66	1	1	3	11	17	22	37
2. MULTIPLE DX										
A. *Not Operated*	844	7.8	78	1	1	5	10	16	22	45
B. *Operated*	3089	14.5	186	1	2	17	20	32	42	73
1. SINGLE DX	2349	6.8	62	1	1	3	10	17	22	37
2. MULTIPLE DX	3933	13.1	170	1	2	10	18	30	40	70
A. NOT OPERATED	1101	7.3	68	1	1	5	9	15	22	43
B. OPERATED	5181	11.4	151	1	1	8	16	27	36	63
TOTAL 0-19 YRS	84	7.6	111	1	2	5	9	15	20	67
20-34	235	9.9	105	1	2	7	13	20	26	51
35-49	595	9.9	146	1	1	6	14	22	31	64
50-64	2572	10.6	131	1	1	7	15	25	33	59
65+	2796	11.1	149	1	2	7	16	27	37	61
GRAND TOTAL	**6282**	**10.7**	**139**	**1**	**1**	**7**	**15**	**25**	**35**	**60**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	3.4	24	<1	1	3	4	5	8	18
20-34	49	3.7	13	1	1	3	4	7	9	24
35-49	38	5.1	23	1	1	4	5	12	14	25
50-64	50	6.0	39	1	1	4	7	12	20	34
65+	70	6.8	38	<1	1	5	11	14	18	34
B. *Operated*										
0-19 YRS	295	7.4	46	1	2	5	10	15	19	38
20-34	185	7.2	53	1	2	5	9	16	21	37
35-49	226	7.9	49	1	2	6	10	16	22	35
50-64	278	8.4	45	1	2	7	11	17	23	32
65+	359	8.9	86	1	2	6	12	19	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	425	4.5	31	1	1	3	5	9	13	23
20-34	112	6.1	51	1	1	4	7	14	21	39
35-49	96	6.5	35	1	1	5	9	12	21	30
50-64	198	8.4	126	1	1	5	10	18	31	77
65+	317	9.6	135	1	2	6	12	21	33	72
B. *Operated*										
0-19 YRS	164	12.2	153	2	2	9	14	26	44	54
20-34	121	12.3	137	2	2	8	16	30	34	60
35-49	160	12.6	204	2	2	8	14	32	42	97
50-64	375	14.0	198	2	3	10	16	29	44	73
65+	688	15.2	197	2	3	11	19	34	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	4.4	29	<1	1	3	4	10	13	24
B. *Operated*	1343	8.1	58	1	2	6	10	16	23	37
2. MULTIPLE DX										
A. *Not Operated*	1148	6.9	83	1	1	4	8	15	22	50
B. *Operated*	1528	14.0	189	2	3	10	17	31	44	74
1. SINGLE DX	1768	7.2	53	1	1	5	9	15	21	36
2. MULTIPLE DX	2676	11.0	156	1	2	7	14	25	36	68
A. NOT OPERATED	1573	6.2	69	1	1	4	7	14	20	47
B. OPERATED	2871	11.2	137	1	2	8	14	24	34	60
TOTAL 0-19 YRS	1122	6.3	62	1	1	4	8	13	19	47
20-34	467	7.9	78	1	1	5	10	17	28	43
35-49	520	8.9	99	1	2	6	11	19	27	49
50-64	901	10.6	134	1	2	7	13	23	32	68
65+	1434	12.0	157	1	2	8	15	27	37	63
GRAND TOTAL	**4444**	**9.5**	**118**	**1**	**2**	**6**	**12**	**21**	**31**	**56**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	1.9	1	1	1	2	3	3	3	3
35-49	50	5.9	48	1	1	4	6	12	25	33
50-64	30	4.4	9	<1	1	4	6	8	9	14
65+	28	5.3	17	2	2	4	6	12	15	20
B. *Operated*										
0-19 YRS	26	4.0	7	<1	<1	3	[illegible]	8	9	9
20-34	294	4.9	16	<1	1	4	7	9	11	17
35-49	517	5.4	18	1	1	5	7	10	13	21
50-64	576	5.7	17	1	1	5	8	11	13	19
65+	489	6.0	31	1	2	4	8	12	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	65	6.4	45	<1	1	5	8	15	19	34
35-49	130	6.9	40	1	1	5	8	14	22	31
50-64	168	6.5	34	1	1	5	9	13	18	31
65+	202	8.5	63	1	2	6	9	17	24	54
B. *Operated*										
0-19 YRS	10	7.7	44	1	2	5	8	19	24	24
20-34	178	7.9	71	1	2	5	10	17	24	47
35-49	309	7.7	61	1	2	6	10	15	20	36
50-64	513	8.4	49	2	2	7	11	16	21	30
65+	694	9.5	63	2	2	7	12	19	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	5.1	28	1	1	4	6	10	14	32
B. *Operated*	1902	5.6	21	1	1	4	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	568	7.3	55	1	1	5	9	15	21	35
B. *Operated*	1704	8.7	56	2	2	7	11	18	23	36
1. SINGLE DX	2020	5.5	21	1	1	4	7	11	13	22
2. MULTIPLE DX	2272	8.3	56	1	2	6	11	17	22	36
A. NOT OPERATED	686	6.9	51	1	1	5	8	14	20	34
B. OPERATED	3606	7.0	40	1	2	5	9	14	19	31
TOTAL 0-19 YRS	39	4.8	18	<1	1	4	6	9	12	24
20-34	547	6.0	39	1	1	4	7	11	16	35
35-49	1006	6.3	30	1	2	5	8	13	16	30
50-64	1287	6.8	34	1	2	5	9	13	17	28
65+	1413	8.1	56	1	2	6	10	16	22	36
GRAND TOTAL	**4292**	**7.0**	**42**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.4	23	1	1	1	4	12	12	12
35-49	9	3.4	20	<1	<1	1	4	11	14	14
50-64	49	2.8	33	<1	<1	<1	2	5	8	39
65+	62	5.3	57	<1	<1	2	7	14	20	42
B. *Operated*										
0-19 YRS	28	3.0	4	<1	<1	2	5	6	6	8
20-34	104	3.5	15	<1	<1	2	4	8	9	23
35-49	422	3.0	11	<1	<1	2	3	6	9	18
50-64	1022	2.8	9	<1	<1	2	3	6	8	15
65+	1975	3.2	12	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	22	10.5	283	<1	1	7	10	21	46	81
35-49	40	4.3	30	1	1	2	4	10	16	27
50-64	73	7.2	63	<1	1	4	11	16	25	39
65+	236	8.1	68	1	1	5	10	19	28	43
B. *Operated*										
0-19 YRS	18	3.8	13	<1	1	2	4	8	13	15
20-34	74	7.3	95	<1	1	4	9	16	26	56
35-49	307	5.1	56	<1	<1	2	6	12	20	39
50-64	1110	4.9	45	<1	1	3	5	11	17	35
65+	3278	6.3	64	1	1	3	8	14	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.1	44	<1	<1	1	4	11	16	40
B. *Operated*	3551	3.1	11	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	375	7.6	75	1	1	5	10	17	25	41
B. *Operated*	4787	5.9	60	1	1	3	7	14	20	41
1. SINGLE DX	3677	3.1	12	<1	<1	2	3	6	9	18
2. MULTIPLE DX	5162	6.1	61	1	1	3	7	14	20	41
A. NOT OPERATED	501	6.7	70	<1	<1	4	8	16	23	41
B. OPERATED	8338	4.7	41	<1	1	2	5	10	16	34
TOTAL 0-19 YRS	51	3.3	7	<1	<1	2	4	6	8	15
20-34	205	5.6	77	<1	<1	3	7	12	19	50
35-49	778	3.9	30	<1	<1	2	4	9	13	29
50-64	2254	4.0	30	<1	<1	2	4	9	13	29
65+	5551	5.3	48	<1	1	3	6	12	18	37
GRAND TOTAL	**8839**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**16**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	2.0	2	<1	<1	2	3	3	5	6
35-49	124	4.0	22	<1	1	2	4	10	14	25
50-64	177	5.0	31	1	1	3	6	11	16	29
65+	176	6.9	53	1	1	5	8	15	22	39
B. *Operated*										
0-19 YRS	14	4.6	8	<1	<1	5	7	8	9	9
20-34	599	5.7	11	<1	1	6	8	10	12	15
35-49	2975	6.0	10	1	2	6	8	10	11	16
50-64	4571	6.6	13	2	2	6	8	11	12	17
65+	4676	7.2	15	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	43	3	3	4	9	19	21	21
20-34	124	7.3	75	1	1	4	9	17	25	44
35-49	703	7.7	84	1	1	5	9	17	25	45
50-64	1772	9.3	100	1	2	6	12	20	28	53
65+	2228	10.9	110	1	2	8	14	23	33	67
B. *Operated*										
0-19 YRS	12	8.8	20	2	3	8	10	17	18	18
20-34	559	7.7	31	2	3	7	9	12	15	35
35-49	3570	8.2	36	2	3	7	10	14	18	35
50-64	7223	9.5	57	3	4	8	11	16	21	43
65+	10306	10.7	71	3	4	9	12	18	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	5.2	37	1	1	3	6	12	17	34
B. *Operated*	12835	6.7	13	2	2	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	4834	9.7	103	1	2	7	13	21	29	57
B. *Operated*	21670	9.8	60	3	4	8	11	17	23	45
1. SINGLE DX	13337	6.6	14	1	2	6	8	11	13	18
2. MULTIPLE DX	26504	9.8	68	2	3	8	11	17	24	47
A. NOT OPERATED	5336	9.3	98	1	2	6	12	21	29	54
B. OPERATED	34505	8.6	45	2	3	7	10	14	19	27
TOTAL 0-19 YRS	34	6.5	22	<1	1	7	8	11	18	21
20-34	1306	6.6	26	1	2	6	8	11	14	27
35-49	7372	7.2	31	1	2	6	9	12	16	31
50-64	13743	8.5	50	2	3	7	10	14	19	39
65+	17386	9.7	63	2	3	8	11	17	23	46
GRAND TOTAL	**39841**	**8.7**	**52**	**2**	**3**	**7**	**10**	**15**	**20**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	61	3.7	6	1	2	3	4	5	7	18
35-49	228	4.1	13	2	2	3	4	6	9	14
50-64	246	4.6	20	2	3	4	4	6	10	21
65+	232	4.4	9	2	2	4	5	7	11	18
B. *Operated*										
0-19 YRS	6	3.5	4	1	1	3	6	6	6	6
20-34	432	5.2	16	1	1	4	7	11	13	19
35-49	525	5.9	23	1	2	4	8	12	14	21
50-64	418	5.8	30	1	2	4	7	11	15	25
65+	342	5.4	35	2	2	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	78	5.5	48	1	1	3	7	14	20	39
35-49	236	6.3	45	1	2	4	8	11	18	44
50-64	387	7.0	76	1	2	4	7	15	22	44
65+	427	8.6	67	2	3	6	11	17	24	39
B. *Operated*										
0-19 YRS	6	2.3	6	1	1	1	3	7	7	7
20-34	404	8.2	56	1	2	7	10	14	18	39
35-49	729	10.1	82	2	2	8	13	19	27	52
50-64	767	11.1	132	2	2	7	14	24	36	62
65+	761	10.9	130	2	2	7	13	24	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	4.3	13	2	2	4	4	6	10	19
B. *Operated*	1723	5.6	25	1	2	4	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1130	7.4	66	1	2	5	9	16	22	42
B. *Operated*	2667	10.3	107	2	2	7	13	21	30	59
1. SINGLE DX	2491	5.2	22	1	2	4	6	10	13	20
2. MULTIPLE DX	3797	9.4	97	1	2	7	12	20	27	53
A. NOT OPERATED	1898	6.1	47	1	2	4	6	12	18	38
B. OPERATED	4390	8.5	80	1	2	6	10	17	24	49
TOTAL 0-19 YRS	15	4.0	24	1	1	3	5	7	17	20
20-34	975	6.4	37	1	1	5	8	13	16	26
35-49	1718	7.5	55	1	2	5	10	14	20	41
50-64	1818	8.1	89	1	2	5	10	18	25	52
65+	1762	8.4	87	2	2	5	10	18	26	47
GRAND TOTAL	**6288**	**7.8**	**71**	**1**	**2**	**5**	**10**	**16**	**22**	**46**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	47	3.7	5	1	1	3	4	5	8	13
50-64	199	3.5	3	1	2	3	4	5	6	11
65+	300	4.0	15	1	1	3	4	6	10	23
B. *Operated*										
0-19 YRS	5	8.8	11	6	6	9	10	14	14	14
20-34	40	6.3	7	2	3	6	8	9	11	14
35-49	230	6.1	13	1	1	6	8	10	12	16
50-64	1116	6.1	16	1	1	6	8	10	12	17
65+	1311	6.5	20	1	2	7	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	66	4	4	6	16	19	19	19
20-34	7	4.6	13	1	1	3	8	10	10	10
35-49	59	5.8	56	1	1	3	6	10	25	38
50-64	315	5.8	54	1	1	4	6	12	18	41
65+	671	8.0	98	1	2	4	10	17	27	49
B. *Operated*										
0-19 YRS	3	7.0	36	1	1	7	11	13	13	13
20-34	95	7.4	23	1	2	7	9	13	15	26
35-49	588	8.0	27	1	2	7	9	14	17	29
50-64	2719	8.6	43	1	2	8	10	15	20	36
65+	3831	10.2	75	2	2	8	12	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	3.8	10	1	1	3	4	5	8	17
B. *Operated*	2702	6.3	18	1	2	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1055	7.2	83	1	2	4	8	15	25	45
B. *Operated*	7236	9.4	59	2	2	8	11	17	22	42
1. SINGLE DX	3250	5.9	17	1	2	6	8	10	12	19
2. MULTIPLE DX	8291	9.1	62	1	2	8	11	17	23	43
A. NOT OPERATED	1603	6.1	61	1	1	4	6	12	19	40
B. OPERATED	9938	8.5	49	1	2	7	10	15	20	38
TOTAL 0-19 YRS	11	8.5	26	1	3	7	12	16	19	19
20-34	144	6.9	19	1	2	7	9	13	15	19
35-49	924	7.2	26	1	2	7	9	12	16	28
50-64	4349	7.5	37	1	2	7	9	13	17	31
65+	6113	8.9	66	1	2	7	11	17	23	44
GRAND TOTAL	**11541**	**8.2**	**52**	**1**	**2**	**7**	**10**	**15**	**20**	**39**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	3	1	1	2	3	5	7	8
20-34	35	2.5	2	1	1	2	4	4	5	7
35-49	187	2.0	3	<1	1	1	2	4	6	9
50-64	527	2.6	13	1	1	2	3	5	7	12
65+	385	3.3	17	1	1	2	3	6	10	22
B. *Operated*										
0-19 YRS	31	7.7	8	3	5	7	9	12	13	16
20-34	131	7.8	10	4	5	7	9	12	15	18
35-49	187	8.1	15	4	4	8	9	12	14	25
50-64	359	10.1	31	3	5	9	12	17	20	34
65+	225	12.1	64	3	6	10	14	22	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.8	132	1	1	4	10	27	38	42
20-34	75	3.4	10	1	1	2	4	6	10	17
35-49	438	3.6	22	1	1	2	4	8	13	21
50-64	1390	4.5	39	1	1	2	5	10	16	33
65+	1444	6.1	69	1	1	3	7	14	21	38
B. *Operated*										
0-19 YRS	32	8.4	11	5	5	7	10	13	15	18
20-34	185	10.2	43	4	5	8	13	18	23	37
35-49	639	12.9	87	5	6	10	15	23	31	59
50-64	1562	14.3	91	5	6	12	18	25	32	50
65+	1742	18.2	160	5	7	15	22	33	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	2.7	12	1	1	2	3	5	8	15
B. *Operated*	933	9.8	35	3	5	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	3366	5.1	50	1	1	3	6	12	17	35
B. *Operated*	4160	15.5	123	5	6	12	19	28	36	62
1. SINGLE DX	2087	5.9	34	1	1	4	8	12	16	26
2. MULTIPLE DX	7526	10.8	117	1	1	8	15	23	31	56
A. NOT OPERATED	4520	4.5	42	1	1	2	5	10	16	31
B. OPERATED	5093	14.4	112	5	6	11	18	26	34	59
TOTAL 0-19 YRS	102	7.2	35	1	2	6	9	12	17	37
20-34	426	7.7	32	1	2	7	9	14	17	30
35-49	1451	8.1	68	1	1	7	11	17	22	39
50-64	3838	8.7	80	1	1	7	12	19	25	41
65+	3796	11.7	144	1	2	9	16	26	34	59
GRAND TOTAL	**9613**	**9.7**	**103**	**1**	**1**	**7**	**13**	**22**	**28**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	13	4.2	10	1	1	4	7	8	10	11
35-49	6	3.7	3	2	2	4	5	6	6	6
50-64	24	5.1	48	1	1	3	5	10	21	34
65+	72	5.0	37	1	1	3	6	8	14	38
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	17	7.4	45	1	2	4	13	18	21	22
35-49	44	6.5	35	1	1	4	9	15	20	26
50-64	95	7.3	59	2	2	4	9	15	22	44
65+	193	8.7	103	1	2	5	11	22	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	4	1	1	5	5	5	5	5
20-34	13	6.0	27	1	2	4	8	14	19	21
35-49	21	6.3	38	1	1	5	10	13	19	26
50-64	63	7.0	86	1	1	3	6	24	28	42
65+	196	8.8	87	1	2	5	11	23	30	43
B. *Operated*										
0-19 YRS	6	5.5	24	<1	<1	4	11	12	12	12
20-34	28	10.3	86	1	3	7	12	21	26	47
35-49	90	11.0	127	1	2	8	13	25	33	61
50-64	222	13.2	145	2	3	10	19	29	39	93
65+	543	15.1	160	2	3	11	21	32	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.7	33	1	1	3	6	8	13	36
B. *Operated*	354	7.9	80	1	2	4	10	19	26	44
2. MULTIPLE DX										
A. *Not Operated*	302	8.0	79	1	1	5	10	21	28	42
B. *Operated*	889	14.0	152	2	3	10	19	30	40	69
1. SINGLE DX	476	7.1	70	1	2	4	9	16	24	40
2. MULTIPLE DX	1191	12.5	140	2	2	9	17	28	37	60
A. NOT OPERATED	424	7.1	68	1	1	4	8	16	26	41
B. OPERATED	1243	12.3	139	2	2	8	17	27	37	61
TOTAL 0-19 YRS	22	3.0	10	<1	<1	2	5	7	11	12
20-34	76	7.6	54	1	1	6	9	18	21	41
35-49	161	8.9	91	1	1	6	11	19	26	45
50-64	404	10.4	120	1	2	7	13	26	33	59
65+	1004	11.9	138	2	2	8	16	27	35	58
GRAND TOTAL	**1667**	**10.9**	**126**	**1**	**2**	**7**	**14**	**26**	**33**	**55**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	11	3.8	17	1	1	2	5	10	14	14
50-64	103	5.4	20	1	1	4	8	10	15	22
65+	357	5.9	23	1	2	4	8	12	16	24
B. *Operated*										
0-19 YRS	6	5.0	10	1	1	5	8	9	9	9
20-34	5	9.8	28	3	3	9	14	16	16	16
35-49	40	5.9	31	<1	1	4	8	13	16	29
50-64	1644	6.5	27	1	2	5	9	13	16	23
65+	5131	6.8	25	1	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	5	1	1	2	3	6	8	8
20-34	4	12.8	212	1	1	8	21	34	34	34
35-49	40	6.7	40	1	1	6	8	12	15	38
50-64	801	7.7	73	1	2	5	9	16	23	45
65+	4457	9.6	85	2	2	7	12	20	28	48
B. *Operated*										
0-19 YRS	18	8.7	34	2	2	8	15	17	18	19
20-34	6	17.0	492	2	2	8	17	57	61	61
35-49	74	10.9	96	2	4	8	12	24	35	48
50-64	3019	9.8	76	2	2	8	12	20	25	43
65+	16645	10.6	76	2	3	8	13	20	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	5.7	22	1	1	4	8	12	16	22
B. *Operated*	6826	6.7	26	1	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	5311	9.3	83	2	2	7	11	19	27	48
B. *Operated*	19762	10.5	76	2	3	8	13	20	26	46
1. SINGLE DX	7300	6.6	25	1	2	6	9	12	16	24
2. MULTIPLE DX	25073	10.2	78	2	3	8	13	20	26	46
A. NOT OPERATED	5785	9.0	79	1	2	6	11	19	26	47
B. OPERATED	26588	9.5	66	2	3	7	12	18	24	42
TOTAL 0-19 YRS	36	6.0	27	1	1	4	8	15	17	19
20-34	15	13.5	240	1	2	9	15	34	54	61
35-49	165	8.2	67	1	1	6	10	17	24	43
50-64	5567	8.5	62	1	2	7	11	17	22	39
65+	26590	9.6	69	2	3	7	12	19	25	44
GRAND TOTAL	**32373**	**9.4**	**68**	**2**	**2**	**7**	**12**	**18**	**24**	**43**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	4	<1	1	2	5	6	6	6
20-34	64	4.0	7	<1	1	4	5	6	11	12
35-49	32	4.4	19	1	1	4	5	7	10	25
50-64	5	3.2	4	1	1	3	4	6	6	6
65+	7	8.0	42	2	2	7	14	17	17	17
B. *Operated*										
0-19 YRS	46	5.8	22	1	1	5	7	13	17	22
20-34	574	4.9	14	1	1	4	6	10	13	18
35-49	235	4.4	11	1	1	4	6	8	10	18
50-64	93	5.0	18	<1	2	4	6	10	14	21
65+	78	6.5	30	2	2	5	8	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.0	12	1	1	4	7	9	11	16
20-34	182	5.5	17	1	2	5	6	9	13	22
35-49	53	5.3	14	1	2	5	6	10	14	18
50-64	31	7.0	118	<1	1	3	6	12	35	54
65+	32	7.0	60	<1	1	5	9	17	35	99+
B. *Operated*										
0-19 YRS	40	9.4	42	2	3	8	14	17	24	26
20-34	294	9.1	73	1	2	7	11	19	26	52
35-49	116	6.7	27	1	2	5	9	14	17	24
50-64	100	9.4	117	2	2	6	11	19	24	62
65+	156	10.0	76	2	3	8	13	18	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.1	12	1	1	4	5	7	11	19
B. *Operated*	1026	5.0	15	1	2	4	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	326	5.7	30	1	1	5	6	10	15	36
B. *Operated*	706	8.9	71	2	2	7	11	17	23	54
1. SINGLE DX	1154	4.9	15	1	1	4	6	10	13	19
2. MULTIPLE DX	1032	7.9	60	1	2	6	10	16	21	50
A. NOT OPERATED	454	5.3	25	1	1	4	6	10	15	34
B. OPERATED	1732	6.6	42	1	2	5	8	14	17	35
TOTAL 0-19 YRS	134	6.3	28	1	1	5	8	14	17	25
20-34	1114	6.0	33	1	2	4	8	12	16	31
35-49	436	5.1	17	1	1	4	6	10	14	22
50-64	229	7.1	78	1	2	4	8	14	21	56
65+	273	8.6	62	2	2	7	11	17	21	51
GRAND TOTAL	**2186**	**6.3**	**39**	**1**	**2**	**4**	**8**	**13**	**17**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	8	1	1	3	6	8	8	8
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	14	2.8	3	<1	1	2	3	5	7	8
50-64	83	3.3	12	<1	1	2	4	6	10	20
65+	157	5.3	20	1	1	4	7	11	15	22
B. *Operated*										
0-19 YRS	13	4.1	19	<1	1	2	4	13	14	14
20-34	93	3.8	12	1	1	3	4	9	11	17
35-49	506	3.9	14	1	1	3	4	8	11	19
50-64	2605	4.7	24	1	1	3	5	10	15	24
65+	5617	5.1	25	1	2	4	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	34	1	1	4	11	16	18	18
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	34	4.6	29	2	2	3	4	10	19	25
50-64	310	6.3	42	1	1	4	8	14	18	35
65+	1098	3.9	97	1	1	6	11	20	27	50
B. *Operated*										
0-19 YRS	13	12.8	101	1	2	11	20	27	31	32
20-34	54	6.0	36	1	1	4	7	12	24	26
35-49	353	6.9	54	1	2	4	8	16	24	37
50-64	3058	7.9	72	1	2	5	10	17	24	43
65+	11264	9.1	97	2	2	6	11	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	4.5	18	1	1	3	6	10	14	21
B. *Operated*	8834	4.9	24	1	1	3	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	1455	8.2	85	1	1	5	10	18	25	49
B. *Operated*	14742	8.8	91	2	2	6	11	19	27	49
1. SINGLE DX	9096	4.9	24	1	1	3	6	10	15	23
2. MULTIPLE DX	16197	8.8	90	1	2	6	11	19	27	49
A. NOT OPERATED	1717	7.7	76	1	1	5	10	17	23	45
B. OPERATED	23576	7.3	69	1	2	5	9	16	23	43
TOTAL 0-19 YRS	42	7.4	59	1	1	4	11	18	25	32
20-34	152	4.6	22	1	1	3	5	10	16	25
35-49	907	5.1	32	1	1	3	5	11	16	29
50-64	6056	6.4	51	1	2	4	7	15	19	39
65+	18136	7.8	77	1	2	5	9	17	24	46
GRAND TOTAL	**25293**	**7.4**	**70**	**1**	**2**	**5**	**9**	**16**	**23**	**43**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.4	8	<1	1	3	4	7	8	17
20-34	4	3.5	11	1	1	3	6	8	8	8
35-49	15	3.7	13	<1	1	2	5	6	13	15
50-64	38	4.6	8	1	1	4	7	9	9	12
65+	52	6.2	45	1	1	4	7	12	21	37
B. *Operated*										
0-19 YRS	93	10.2	26	3	6	9	12	16	19	32
20-34	40	10.5	28	3	3	10	13	18	20	23
35-49	218	10.4	36	2	3	10	13	17	19	29
50-64	503	10.5	32	2	3	10	13	18	21	28
65+	534	11.1	47	2	2	10	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.8	25	1	1	4	5	10	17	30
20-34	26	6.5	41	1	1	4	9	16	21	27
35-49	94	6.9	34	1	2	6	10	13	17	33
50-64	420	8.4	86	1	2	5	10	19	27	47
65+	720	10.3	93	1	2	7	13	23	29	50
B. *Operated*										
0-19 YRS	63	16.1	192	5	7	11	17	30	42	84
20-34	59	12.7	74	2	4	11	16	23	28	51
35-49	300	12.8	74	2	4	11	16	23	29	46
50-64	1322	15.1	111	3	6	13	18	27	35	61
65+	2292	16.4	126	3	6	14	21	30	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	4.7	22	1	1	3	6	9	12	25
B. *Operated*	1388	10.7	38	2	3	10	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	1330	9.1	84	1	2	6	12	20	27	48
B. *Operated*	4036	15.7	119	3	6	13	19	29	36	61
1. SINGLE DX	1542	10.1	39	1	2	9	13	17	21	30
2. MULTIPLE DX	5366	14.0	118	2	3	12	18	27	35	58
A. NOT OPERATED	1484	8.6	80	1	2	6	11	19	26	45
B. OPERATED	5424	14.4	103	2	5	12	18	26	33	57
TOTAL 0-19 YRS	271	9.1	83	1	2	7	11	17	25	43
20-34	129	10.5	57	1	2	9	14	20	23	36
35-49	627	10.9	59	1	2	10	14	20	24	41
50-64	2283	12.7	96	2	3	11	16	23	30	56
65+	3598	14.3	115	2	3	12	18	27	35	56
GRAND TOTAL	**6908**	**13.2**	**103**	**2**	**3**	**11**	**17**	**25**	**32**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.7	2	<1	1	1	2	3	4	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.0	8	1	1	4	6	8	8	8
50-64	10	3.0	6	1	1	2	4	7	8	8
65+	6	6.2	85	2	2	3	3	23	25	25
B. *Operated*										
0-19 YRS	57	3.1	5	1	1	3	4	6	7	11
20-34	11	7.3	69	1	1	4	9	21	28	29
35-49	21	3.5	7	1	1	3	3	8	11	11
50-64	61	3.4	4	1	1	3	4	6	7	11
65+	78	3.8	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.7	45	<1	<1	3	4	10	21	32
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	6	5.3	2	3	3	5	6	7	7	7
50-64	20	5.4	26	1	1	4	6	14	18	20
65+	24	11.2	172	1	2	7	12	30	47	52
B. *Operated*										
0-19 YRS	18	3.6	5	<1	<1	3	6	7	8	8
20-34	2	14.5	313	2	2	14	27	27	27	27
35-49	18	4.7	15	1	2	4	5	11	14	15
50-64	52	4.8	14	2	2	3	5	10	16	16
65+	95	7.5	66	2	2	4	8	16	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	2.4	10	<1	1	1	2	4	7	21
B. *Operated*	228	3.7	8	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	77	6.9	81	1	1	4	7	16	25	50
B. *Operated*	185	6.2	44	1	2	4	7	14	18	36
1. SINGLE DX	304	3.4	9	1	1	3	4	6	8	13
2. MULTIPLE DX	262	6.4	55	1	2	4	7	14	20	41
A. NOT OPERATED	153	4.6	50	<1	1	2	5	9	16	45
B. OPERATED	413	4.8	26	1	2	3	5	9	14	31
TOTAL 0-19 YRS	153	2.9	11	<1	1	2	4	6	7	16
20-34	17	7.1	74	1	1	4	7	25	28	29
35-49	50	4.2	9	1	2	3	5	8	11	15
50-64	143	4.2	11	1	1	3	5	8	12	17
65+	203	6.5	60	1	2	4	7	14	24	43
GRAND TOTAL	**566**	**4.7**	**32**	**1**	**1**	**3**	**5**	**9**	**15**	**34**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.9	22	<1	1	2	5	8	15	25
20-34	92	4.8	19	1	1	4	6	10	12	25
35-49	149	6.9	55	1	2	4	8	13	24	41
50-64	185	8.9	74	1	2	6	11	20	31	38
65+	154	10.4	97	1	2	8	14	26	31	51
B. *Operated*										
0-19 YRS	207	11.5	72	1	2	10	15	18	24	50
20-34	216	12.0	56	3	5	10	15	20	26	43
35-49	256	13.0	100	2	4	11	16	22	33	54
50-64	342	16.3	164	3	6	13	19	29	42	69
65+	237	17.2	182	4	6	14	21	32	42	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.0	52	1	1	3	5	11	19	43
20-34	131	9.5	100	1	2	6	12	25	31	47
35-49	299	9.2	106	1	2	6	11	21	35	61
50-64	531	11.8	159	2	2	7	15	27	38	71
65+	539	14.3	170	2	3	10	18	34	45	79
B. *Operated*										
0-19 YRS	267	19.6	278	3	5	15	26	45	65	99+
20-34	214	17.0	247	3	4	12	20	42	61	92
35-49	282	19.1	262	4	6	14	24	40	63	99+
50-64	511	24.9	372	5	7	19	32	55	72	97
65+	491	27.7	405	6	8	22	35	60	72	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	7.4	64	1	1	5	9	16	27	38
B. *Operated*	1258	14.3	126	3	5	12	17	26	36	64
2. MULTIPLE DX										
A. *Not Operated*	1690	11.2	144	1	2	7	14	26	39	65
B. *Operated*	1765	23.0	350	4	6	17	30	55	68	99+
1. SINGLE DX	1953	11.9	115	1	2	9	15	24	32	58
2. MULTIPLE DX	3455	17.2	284	2	3	12	23	41	58	93
A. NOT OPERATED	2385	10.1	124	1	2	6	12	24	34	57
B. OPERATED	3023	19.4	275	3	6	14	24	43	60	92
TOTAL 0-19 YRS	779	11.6	171	1	1	8	15	26	43	83
20-34	653	12.1	138	2	2	9	15	25	34	65
35-49	986	12.7	162	2	2	9	16	27	40	80
50-64	1569	16.7	256	2	3	12	21	38	54	85
65+	1421	19.0	288	3	4	14	25	42	58	88
GRAND TOTAL	**5408**	**15.3**	**229**	**2**	**3**	**11**	**19**	**34**	**50**	**83**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	5	<1	<1	2	3	6	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	14.5	13	12	12	14	17	17	17	17
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	5	21.0	289	4	4	21	38	38	38	38
B. *Operated*										
0-19 YRS	39	12.3	125	2	3	9	15	24	29	65
20-34	23	11.8	113	1	2	11	14	20	35	53
35-49	17	9.9	55	1	1	11	15	17	24	28
50-64	23	15.0	82	2	4	14	20	27	33	35
65+	11	17.4	227	2	2	18	23	38	51	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.1	56	<1	1	4	9	21	25	25
20-34	9	10.2	77	2	2	11	13	24	30	30
35-49	16	7.9	81	1	1	5	7	27	30	31
50-64	16	13.8	218	1	2	9	18	43	48	50
65+	19	14.5	153	3	4	11	18	30	43	52
B. *Operated*										
0-19 YRS	56	18.0	189	3	4	15	24	40	47	63
20-34	29	24.2	583	2	3	13	43	67	82	99+
35-49	22	29.0	544	3	5	29	45	69	94	99+
50-64	47	28.9	493	5	7	22	41	73	76	99+
65+	54	29.7	520	4	7	22	45	78	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.8	138	<1	<1	4	11	31	38	38
B. *Operated*	113	12.9	113	2	2	11	17	25	29	57
2. MULTIPLE DX										
A. *Not Operated*	89	10.3	117	1	1	7	13	25	31	51
B. *Operated*	208	25.5	451	3	5	18	40	64	79	99+
1. SINGLE DX	132	12.3	118	1	2	10	17	25	32	55
2. MULTIPLE DX	297	21.0	399	2	3	15	29	54	72	99+
A. NOT OPERATED	108	10.1	120	1	1	6	13	25	33	51
B. OPERATED	321	21.1	368	2	4	15	28	53	71	99+
TOTAL 0-19 YRS	133	12.9	153	1	2	10	17	27	40	64
20-34	62	17.2	364	2	2	11	19	58	67	98
35-49	57	16.8	337	1	2	11	28	45	63	99
50-64	88	22.0	378	2	4	16	29	53	73	92
65+	89	24.5	428	3	4	20	36	56	83	99+
GRAND TOTAL	**429**	**18.3**	**328**	**2**	**2**	**13**	**24**	**47**	**65**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	71th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	3.7	26	<1	1	3	4	6	9	32
20-34	61	2.5	3	1	1	2	3	5	5	11
35-49	55	3.1	7	1	1	2	3	6	10	15
50-64	41	3.0	4	1	1	3	3	5	8	10
65+	40	4.9	36	1	1	3	5	9	14	36
B. *Operated*										
0-19 YRS	92	6.9	27	1	2	5	9	15	19	23
20-34	309	4.6	6	2	3	4	5	7	9	16
35-49	287	4.9	10	2	2	4	5	8	11	19
50-64	222	6.1	31	2	3	5	6	10	15	37
65+	113	6.7	32	2	3	5	7	12	16	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.5	36	1	1	3	5	9	13	28
20-34	73	3.8	9	1	1	3	4	6	10	17
35-49	87	4.6	24	1	1	3	5	9	15	28
50-64	115	7.0	75	1	2	4	7	17	29	72
65+	166	10.0	113	1	2	6	14	22	33	59
B. *Operated*										
0-19 YRS	126	12.0	202	2	3	7	12	27	43	73
20-34	358	6.4	49	2	3	5	7	11	16	31
35-49	362	7.3	44	2	3	5	8	14	20	35
50-64	382	8.9	76	3	3	6	10	17	25	60
65+	350	12.9	164	3	4	8	15	27	43	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	3.4	16	1	1	3	4	6	9	22
B. *Operated*	1023	5.5	18	2	3	4	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	591	6.4	66	1	1	4	7	15	22	54
B. *Operated*	1578	9.1	103	2	3	6	10	18	27	60
1. SINGLE DX	1309	5.0	18	1	2	4	5	9	12	21
2. MULTIPLE DX	2169	8.4	94	2	2	5	9	17	26	58
A. NOT OPERATED	877	5.4	52	1	1	3	6	12	18	44
B. OPERATED	2601	7.7	72	2	3	5	8	15	21	48
TOTAL 0-19 YRS	457	6.9	88	1	1	4	8	15	23	57
20-34	801	5.2	27	1	2	4	6	9	12	23
35-49	791	5.8	29	2	2	4	6	11	15	30
50-64	760	7.5	62	2	2	5	8	15	20	48
65+	669	10.7	139	2	3	7	13	22	36	70
GRAND TOTAL	**3478**	**7.1**	**68**	**1**	**2**	**5**	**8**	**14**	**20**	**48**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.3	25	<1	1	2	3	6	7	36
20-34	38	5.2	32	<1	1	3	5	13	19	24
35-49	134	6.2	40	1	1	4	7	15	18	29
50-64	379	6.9	62	1	1	5	8	17	23	34
65+	584	7.7	64	1	2	5	10	17	22	40
B. *Operated*										
0-19 YRS	65	7.4	62	1	2	5	9	14	22	44
20-34	102	6.5	23	1	1	5	9	12	16	22
35-49	277	6.6	35	1	1	5	9	12	16	30
50-64	664	7.6	52	1	1	6	10	16	21	33
65+	975	8.5	82	1	1	5	12	19	26	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.6	31	1	1	3	5	9	12	37
20-34	687	6.9	60	1	1	5	8	15	21	45
35-49	2835	7.7	60	1	2	5	10	17	23	42
50-64	9396	9.1	81	1	2	6	11	20	27	46
65+	15246	10.5	95	2	2	8	13	22	29	50
B. *Operated*										
0-19 YRS	187	11.0	114	2	2	8	13	22	33	46
20-34	832	11.6	117	2	3	9	14	24	34	53
35-49	3035	11.8	124	2	2	9	15	25	33	59
50-64	9324	13.3	141	2	3	10	18	28	37	64
65+	13306	14.7	163	2	3	11	19	31	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1193	7.0	58	1	1	5	8	16	21	38
B. *Operated*	2083	7.9	63	1	1	5	10	17	23	29
2. MULTIPLE DX										
A. *Not Operated*	28386	9.6	87	1	2	7	12	21	28	48
B. *Operated*	26684	13.8	150	2	3	10	18	29	38	64
1. SINGLE DX	3276	7.5	61	1	1	5	10	17	23	39
2. MULTIPLE DX	55070	11.6	122	2	2	8	15	25	33	58
A. NOT OPERATED	29579	9.5	86	1	2	7	12	20	27	47
B. OPERATED	28767	13.3	146	2	3	10	17	28	37	63
TOTAL 0-19 YRS	532	7.1	73	1	1	4	9	14	23	41
20-34	1659	9.2	91	1	2	7	11	20	27	50
35-49	6281	9.6	94	1	2	7	12	21	28	49
50-64	19763	11.0	113	1	2	8	14	24	32	56
65+	30111	12.2	129	2	2	9	16	26	35	60
GRAND TOTAL	**58346**	**11.4**	**119**	**2**	**2**	**8**	**15**	**24**	**33**	**58**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.4	5	<1	<1	1	3	5	7	14
20-34	147	3.9	17	<1	1	2	5	8	11	19
35-49	65	3.7	13	<1	1	2	5	7	10	20
50-64	65	5.2	27	1	1	3	7	12	14	29
65+	35	5.8	43	1	1	3	8	16	20	27
B. *Operated*										
0-19 YRS	291	6.7	24	1	1	6	9	14	16	22
20-34	705	6.3	22	1	1	6	9	11	15	23
35-49	289	7.2	35	1	2	6	9	16	20	26
50-64	148	9.6	82	1	2	8	12	17	25	49
65+	105	11.5	102	1	2	9	16	25	33	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.0	21	<1	<1	2	5	9	15	23
20-34	286	5.7	30	1	1	4	7	12	16	29
35-49	146	6.4	34	1	1	5	8	14	17	29
50-64	200	6.6	45	1	1	4	9	16	19	31
65+	198	10.2	112	1	1	7	13	23	31	51
B. *Operated*										
0-19 YRS	129	10.4	110	2	2	8	13	22	28	69
20-34	406	10.5	79	2	3	8	14	21	26	48
35-49	227	12.0	96	2	3	9	16	24	29	41
50-64	268	13.7	125	2	2	11	18	27	35	56
65+	270	17.1	178	2	3	14	23	35	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	4.0	19	<1	1	2	5	9	13	21
B. *Operated*	1538	7.2	38	1	2	6	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	927	6.8	54	1	1	4	9	16	21	36
B. *Operated*	1300	12.8	121	2	3	10	16	26	34	54
1. SINGLE DX	1915	6.6	36	1	1	5	9	13	18	28
2. MULTIPLE DX	2227	10.3	102	1	2	7	14	23	29	49
A. NOT OPERATED	1304	6.0	46	1	1	4	8	14	18	33
B. OPERATED	2838	9.8	84	1	2	7	12	21	27	46
TOTAL 0-19 YRS	582	6.6	46	1	1	5	9	14	18	28
20-34	1544	7.1	43	1	1	6	9	14	19	29
35-49	727	8.2	59	1	2	6	11	18	23	34
50-64	681	9.9	94	1	1	8	13	21	28	49
65+	608	13.2	148	1	2	10	18	30	38	52
GRAND TOTAL	**4142**	**8.6**	**75**	**1**	**1**	**6**	**11**	**18**	**25**	**44**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	504	3.9	19	<1	<1	3	5	9	12	20
20-34	43	5.5	44	1	1	4	6	10	17	38
35-49	22	4.4	6	1	1	4	5	7	10	12
50-64	55	5.6	35	1	1	4	7	13	18	29
65+	112	6.0	38	<1	1	4	8	14	21	29
B. *Operated*										
0-19 YRS	354	7.3	70	<1	1	4	10	20	25	38
20-34	56	16.3	216	<1	2	13	27	33	44	64
35-49	39	10.3	127	1	2	6	12	29	38	43
50-64	82	7.8	83	1	2	5	9	17	27	48
65+	110	9.1	104	2	2	7	10	19	28	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	847	5.1	37	<1	1	3	6	11	15	29
20-34	67	6.6	23	1	1	5	9	13	17	21
35-49	74	9.6	134	1	1	6	12	22	34	60
50-64	353	7.0	47	1	1	5	9	15	21	40
65+	1109	8.8	75	1	2	6	12	18	25	40
B. *Operated*										
0-19 YRS	338	15.2	219	1	2	10	21	36	48	72
20-34	97	25.3	372	2	5	23	37	54	62	97
35-49	77	19.1	371	1	3	11	32	41	67	77
50-64	307	14.9	197	2	3	10	20	35	46	62
65+	750	14.1	164	3	4	10	17	28	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	4.5	25	<1	<1	3	5	10	14	26
B. *Operated*	641	8.6	99	1	1	5	10	22	30	46
2. MULTIPLE DX										
A. *Not Operated*	2450	7.2	61	1	1	5	9	15	22	39
B. *Operated*	1569	15.4	212	2	3	10	20	36	46	76
1. SINGLE DX	1377	6.4	64	<1	1	4	8	15	23	40
2. MULTIPLE DX	4019	10.4	136	1	2	7	13	24	35	63
A. NOT OPERATED	3186	6.6	54	<1	1	4	8	14	20	37
B. OPERATED	2210	13.4	189	1	2	9	18	32	43	70
TOTAL 0-19 YRS	2043	6.8	83	<1	1	4	8	16	24	47
20-34	263	15.4	267	1	2	8	24	39	51	71
35-49	212	12.6	230	1	2	6	15	36	43	76
50-64	797	10.0	122	1	2	7	13	23	33	54
65+	2081	10.6	113	1	2	8	13	23	31	60
GRAND TOTAL	**5396**	**9.4**	**121**	**1**	**1**	**6**	**12**	**22**	**32**	**57**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	4.3	11	<1	<1	4	6	8	11	14
20-34	104	6.4	56	1	1	4	7	15	22	39
35-49	93	6.0	39	<1	1	4	7	14	22	31
50-64	145	5.7	39	<1	1	4	7	12	15	41
65+	299	5.1	41	<1	1	3	6	11	20	33
B. *Operated*										
0-19 YRS	89	11.9	156	1	2	8	16	34	49	80
20-34	110	14.0	219	1	2	8	27	37	47	74
35-49	125	15.8	301	1	2	7	27	41	50	75
50-64	132	16.3	304	1	2	10	25	40	50	77
65+	155	11.0	125	1	2	7	13	29	35	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	6.5	50	<1	1	4	7	13	20	37
20-34	138	7.5	77	<1	1	4	9	17	29	44
35-49	194	7.7	81	1	1	5	9	17	29	43
50-64	495	7.2	67	1	1	5	9	16	22	45
65+	1278	7.8	86	1	1	5	10	18	26	43
B. *Operated*										
0-19 YRS	127	24.2	459	2	4	14	37	57	68	93
20-34	207	24.5	349	2	4	24	34	49	62	99+
35-49	267	25.4	358	3	4	25	38	52	62	99+
50-64	479	26.5	404	3	5	25	40	61	72	99+
65+	911	18.3	284	2	4	12	27	41	56	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	5.3	36	<1	1	4	7	11	17	35
B. *Operated*	611	13.8	224	1	2	8	21	35	47	72
2. MULTIPLE DX										
A. *Not Operated*	2413	7.5	77	1	1	5	9	17	25	43
B. *Operated*	1991	22.3	353	3	4	16	34	51	63	99+
1. SINGLE DX	1431	8.9	134	1	1	5	10	26	35	58
2. MULTIPLE DX	4404	14.2	256	1	1	8	20	38	50	79
A. NOT OPERATED	3233	6.9	67	1	1	4	8	15	24	40
B. OPERATED	2602	20.3	336	2	3	13	31	47	60	92
TOTAL 0-19 YRS	703	9.8	177	<1	1	5	10	28	40	68
20-34	559	14.9	262	1	1	8	25	38	48	89
35-49	679	15.9	292	1	1	8	27	41	52	86
50-64	1251	15.4	302	1	1	8	23	42	57	90
65+	2643	11.3	179	1	1	7	14	29	40	66
GRAND TOTAL	**5835**	**12.9**	**231**	**1**	**1**	**7**	**16**	**35**	**47**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.4	11	<1	1	3	4	6	9	22
20-34	127	4.4	23	1	1	3	6	10	15	25
35-49	247	4.7	25	<1	1	3	6	10	13	20
50-64	534	6.5	68	1	1	4	8	15	21	41
65+	759	7.0	68	1	1	4	9	16	23	44
B. *Operated*										
0-19 YRS	142	8.0	57	1	1	6	11	18	24	35
20-34	203	8.2	62	1	2	6	11	17	23	45
35-49	466	8.0	77	1	2	6	10	16	21	39
50-64	1099	8.1	59	1	2	6	11	17	22	38
65+	1301	9.4	80	1	2	7	12	20	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.8	43	1	1	3	5	9	15	39
20-34	191	6.1	42	1	1	4	7	13	16	41
35-49	577	7.0	63	1	1	5	9	15	19	46
50-64	2017	8.9	96	1	1	6	11	19	26	49
65+	4021	9.7	100	1	2	7	12	22	29	49
B. *Operated*										
0-19 YRS	102	13.0	144	2	3	9	17	25	36	68
20-34	217	15.9	259	1	2	10	22	39	53	92
35-49	623	13.3	160	2	3	9	16	29	40	65
50-64	2151	14.7	181	2	3	11	19	32	43	67
65+	4080	16.5	197	3	4	12	22	35	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1840	6.0	55	1	1	4	7	14	19	36
B. *Operated*	3211	8.6	70	1	2	6	11	18	24	41
2. MULTIPLE DX										
A. *Not Operated*	7067	9.0	94	1	1	6	11	20	28	49
B. *Operated*	7173	15.6	191	2	3	11	20	34	45	75
1. SINGLE DX	5051	7.7	67	1	1	5	10	17	23	40
2. MULTIPLE DX	14240	12.3	154	1	2	9	16	28	38	65
A. NOT OPERATED	8907	8.4	87	1	1	5	11	19	26	47
B. OPERATED	10384	13.4	164	2	2	10	17	29	40	67
TOTAL 0-19 YRS	678	6.3	63	1	1	4	8	14	21	42
20-34	738	9.3	128	1	1	6	11	22	32	60
35-49	1913	9.0	103	1	1	6	11	19	28	54
50-64	5801	10.7	128	1	2	7	14	24	33	57
65+	10161	12.2	147	1	2	9	16	27	37	63
GRAND TOTAL	**19291**	**11.1**	**135**	**1**	**2**	**8**	**14**	**25**	**34**	**60**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	3.8	10	1	1	3	5	9	10	10
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	210	3.2	6	<1	1	2	4	7	8	12
20-34	505	3.0	4	1	1	3	4	5	6	9
35-49	626	3.2	3	1	1	3	4	5	6	9
50-64	765	3.4	3	1	2	3	4	5	6	9
65+	570	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	10	3.6	4	1	1	3	5	7	8	8
65+	11	5.1	9	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	59	4.4	19	<1	1	3	5	11	11	25
20-34	112	4.1	10	1	2	3	5	7	10	19
35-49	226	3.9	7	1	1	3	5	7	9	15
50-64	449	4.0	8	1	2	3	5	7	9	15
65+	510	5.4	22	1	2	4	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.6	5	1	1	2	3	6	9	10
B. *Operated*	2676	3.4	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	28	3.8	7	1	1	3	5	8	9	12
B. *Operated*	1356	4.5	14	1	2	4	5	8	11	19
1. SINGLE DX	2695	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	1384	4.5	14	1	2	4	5	8	11	19
A. NOT OPERATED	47	3.3	6	1	1	2	4	7	9	12
B. OPERATED	4032	3.8	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	275	3.4	9	<1	1	2	4	8	10	12
20-34	620	3.2	6	1	1	3	4	5	7	11
35-49	857	3.4	4	1	1	3	4	5	7	11
50-64	1232	3.7	5	1	2	3	4	6	7	11
65+	1095	4.5	13	1	2	4	5	8	10	18
GRAND TOTAL	**4079**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	11	<1	1	2	3	6	10	18
20-34	40	3.0	6	<1	1	2	4	6	7	15
35-49	99	2.2	2	<1	1	2	3	4	5	10
50-64	189	2.5	8	<1	<1	2	3	5	6	17
65+	242	2.8	7	<1	1	2	3	6	8	15
B. *Operated*										
0-19 YRS	161	3.9	16	1	1	2	4	9	13	19
20-34	208	5.8	23	1	1	5	9	12	16	20
35-49	591	3.8	18	<1	1	2	5	10	13	20
50-64	1502	3.6	17	<1	1	2	4	9	12	19
65+	1841	4.0	19	<1	1	2	4	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.4	6	1	1	3	5	7	9	10
20-34	65	4.2	16	1	1	3	5	11	13	20
35-49	142	5.0	79	<1	1	3	6	8	12	31
50-64	446	3.8	15	1	1	3	5	8	10	20
65+	968	5.3	27	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	107	7.0	59	1	1	5	9	13	17	43
20-34	260	7.7	45	1	2	6	10	15	22	34
35-49	841	6.1	33	1	1	4	9	13	17	30
50-64	3058	6.2	38	1	1	4	9	14	18	30
65+	5934	7.7	67	1	1	5	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	2.6	7	<1	1	2	3	5	7	15
B. *Operated*	4303	3.9	19	<1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1664	4.8	28	1	1	3	6	10	13	23
B. *Operated*	10200	7.1	55	1	1	5	10	16	20	35
1. SINGLE DX	4912	3.8	17	<1	1	2	4	10	12	20
2. MULTIPLE DX	11864	6.8	52	1	1	4	9	15	20	34
A. NOT OPERATED	2273	4.2	23	1	1	3	5	9	12	22
B. OPERATED	14503	6.2	46	1	1	4	9	14	18	32
TOTAL 0-19 YRS	350	4.7	30	1	1	3	6	10	14	25
20-34	573	6.3	33	1	1	5	9	13	17	26
35-49	1673	5.0	31	<1	1	3	7	11	15	25
50-64	5195	5.1	30	1	1	3	7	12	16	27
65+	8985	6.5	54	1	1	4	9	15	20	34
GRAND TOTAL	**16776**	**5.9**	**44**	**1**	**1**	**3**	**8**	**13**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.8	1	<1	1	1	2	3	4	7
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	8	3.3	10	<1	<1	2	4	9	10	10
50-64	4	1.8		1	1	2	2	2	2	2
65+	7	6.0	27	1	1	4	10	14	15	15
B. *Operated*										
0-19 YRS	480	2.1	3	<1	1	2	2	4	6	9
20-34	205	3.0	8	<1	1	2	3	8	9	13
35-49	231	3.6	11	<1	1	2	5	8	11	16
50-64	227	4.4	16	<1	1	3	6	10	12	16
65+	171	4.2	21	<1	1	2	5	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	1	<1	<1	1	2	3	4	4
20-34	5	4.4	36	<1	<1	2	6	15	15	15
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	13	9.2	173	<1	1	6	9	21	45	51
65+	38	7.4	27	1	2	6	11	14	18	22
B. *Operated*										
0-19 YRS	132	3.5	18	1	1	2	3	9	11	24
20-34	67	6.6	64	<1	1	3	9	16	18	47
35-49	142	6.1	39	<1	1	3	9	13	18	31
50-64	271	7.8	46	1	1	6	12	18	22	32
65+	273	9.4	108	1	2	6	13	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.4	6	<1	<1	2	3	4	7	14
B. *Operated*	1314	3.2	11	<1	1	2	3	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	83	5.7	48	<1	1	3	7	13	15	41
B. *Operated*	885	7.3	65	1	1	4	10	17	23	41
1. SINGLE DX	1388	3.1	10	<1	1	2	3	8	10	16
2. MULTIPLE DX	968	7.1	64	1	1	4	10	17	22	41
A. NOT OPERATED	157	4.1	31	<1	1	2	5	11	14	22
B. OPERATED	2199	4.8	37	<1	1	2	6	12	16	28
TOTAL 0-19 YRS	685	2.3	6	1	1	2	2	4	7	12
20-34	279	3.8	24	<1	1	2	5	9	13	18
35-49	388	4.5	23	<1	1	2	6	10	14	23
50-64	515	6.3	38	<1	1	4	9	15	18	29
65+	489	7.4	76	1	1	4	9	17	23	46
GRAND TOTAL	**2356**	**4.8**	**36**	**<1**	**1**	**2**	**6**	**12**	**16**	**28**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	3	1	1	2	4	6	7	8
20-34	25	3.0	11	<1	<1	2	3	5	9	17
35-49	29	2.7	5	<1	<1	2	3	5	8	10
50-64	27	3.5	7	<1	<1	3	5	7	8	11
65+	25	3.5	21	<1	1	2	4	8	14	22
B. *Operated*										
0-19 YRS	2284	2.7	4	<1	1	2	3	5	6	10
20-34	2236	2.7	5	<1	<1	2	3	5	7	13
35-49	2646	2.6	5	<1	<1	2	3	5	7	12
50-64	2399	2.8	7	<1	<1	2	3	5	7	14
65+	1151	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.0	19	<1	<1	1	3	6	14	21
20-34	43	3.7	17	<1	<1	2	5	7	14	20
35-49	63	4.3	15	<1	1	3	6	11	12	19
50-64	68	4.0	10	<1	1	3	5	9	11	15
65+	112	5.8	22	<1	1	5	7	11	13	27
B. *Operated*										
0-19 YRS	439	4.8	45	1	1	3	5	10	15	27
20-34	824	4.2	23	1	1	3	5	8	12	23
35-49	1467	4.2	21	1	1	3	5	8	12	23
50-64	1948	4.6	23	1	1	3	5	10	14	23
65+	1455	6.1	44	1	2	4	8	13	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.1	8	<1	1	2	4	6	8	17
B. *Operated*	10716	2.8	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	323	4.5	18	<1	<1	3	6	10	13	20
B. *Operated*	6133	4.8	30	1	1	3	6	10	15	28
1. SINGLE DX	10861	2.8	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	6456	4.8	29	1	1	3	6	10	14	27
A. NOT OPERATED	468	4.1	15	<1	<1	3	5	9	12	20
B. OPERATED	16849	3.5	15	<1	1	2	4	7	10	20
TOTAL 0-19 YRS	2799	3.1	11	<1	1	2	4	5	7	16
20-34	3128	3.1	11	<1	<1	2	4	6	8	16
35-49	4205	3.2	11	<1	<1	2	4	6	9	17
50-64	4442	3.6	15	<1	1	2	4	8	11	19
65+	2743	4.9	30	1	1	3	6	10	15	31
GRAND TOTAL	**17317**	**3.5**	**15**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	8	<1	<1	2	3	6	8	15
20-34	19	4.3	18	<1	<1	3	5	12	15	16
35-49	22	3.0	15	<1	<1	1	3	7	12	18
50-64	30	2.2	4	<1	<1	1	3	5	8	9
65+	14	5.9	41	<1	<1	3	12	22	80	99+
B. *Operated*										
0-19 YRS	2326	2.4	6	<1	<1	2	3	5	7	12
20-34	846	2.8	7	<1	<1	2	3	6	8	13
35-49	621	2.9	13	<1	<1	2	3	6	8	16
50-64	566	2.9	11	<1	<1	2	3	5	8	14
65+	373	3.5	17	<1	<1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.5	13	<1	<1	2	5	8	11	17
20-34	37	3.6	7	<1	1	3	5	8	9	11
35-49	32	4.9	25	1	1	3	7	11	15	24
50-64	54	6.2	23	1	1	5	9	14	16	17
65+	108	7.3	45	1	1	6	10	15	20	33
B. *Operated*										
0-19 YRS	562	4.0	43	<1	<1	2	4	9	12	37
20-34	458	4.0	35	<1	<1	2	4	9	13	23
35-49	511	4.5	27	<1	<1	3	5	10	13	29
50-64	670	5.3	52	<1	1	3	6	12	15	40
65+	623	7.7	99	<1	1	4	10	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	3.2	13	<1	<1	2	4	7	13	21
B. *Operated*	4732	2.7	9	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	331	5.3	28	<1	<1	3	7	12	15	26
B. *Operated*	2824	5.2	55	<1	<1	3	6	12	18	36
1. SINGLE DX	4894	2.7	9	<1	<1	2	3	5	8	14
2. MULTIPLE DX	3155	5.2	52	<1	<1	3	6	12	18	35
A. NOT OPERATED	493	4.6	24	<1	<1	3	6	11	15	25
B. OPERATED	7556	3.6	27	<1	<1	2	4	8	12	25
TOTAL 0-19 YRS	3065	2.7	13	<1	<1	2	3	6	8	17
20-34	1360	3.2	17	<1	<1	2	4	7	10	18
35-49	1186	3.6	20	<1	<1	2	4	8	11	23
50-64	1320	4.2	33	<1	<1	2	4	9	13	33
65+	1118	6.2	69	<1	1	3	7	15	21	43
GRAND TOTAL	**8049**	**3.7**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	6	1.2	1	<1	<1	1	1	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	820	1.9	1	<1	<1	2	2	3	3	5
20-34	1708	1.8	1	<1	<1	2	2	3	3	4
35-49	1300	1.9	1	<1	<1	2	2	3	3	5
50-64	594	2.2	2	<1	1	2	2	3	4	7
65+	343	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	11	1.3		<1	<1	1	1	2	3	3
35-49	9	1.2		<1	<1	1	1	2	3	3
50-64	8	2.9	2	1	1	2	4	5	5	5
65+	9	4.7	6	2	2	5	6	9	9	9
B. *Operated*										
0-19 YRS	114	2.3	3	<1	1	2	2	4	6	9
20-34	562	2.5	4	<1	1	2	3	4	6	10
35-49	998	2.7	4	<1	1	2	3	5	7	12
50-64	688	3.0	7	1	1	2	3	5	8	14
65+	530	4.4	39	1	2	3	5	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5		<1	<1	1	2	2	3	3
B. *Operated*	4765	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	42	2.4	4	<1	<1	2	3	5	6	9
B. *Operated*	2892	3.0	12	<1	1	2	3	5	8	15
1. SINGLE DX	4780	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	2934	3.0	11	<1	1	2	3	5	8	15
A. NOT OPERATED	57	2.2	3	<1	<1	2	2	5	5	9
B. OPERATED	7657	2.4	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	942	1.9	1	<1	<1	2	2	3	3	6
20-34	2287	2.0	1	<1	<1	2	2	3	4	7
35-49	2309	2.3	3	<1	<1	2	2	4	5	9
50-64	1291	2.7	4	<1	1	2	3	4	6	12
65+	885	3.6	25	1	1	2	4	6	9	17
GRAND TOTAL	**7714**	**2.4**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	79	2.9	4	<1	<1	2	4	5	7	10
35-49	112	3.1	5	<1	1	3	4	6	7	11
50-64	28	3.4	5	<1	<1	3	5	6	7	11
65+	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	13	5.1	10	<1	<1	6	7	9	10	10
20-34	1704	5.5	5	1	2	6	7	8	8	11
35-49	5198	6.0	6	1	2	6	7	8	9	13
50-64	827	5.8	9	<1	1	6	7	8	9	12
65+	95	6.8	22	1	2	7	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	235	3.3	7	<1	1	2	4	6	8	12
35-49	638	3.5	10	<1	1	2	5	7	9	14
50-64	159	4.2	19	<1	1	3	6	9	13	23
65+	82	6.4	21	2	2	5	8	13	17	75
B. *Operated*										
0-19 YRS	36	6.4	15	1	2	6	8	12	19	99+
20-34	5784	6.2	10	1	2	6	7	9	11	16
35-49	29893	6.7	10	2	3	7	8	9	11	17
50-64	6457	7.0	13	1	2	7	8	11	13	20
65+	900	10.0	53	2	4	8	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	4	<1	<1	3	4	6	7	10
B. *Operated*	7837	5.9	7	1	2	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1116	3.8	12	<1	1	3	5	8	10	17
B. *Operated*	43070	6.7	11	2	2	7	8	10	12	18
1. SINGLE DX	8064	5.8	7	1	2	6	7	8	9	12
2. MULTIPLE DX	44186	6.7	12	1	2	7	8	10	12	18
A. NOT OPERATED	1343	3.6	11	<1	1	3	5	7	10	14
B. OPERATED	50907	6.6	11	1	2	6	8	9	11	18
TOTAL 0-19 YRS	52	5.9	13	1	1	6	8	10	14	98
20-34	7802	5.9	9	1	2	6	7	9	10	15
35-49	35841	6.5	9	1	2	6	8	9	11	16
50-64	7471	6.8	13	1	2	7	8	10	13	20
65+	1084	9.4	49	2	3	8	11	16	22	38
GRAND TOTAL	**52250**	**6.5**	**11**	**1**	**2**	**6**	**8**	**9**	**11**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.0	2	2	2	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS.	7	2.6	3	<1	<1	2	3	5	6	6
20-34	86	3.3	5	<1	1	2	5	7	7	9
35-49	103	4.3	9	<1	1	4	6	8	9	14
50-64	36	3.3	8	<1	<1	2	5	7	10	12
65+	13	3.9	19	<1	1	2	4	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+	4	13.0	400	3	3	3	23	43	43	43
B. *Operated*										
0-19 YRS.	4	4.0	11	2	2	3	6	9	9	9
20-34	141	5.3	13	<1	1	5	7	9	10	20
35-49	367	6.1	10	1	2	6	8	9	10	17
50-64	152	6.1	29	1	2	5	8	11	14	32
65+	62	6.9	41	1	2	6	9	14	18	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	245	3.8	8	<1	1	2	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	9	7.8	175	2	2	3	5	28	43	43
B. *Operated*	726	6.0	17	1	2	6	8	9	12	22
1. SINGLE DX	249	3.7	8	<1	1	2	6	7	8	12
2. MULTIPLE DX	735	6.0	19	1	2	6	8	9	12	23
A. NOT OPERATED	13	6.1	124	1	2	3	4	13	37	43
B. OPERATED	971	5.4	16	1	1	5	7	9	11	20
TOTAL 0-19 YRS.	11	3.1	6	<1	1	2	3	7	9	9
20-34	231	4.5	11	<1	1	4	7	8	9	19
35-49	475	5.6	11	1	1	6	7	9	10	17
50-64	188	5.6	26	1	1	5	8	10	14	27
65+	79	6.7	54	1	2	5	9	14	18	83
GRAND TOTAL	**984**	**5.4**	**17**	**1**	**1**	**5**	**7**	**9**	**11**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	3	3.7		3	3	4	4	4	4	4
20-34	11	3.7	7	1	1	3	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS.	412	5.5	3	3	4	5	6	7	8	11
20-34	1564	5.5	3	3	4	5	6	7	8	11
35-49	524	6.2	4	4	4	5	7	8	9	15
50-64	333	7.2	5	4	5	7	8	10	11	16
65+	175	8.7	13	4	5	8	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	5	4.2	5	2	2	3	6	7	7	7
20-34	11	5.0	9	<1	1	4	7	9	10	10
35-49	9	4.9	11	<1	<1	4	7	10	11	11
50-64	3	8.3	12	5	5	8	11	12	12	12
65+	7	6.4	10	2	2	8	9	10	10	10
B. *Operated*										
0-19 YRS.	294	6.2	6	4	4	6	7	8	9	19
20-34	1750	6.0	5	3	4	6	7	8	10	15
35-49	1448	7.1	8	4	5	7	8	10	12	18
50-64	1010	8.7	24	5	5	8	10	13	16	25
65+	789	12.0	50	6	6	10	14	21	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.3	5	1	1	3	4	7	8	8
B. *Operated*	3008	6.0	5	3	4	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	35	5.4	9	<1	1	5	8	10	11	12
B. *Operated*	5291	7.7	20	4	4	7	9	12	16	25
1. SINGLE DX	3026	6.0	5	3	4	6	7	8	10	15
2. MULTIPLE DX	5326	7.7	20	4	4	7	9	12	16	25
A. NOT OPERATED	53	4.7	9	1	1	4	7	9	10	12
B. OPERATED	8299	7.1	15	4	4	6	8	11	13	22
TOTAL 0-19 YRS.	714	5.8	5	3	4	5	6	8	9	15
20-34	3336	5.8	4	3	4	6	7	8	9	13
35-49	1982	6.9	7	4	4	6	8	10	12	17
50-64	1348	8.3	20	5	5	7	9	12	15	23
65+	972	11.4	45	5	6	9	13	19	24	40
GRAND TOTAL	**8352**	**7.1**	**15**	**4**	**4**	**6**	**8**	**11**	**13**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	10	3	3	8	9	9	9	9
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.3	6	<1	<1	2	6	7	8	8
20-34	64	3.3	6	<1	<1	3	5	6	7	12
35-49	60	3.3	7	<1	<1	2	5	6	8	14
50-64	44	2.9	6	<1	<1	2	3	5	7	15
65+	20	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64										
65+	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	9	7.0	10	3	3	7	9	11	13	13
20-34	69	5.0	8	1	2	5	6	8	9	15
35-49	109	5.1	9	<1	1	6	7	9	11	14
50-64	42	5.7	24	1	1	4	7	11	17	24
65+	37	5.4	19	<1	1	3	8	12	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.3	11	1	1	2	5	9	9	9
B. *Operated*	207	3.2	6	<1	<1	2	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	10	3.6	7	<1	<1	3	6	8	9	9
B. *Operated*	266	5.3	12	1	2	5	7	9	12	17
1. SINGLE DX	215	3.2	6	<1	<1	2	5	6	8	14
2. MULTIPLE DX	276	5.2	12	1	1	5	7	9	12	17
A. NOT OPERATED	18	3.4	8	<1	1	2	6	9	9	9
B. OPERATED	473	4.4	11	<1	1	4	6	8	10	16
TOTAL 0-19 YRS	31	4.7	10	<1	1	5	7	9	9	13
20-34	141	4.1	7	<1	1	4	6	7	9	14
35-49	173	4.4	9	<1	1	4	6	8	9	14
50-64	86	4.3	17	<1	<1	3	6	8	15	22
65+	60	4.5	15	<1	1	3	6	10	12	17
GRAND TOTAL	**491**	**4.3**	**11**	**<1**	**1**	**3**	**6**	**8**	**10**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	17	2.4	3	<1	1	2	3	3	6	8
20-34	87	2.9	8	1	1	2	3	4	6	20
35-49	57	2.6	2	1	1	2	3	4	5	9
50-64	48	2.7	5	<1	1	2	3	6	8	11
65+	28	2.3	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.3	16	<1	<1	3	7	10	10	10
20-34	29	5.1	28	<1	1	4	5	14	17	23
35-49	41	3.2	8	<1	<1	3	4	6	7	17
50-64	48	5.0	39	1	2	3	6	9	12	42
65+	67	6.1	27	2	2	4	7	14	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	237	2.7	5	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	189	5.0	27	1	1	3	6	10	15	25
1. SINGLE DX	239	2.7	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	189	5.0	27	1	1	3	6	10	15	25
A. NOT OPERATED	2	3.0	8	1	1	3	5	5	5	5
B. OPERATED	426	3.7	16	<1	1	3	4	7	10	22
TOTAL 0-19 YRS	21	2.8	5	<1	<1	2	3	5	9	10
20-34	116	3.4	14	<1	1	3	4	6	9	24
35-49	99	2.8	5	<1	1	2	4	5	7	13
50-64	96	3.8	23	<1	1	2	4	8	10	30
65+	96	5.0	23	1	1	3	6	11	15	24
GRAND TOTAL	**428**	**3.7**	**16**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.1	7	1	1	3	5	7	8	8
20-34	34	2.1	4	<1	<1	2	2	4	7	9
35-49	41	5.3	26	<1	1	3	6	12	17	24
50-64	96	3.6	15	<1	1	2	4	8	12	20
65+	130	3.5	19	1	1	2	3	7	11	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.5	12	1	1	4	7	8	8	8
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	8	3.9	12	1	1	3	5	10	11	11
B. *Operated*										
0-19 YRS	7	3.1	6	<1	<1	2	6	6	6	6
20-34	24	5.6	23	<1	2	5	7	8	14	25
35-49	64	5.4	18	1	1	4	7	11	14	23
50-64	151	6.4	46	1	1	4	8	15	19	27
65+	303	5.8	37	1	1	4	7	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*	308	3.6	17	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	19	3.7	9	1	1	3	6	8	10	11
B. *Operated*	549	5.9	36	1	1	4	7	13	18	26
1. SINGLE DX	312	3.6	17	<1	1	2	4	8	11	21
2. MULTIPLE DX	568	5.8	35	1	1	4	7	13	17	26
A. NOT OPERATED	23	3.5	8	1	1	3	5	7	9	11
B. OPERATED	857	5.1	30	1	1	3	6	12	16	25
TOTAL 0-19 YRS	15	3.1	5	<1	1	3	5	6	8	8
20-34	62	3.6	14	<1	<1	2	5	8	9	23
35-49	110	5.2	20	1	1	4	7	11	15	24
50-64	250	5.3	35	1	1	3	7	13	17	25
65+	443	5.1	32	1	1	3	6	12	16	26
GRAND TOTAL	**880**	**5.8**	**30**	**1**	**1**	**3**	**6**	**11**	**16**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	73	1.5		<1	<1	1	2	2	2	4
20-34	18	2.1	1	<1	<1	2	3	4	5	5
35-49	11	3.9	19	<1	1	2	4	11	15	15
50-64	20	3.0	16	<1	<1	2	3	6	13	19
65+	13	2.4	6	<1	<1	2	2	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	6.3	10	2	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	13	2.3	2	<1	<1	2	4	4	5	5
20-34	8	6.1	129	1	1	2	4	25	34	34
35-49	10	5.0	13	<1	1	4	6	11	12	12
50-64	12	4.7	28	1	1	3	5	12	19	20
65+	17	4.2	18	1	1	3	4	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	135	2.1	5	<1	<1	2	2	3	5	16
2. MULTIPLE DX										
A. *Not Operated*	11	3.3	9	<1	<1	2	5	8	9	9
B. *Operated*	60	4.3	29	1	1	3	4	9	15	33
1. SINGLE DX	135	2.1	5	<1	<1	2	2	3	5	16
2. MULTIPLE DX	71	4.1	26	1	1	3	4	9	14	31
A. NOT OPERATED	11	3.3	9	<1	<1	2	5	8	9	9
B. OPERATED	195	2.8	14	<1	<1	2	3	5	9	20
TOTAL 0-19 YRS	90	1.6	1	<1	<1	1	2	2	4	5
20-34	27	3.2	39	<1	<1	2	3	5	10	34
35-49	22	4.3	15	<1	1	2	6	11	13	15
50-64	33	3.6	20	<1	<1	2	3	7	17	20
65+	34	3.8	13	1	1	2	4	9	13	16
GRAND TOTAL	**206**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**9**	**19**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	15	2	2	3	6	10	10	10
20-34	17	3.4	7	<1	1	2	5	8	9	9
35-49	20	3.2	6	<1	1	2	5	7	8	9
50-64	41	5.3	81	1	1	3	5	11	20	54
65+	44	6.0	36	1	1	4	7	14	17	34
B. *Operated*										
0-19 YRS	43	8.9	18	1	3	9	11	14	17	19
20-34	145	10.4	32	2	2	10	13	17	19	30
35-49	271	11.3	99	2	2	9	13	19	25	58
50-64	359	12.6	82	2	3	11	15	23	31	52
65+	247	15.8	175	2	4	12	20	31	36	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.3	88	1	1	4	12	23	31	32
20-34	19	2.8	5	<1	<1	2	4	7	8	8
35-49	26	7.4	76	2	2	4	8	14	24	44
50-64	104	7.6	91	1	2	5	10	14	26	54
65+	287	10.7	118	2	3	8	13	20	30	75
B. *Operated*										
0-19 YRS	51	17.2	209	2	4	13	23	33	48	68
20-34	132	16.4	196	3	6	13	20	29	46	99+
35-49	305	16.8	184	3	4	13	21	32	50	99+
50-64	562	18.2	214	4	6	14	21	36	54	93
65+	654	25.2	359	3	7	20	34	56	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.0	42	1	1	3	6	9	15	39
B. *Operated*	1065	12.6	102	2	3	10	15	22	30	57
2. MULTIPLE DX										
A. *Not Operated*	448	9.4	107	1	2	6	12	19	28	73
B. *Operated*	1704	20.4	277	3	6	16	26	47	61	99+
1. SINGLE DX	1191	11.8	101	2	2	10	14	21	30	56
2. MULTIPLE DX	2152	18.1	261	2	4	14	23	41	58	99
A. NOT OPERATED	574	8.4	96	1	2	6	10	18	25	59
B. OPERATED	2769	17.4	224	3	5	13	21	36	54	93
TOTAL 0-19 YRS	110	12.5	133	1	2	10	16	24	32	67
20-34	313	12.1	116	1	2	10	16	22	29	92
35-49	622	13.6	149	2	3	11	17	27	39	86
50-64	1066	14.8	169	2	3	11	18	30	45	77
65+	1232	19.2	298	2	3	14	24	46	61	99+
GRAND TOTAL	**3343**	**15.9**	**214**	**2**	**3**	**12**	**19**	**34**	**50**	**92**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	8	3.9	2	1	2	4	5	6	6	6
35-49	4	7.5	26	4	4	5	10	15	15	15
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	4.3	13	1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	109	3.3	2	1	2	3	4	4	5	10
20-34	836	3.6	2	2	2	4	4	5	6	8
35-49	1051	3.8	2	2	2	4	4	5	6	9
50-64	702	4.2	4	2	3	4	5	6	7	10
65+	288	4.5	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.7	11	1	1	3	4	9	12	12
35-49	8	5.8	29	1	1	4	6	15	18	18
50-64	15	5.7	19	1	1	4	9	13	14	15
65+	16	6.8	14	2	3	6	10	12	13	14
B. *Operated*										
0-19 YRS	39	3.9	3	2	2	4	4	5	6	13
20-34	305	4.6	11	2	3	4	5	7	11	20
35-49	519	4.9	12	2	3	4	5	7	10	21
50-64	618	5.5	20	3	3	4	6	9	13	21
65+	419	7.1	46	3	3	5	8	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.7	12	<1	1	4	5	10	13	15
B. *Operated*	2986	3.9	3	2	2	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	49	5.7	17	1	1	4	9	12	14	18
B. *Operated*	1900	5.5	22	2	3	4	6	9	13	24
1. SINGLE DX	3007	3.9	3	2	2	4	5	5	6	10
2. MULTIPLE DX	1949	5.5	22	2	3	4	6	9	13	24
A. NOT OPERATED	70	5.4	15	1	1	4	7	11	14	17
B. OPERATED	4886	4.5	11	2	3	4	5	6	9	18
TOTAL 0-19 YRS	151	3.5	3	2	2	3	4	5	5	13
20-34	1158	3.9	4	2	2	4	4	5	6	12
35-49	1582	4.2	6	2	2	4	5	6	7	14
50-64	1336	4.8	12	2	3	4	5	7	10	18
65+	729	6.0	30	2	3	5	6	10	14	35
GRAND TOTAL	**4956**	**4.5**	**11**	**2**	**3**	**4**	**5**	**7**	**9**	**18**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	2	1	1	3	4	5	5	5
20-34	27	3.8	11	1	1	3	4	8	12	16
35-49	18	4.7	6	1	2	4	6	7	10	12
50-64	14	5.2	12	1	2	4	8	10	12	13
65+	10	6.5	33	<1	<1	5	10	15	16	16
B. *Operated*										
0-19 YRS	25	9.4	14	5	5	9	11	14	18	20
20-34	134	8.2	16	3	4	8	9	13	16	24
35-49	128	8.8	33	3	4	8	11	16	17	32
50-64	179	7.7	30	3	3	6	9	13	16	28
65+	102	9.0	78	2	3	6	10	18	21	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	83	1	1	3	5	23	25	25
20-34	50	5.4	20	1	1	4	7	10	14	24
35-49	62	6.0	33	1	2	5	8	11	15	35
50-64	65	7.5	43	1	1	6	9	14	21	34
65+	58	9.5	95	1	2	7	10	18	23	61
B. *Operated*										
0-19 YRS	29	13.9	252	2	4	10	15	23	29	90
20-34	154	11.3	91	3	4	9	14	21	31	60
35-49	254	11.6	117	3	4	9	13	20	29	72
50-64	343	11.1	119	3	4	8	13	21	28	70
65+	377	13.7	140	3	4	10	18	29	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.5	12	1	1	4	5	9	13	16
B. *Operated*	568	8.4	35	3	4	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	241	7.1	51	1	1	5	8	15	20	36
B. *Operated*	1157	12.1	126	3	4	9	15	24	33	69
1. SINGLE DX	647	7.9	34	2	3	7	10	14	17	28
2. MULTIPLE DX	1398	11.3	116	2	3	8	14	23	31	63
A. NOT OPERATED	320	6.5	42	1	1	5	8	13	18	35
B. OPERATED	1725	10.9	99	3	4	8	13	21	28	60
TOTAL 0-19 YRS	70	10.1	128	1	2	8	12	18	23	77
20-34	365	8.8	54	2	3	7	10	15	21	42
35-49	462	9.8	83	2	3	8	11	18	26	60
50-64	601	9.5	85	2	3	7	11	18	24	57
65+	547	12.3	126	3	4	9	16	25	33	63
GRAND TOTAL	**2045**	**10.2**	**93**	**2**	**3**	**8**	**12**	**20**	**27**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	4	<1	<1	2	4	6	6	6
35-49	10	2.9	4	<1	<1	3	5	6	6	6
50-64	3	5.3	20	1	1	5	9	10	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	28	2.7	4	<1	<1	2	3	5	8	9
20-34	2552	3.6	5	1	1	3	5	7	8	10
35-49	1012	4.5	7	1	1	4	6	8	9	12
50-64	269	4.5	8	1	1	4	7	8	9	11
65+	141	4.4	7	1	1	4	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	36	[illegible]	4	<1	<1	1	2	4	6	10
35-49	18	2.3	4	<1	<1	1	4	6	7	7
50-64	9	3.3	14	<1	<1	2	4	10	12	12
65+	8	7.0	30	2	2	6	8	16	19	19
B. *Operated*										
0-19 YRS	26	4.2	24	1	2	3	4	7	13	26
20-34	2097	4.7	8	1	1	5	6	8	9	12
35-49	1442	6.0	10	1	2	6	7	9	11	16
50-64	496	6.9	23	2	2	7	8	11	14	25
65+	288	7.1	29	2	2	6	9	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.4	6	<1	<1	3	5	7	8	10
B. *Operated*	4002	3.9	6	1	1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	74	2.7	10	<1	<1	1	3	6	9	17
B. *Operated*	4349	5.5	13	1	2	5	7	9	11	17
1. SINGLE DX	4023	3.9	6	1	1	3	6	7	8	10
2. MULTIPLE DX	4423	5.5	13	1	2	5	7	9	11	17
A. NOT OPERATED	95	2.9	9	<1	<1	1	4	6	9	16
B. OPERATED	8351	4.8	10	1	1	5	6	8	10	15
TOTAL 0-19 YRS	57	3.3	13	<1	1	2	4	6	[illegible]	25
20-34	4691	4.1	7	1	1	4	6	7	9	11
35-49	2482	5.4	10	1	2	5	7	9	[illegible]	[illegible]
50-64	777	6.0	15	1	2	6	8	10	11	[illegible]
65+	439	6.2	23	1	2	6	8	[illegible]	14	[illegible]
GRAND TOTAL	**8446**	**4.7**	**10**	**1**	**1**	**5**	**6**	**8**	**10**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	10	4.1	9	<1	<1	4	5	9	10	10
65+	7	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	10	2.4	12	<1	<1	1	2	7	12	12
20-34	109	3.8	7	<1	<1	3	5	8	9	12
35-49	263	4.5	11	<1	1	4	6	8	11	17
50-64	407	4.9	29	<1	1	3	6	11	13	28
65+	516	4.9	21	1	1	3	6	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	8	3.5	4	1	1	3	5	6	6	6
50-64	36	5.9	57	<1	1	3	9	11	16	43
65+	60	8.7	96	<1	1	6	10	18	26	50
B. *Operated*										
0-19 YRS	11	7.3	98	1	1	3	6	26	31	31
20-34	117	5.2	17	1	1	4	6	9	14	24
35-49	343	6.1	26	1	2	6	8	11	14	31
50-64	743	7.2	42	1	2	6	10	15	17	27
65+	1254	9.5	92	2	2	7	12	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.3	6	<1	1	3	5	6	9	10
B. *Operated*	1305	4.7	21	<1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	106	7.2	76	<1	1	5	9	16	22	49
B. *Operated*	2468	8.1	66	1	2	6	10	17	22	41
1. SINGLE DX	1327	4.7	20	<1	1	3	6	10	13	22
2. MULTIPLE DX	2574	8.1	67	1	2	6	10	17	22	41
A. NOT OPERATED	128	6.5	66	<1	1	4	8	14	19	49
B. OPERATED	3773	6.9	53	1	1	5	9	15	20	37
TOTAL 0-19 YRS	22	5.0	57	<1	<1	2	5	15	26	31
20-34	230	4.5	12	<1	1	4	6	8	12	18
35-49	616	5.4	20	1	1	5	7	10	13	25
50-64	1196	6.3	39	1	1	5	9	13	17	28
65+	1837	8.1	76	1	2	5	11	18	24	45
GRAND TOTAL	**3901**	**6.9**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	3.2	13	<1	1	2	4	7	9	22
20-34	141	3.7	9	<1	1	3	5	7	9	14
35-49	171	4.0	19	<1	1	2	5	9	12	24
50-64	217	4.1	12	<1	1	3	5	8	10	19
65+	325	5.7	42	1	1	3	7	14	17	35
B. *Operated*										
0-19 YRS	674	4.6	24	<1	1	3	6	10	13	22
20-34	865	4.6	17	1	1	3	6	9	11	18
35-49	891	4.7	27	1	1	3	6	10	13	25
50-64	1175	4.8	24	1	1	3	6	11	14	24
65+	1380	5.2	27	1	1	3	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	4.3	56	<1	1	2	5	9	11	29
20-34	249	6.0	67	<1	1	4	7	12	17	57
35-49	333	5.2	21	1	1	4	7	10	13	21
50-64	788	6.0	44	1	1	4	8	13	17	36
65+	2029	7.8	71	1	2	5	10	17	24	42
B. *Operated*										
0-19 YRS	320	9.7	132	1	2	6	12	22	27	66
20-34	657	8.2	105	1	2	6	9	17	24	59
35-49	996	8.3	85	1	2	6	10	17	23	57
50-64	1752	8.6	81	1	2	6	11	18	23	47
65+	3440	10.3	102	2	2	8	13	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	4.4	23	<1	1	3	5	9	13	23
B. *Operated*	4985	4.8	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	3619	6.9	61	1	1	5	9	14	21	38
B. *Operated*	7165	9.4	97	1	2	7	12	20	27	54
1. SINGLE DX	6016	4.7	24	1	1	3	6	10	14	24
2. MULTIPLE DX	10784	8.5	86	1	2	6	11	18	25	51
A. NOT OPERATED	4650	6.3	54	1	1	4	8	13	19	37
B. OPERATED	12150	7.5	72	1	1	5	10	16	22	44
TOTAL 0-19 YRS	1391	5.5	58	<1	1	3	7	12	17	40
20-34	1912	5.9	56	1	1	4	7	11	16	42
35-49	2391	6.2	53	1	1	4	8	13	17	37
50-64	3932	6.7	56	1	1	4	9	14	20	39
65+	7174	8.4	80	1	2	6	11	18	25	47
GRAND TOTAL	**16800**	**7.2**	**67**	**1**	**1**	**5**	**9**	**15**	**22**	**43**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	1	1	1	2	3	4	4	4
20-34	40	3.8	7	<1	1	3	5	7	9	12
35-49	42	3.1	7	<1	1	3	4	5	6	7
50-64	28	3.7	7	<1	1	3	5	8	9	9
65+	29	5.1	9	1	1	5	7	10	10	11
B. *Operated*										
0-19 YRS	81	3.4	1	2	2	3	4	5	5	6
20-34	639	3.8	2	2	2	4	5	5	6	8
35-49	984	4.0	4	2	3	4	5	6	6	11
50-64	865	4.4	5	2	3	4	5	6	7	13
65+	437	4.9	5	3	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	7	<1	<1	4	6	8	9	9
20-34	77	3.9	7	<1	1	3	5	7	9	12
35-49	115	4.4	11	<1	1	4	6	8	10	18
50-64	151	4.9	16	1	1	5	7	9	10	12
65+	224	7.5	55	1	2	5	9	14	20	36
B. *Operated*										
0-19 YRS	24	5.0	9	2	2	4	7	10	11	12
20-34	259	4.6	6	2	3	4	5	7	9	14
35-49	567	5.5	18	3	3	4	6	9	12	20
50-64	806	5.9	18	2	3	5	6	10	14	23
65+	618	8.1	53	3	3	6	9	15	20	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.7	6	<1	1	3	5	7	9	11
B. *Operated*	3006	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	579	5.7	31	1	1	4	7	10	13	28
B. *Operated*	2274	6.2	28	3	3	5	7	11	15	27
1. SINGLE DX	3163	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX	2853	6.1	28	2	3	5	7	11	15	27
A. NOT OPERATED	736	5.2	26	1	1	4	7	10	12	25
B. OPERATED	5280	5.1	15	2	3	4	5	8	11	21
TOTAL 0-19 YRS	135	3.6	3	1	2	3	4	6	7	11
20-34	1015	4.0	4	1	2	4	5	6	7	10
35-49	1708	4.5	10	2	3	4	5	7	9	15
50-64	1850	5.1	12	2	3	4	6	8	11	19
65+	1308	6.8	39	2	3	5	8	12	17	31
GRAND TOTAL	**6016**	**5.1**	**17**	**2**	**3**	**4**	**5**	**8**	**11**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	4.3	13	1	1	3	5	9	10	19
20-34	338	4.8	11	1	2	4	6	8	11	17
35-49	313	4.9	11	1	2	4	7	9	11	14
50-64	189	6.2	19	2	3	5	8	11	14	23
65+	168	6.7	23	2	2	6	9	12	15	27
B. *Operated*										
0-19 YRS	145	4.9	13	2	3	4	5	6	10	25
20-34	600	4.8	7	2	3	4	5	7	10	17
35-49	501	4.5	5	2	2	4	5	7	9	14
50-64	364	4.5	8	2	2	4	5	6	8	15
65+	125	5.2	16	2	2	4	6	7	9	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	5.6	31	1	2	4	7	10	13	19
20-34	578	5.5	13	1	2	5	7	10	12	17
35-49	856	6.4	21	2	2	5	8	11	15	23
50-64	1156	7.7	40	2	3	6	9	14	17	32
65+	1727	10.1	64	3	3	8	13	19	26	40
B. *Operated*										
0-19 YRS	79	7.2	54	2	3	5	8	13	23	45
20-34	335	6.7	35	2	3	5	7	12	17	30
35-49	470	6.8	44	2	3	5	8	13	16	37
50-64	524	7.7	45	2	3	5	9	16	21	43
65+	475	13.6	184	3	4	9	18	30	41	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1157	5.3	15	1	2	4	7	10	12	19
B. *Operated*	1735	4.7	8	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	4479	8.0	45	2	3	6	10	15	20	35
B. *Operated*	1883	8.8	86	2	3	6	10	18	26	59
1. SINGLE DX	2892	4.9	11	2	2	4	6	8	11	18
2. MULTIPLE DX	6362	8.2	57	2	3	6	10	16	21	40
A. NOT OPERATED	5636	7.4	40	2	2	6	9	14	18	33
B. OPERATED	3618	6.8	53	2	3	5	7	13	19	41
TOTAL 0-19 YRS	535	5.3	25	1	2	4	6	10	13	26
20-34	1851	5.4	15	2	2	4	6	9	12	20
35-49	2140	5.8	22	2	2	5	7	10	13	22
50-64	2233	7.0	36	2	3	5	9	13	17	34
65+	2495	10.3	86	3	3	8	13	20	28	48
GRAND TOTAL	**9254**	**7.2**	**45**	**2**	**3**	**5**	**8**	**14**	**18**	**36**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1403	5.6	9	2	2	5	7	9	11	15
20-34	759	5.5	12	1	2	5	7	9	11	17
35-49	779	5.7	10	2	2	5	7	9	11	17
50-64	1006	6.2	13	2	3	5	8	10	13	19
65+	837	7.0	20	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	14	4.2	3	1	2	4	5	6	8	8
20-34	20	6.4	33	1	1	5	8	12	20	26
35-49	23	4.9	10	2	2	4	7	9	11	15
50-64	36	5.8	29	1	2	4	7	12	21	23
65+	34	7.6	46	1	1	6	10	14	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	979	5.9	42	1	2	5	7	10	13	24
20-34	1364	6.1	25	1	2	5	7	11	14	25
35-49	2894	6.8	19	2	3	6	8	12	15	24
50-64	6221	7.6	28	2	3	7	9	13	16	26
65+	8205	8.7	41	3	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	40	12.5	316	1	2	6	12	26	50	97
20-34	179	10.7	127	2	2	7	13	21	33	58
35-49	424	11.7	104	2	3	9	14	23	31	55
50-64	903	12.5	117	3	4	10	15	25	34	60
65+	1117	14.2	135	3	4	11	17	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4784	6.0	13	2	2	5	8	10	12	18
B. *Operated*	127	6.0	28	1	2	4	8	11	18	27
2. MULTIPLE DX										
A. *Not Operated*	19663	7.7	33	2	3	7	9	14	17	29
B. *Operated*	2663	13.0	127	2	4	10	16	25	36	61
1. SINGLE DX	4911	6.0	13	2	2	5	8	10	12	19
2. MULTIPLE DX	22326	8.4	48	2	3	7	10	15	20	37
A. NOT OPERATED	24447	7.4	30	2	3	6	9	13	17	28
B. OPERATED	2790	12.7	125	2	3	10	15	25	35	59
TOTAL 0-19 YRS	2436	5.8	28	1	2	5	7	10	12	20
20-34	2322	6.2	30	1	2	5	8	11	14	28
35-49	4120	7.1	28	2	3	6	9	12	16	27
50-64	8166	8.0	39	2	3	7	10	14	18	33
65+	10193	9.1	53	3	3	7	11	16	22	40
GRAND TOTAL	**27237**	**7.9**	**42**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2854	4.6	13	1	2	4	6	9	11	15
20-34	1539	4.6	10	1	2	4	6	8	11	16
35-49	604	5.6	13	2	2	5	7	10	13	18
50-64	390	7.0	30	2	2	6	9	12	14	23
65+	293	7.6	23	2	3	7	9	13	16	25
B. *Operated*										
0-19 YRS	26	8.5	147	2	3	6	8	11	26	66
20-34	26	5.4	10	2	2	4	6	10	12	16
35-49	14	6.6	10	2	2	7	9	10	11	11
50-64	9	10.6	64	3	3	9	13	25	27	27
65+	9	7.0	18	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2371	5.2	23	1	2	4	7	9	12	22
20-34	2780	6.1	28	2	2	5	8	11	14	26
35-49	1837	7.7	34	2	3	6	9	14	18	27
50-64	1968	9.3	60	2	3	7	11	16	21	40
65+	2461	11.4	79	3	4	9	14	20	26	45
B. *Operated*										
0-19 YRS	94	10.8	103	3	3	8	13	23	32	57
20-34	269	12.1	123	3	4	8	15	26	34	63
35-49	258	17.0	236	3	4	12	22	36	50	80
50-64	255	19.0	209	5	7	15	24	38	53	99
65+	352	23.8	270	7	9	19	29	49	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5680	5.0	14	1	2	4	7	9	12	18
B. *Operated*	84	7.3	60	2	2	6	9	11	16	53
2. MULTIPLE DX										
A. *Not Operated*	11417	7.9	50	2	2	6	10	15	19	35
B. *Operated*	1228	17.8	226	3	5	13	23	37	51	90
1. SINGLE DX	5764	5.1	15	1	2	4	7	9	12	18
2. MULTIPLE DX	12645	8.8	76	2	2	7	11	17	23	47
A. NOT OPERATED	17097	6.9	40	1	2	5	9	13	17	30
B. OPERATED	1312	17.1	222	3	4	12	22	37	51	85
TOTAL 0-19 YRS	5345	5.0	20	1	2	4	6	9	11	18
20-34	4614	6.0	30	1	2	5	7	11	14	27
35-49	2713	8.1	58	2	2	6	10	15	20	40
50-64	2622	9.9	79	2	3	8	12	18	25	51
65+	3115	12.4	113	3	4	10	15	23	32	61
GRAND TOTAL	**18409**	**7.7**	**60**	**2**	**2**	**6**	**9**	**15**	**20**	**41**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1257	5.8	14	1	2	5	7	10	12	17
20-34	1489	5.5	13	2	2	5	7	9	11	18
35-49	1827	6.3	15	2	3	6	8	11	13	20
50-64	2615	6.6	19	2	3	6	8	11	14	20
65+	2302	7.3	25	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	23	4.3	19	<1	1	3	5	10	14	20
20-34	115	4.3	24	<1	<1	3	5	9	13	27
35-49	136	6.1	47	<1	1	3	7	15	25	30
50-64	349	5.2	45	1	1	3	6	11	15	37
65+	413	5.5	50	1	2	3	6	12	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1210	5.8	25	1	2	5	7	10	14	22
20-34	4055	6.7	29	2	2	5	8	12	15	27
35-49	8272	7.7	30	2	3	6	9	13	17	30
50-64	17941	8.3	34	3	3	7	10	14	18	30
65+	23656	9.5	50	3	4	8	12	17	22	39
B. *Operated*										
0-19 YRS	69	8.9	57	2	2	8	11	17	22	41
20-34	1180	13.3	185	2	2	9	17	30	41	73
35-49	2546	14.5	165	2	3	11	18	32	41	74
50-64	6023	16.9	226	2	4	12	22	37	51	93
65+	7915	19.9	276	3	4	15	26	44	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9490	6.5	18	2	3	6	8	11	13	20
B. *Operated*	1036	5.3	44	<1	1	3	6	12	18	36
2. MULTIPLE DX										
A. *Not Operated*	55134	8.6	41	2	3	7	10	15	19	34
B. *Operated*	17733	17.6	242	2	4	13	23	39	54	98
1. SINGLE DX	10526	6.3	21	2	2	5	8	11	14	22
2. MULTIPLE DX	72867	10.8	105	2	3	8	13	21	30	62
A. NOT OPERATED	64624	8.2	38	2	3	7	10	15	19	32
B. OPERATED	18769	16.9	239	2	3	13	22	38	52	96
TOTAL 0-19 YRS	2559	5.9	21	1	2	5	8	10	13	21
20-34	6839	7.5	60	2	2	5	9	14	20	42
35-49	12781	8.8	63	2	3	7	10	16	23	43
50-64	26928	10.0	89	2	3	7	12	19	27	57
65+	34286	11.7	121	3	4	8	14	23	34	70
GRAND TOTAL	**83393**	**10.2**	**96**	**2**	**3**	**7**	**12**	**20**	**28**	**59**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	2	1	1	2	4	4	5	5
20-34	49	3.9	9	1	1	3	6	7	9	15
35-49	10	3.7	4	1	1	3	5	6	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	104	3.7	5	1	1	3	5	6	8	11
20-34	498	3.8	6	<1	1	4	5	7	8	11
35-49	46	4.1	14	<1	1	3	6	7	8	24
50-64	4	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	6	<1	1	3	5	7	9	10
20-34	74	4.6	12	1	2	4	5	8	13	19
35-49	13	4.7	7	1	2	4	6	9	11	11
50-64	4	3.3		3	3	3	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	127	4.6	9	1	1	4	6	8	11	14
20-34	959	4.8	9	1	1	5	6	8	10	16
35-49	157	5.8	10	1	2	6	7	9	10	19
50-64	13	5.4	16	<1	1	5	7	10	15	16
65+	4	5.8	15	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.5	6	1	1	3	5	7	8	14
B. *Operated*	654	3.8	6	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	117	4.4	10	1	2	3	5	8	11	17
B. *Operated*	1260	4.9	10	1	1	5	6	8	10	16
1. SINGLE DX	740	3.7	6	<1	1	3	5	7	8	11
2. MULTIPLE DX	1377	4.9	10	1	1	5	6	8	10	16
A. NOT OPERATED	203	4.0	9	1	1	3	5	7	10	15
B. OPERATED	1914	4.5	9	1	1	4	6	8	9	15
TOTAL 0-19 YRS	280	4.0	7	1	1	4	6	7	9	13
20-34	1580	4.4	9	<1	1	4	6	7	9	15
35-49	226	5.3	11	1	2	5	7	9	10	19
50-64	23	4.3	11	1	1	3	6	7	11	16
65+	8	4.1	10	1	1	3	6	9	10	10
GRAND TOTAL	**2117**	**4.5**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	2.9	8	1	1	2	4	6	8	16
20-34	484	4.2	11	1	1	3	5	8	10	18
35-49	392	4.5	18	1	1	3	6	8	10	23
50-64	292	4.1	11	1	1	3	5	8	10	22
65+	322	4.7	15	1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	71	5.1	15	1	2	4	7	10	11	23
20-34	83	5.7	22	<1	1	4	8	12	13	25
35-49	99	7.5	66	1	2	5	8	14	19	50
50-64	110	6.3	19	2	2	5	7	11	16	24
65+	61	7.6	34	2	3	6	9	14	16	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1018	3.9	20	1	1	3	5	8	12	21
20-34	1482	5.0	22	1	1	4	6	10	13	23
35-49	1719	5.6	28	1	2	4	7	10	14	27
50-64	2487	6.4	37	1	2	5	8	13	17	30
65+	5476	7.8	46	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	96	9.4	129	2	2	5	10	20	41	83
20-34	257	9.0	74	1	2	6	11	19	29	68
35-49	335	9.4	73	2	2	7	12	18	22	37
50-64	533	12.1	123	2	3	9	15	25	30	59
65+	715	15.7	226	3	4	11	20	33	47	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2227	3.9	12	1	1	3	5	8	10	18
B. *Operated*	424	6.4	32	1	2	5	8	12	15	31
2. MULTIPLE DX										
A. *Not Operated*	12182	6.5	38	1	2	5	8	13	18	31
B. *Operated*	1936	12.4	154	2	3	9	16	26	36	87
1. SINGLE DX	2651	4.3	17	1	1	3	5	8	11	21
2. MULTIPLE DX	14118	7.3	58	1	2	5	9	15	20	40
A. NOT OPERATED	14409	6.1	35	1	1	4	8	12	17	30
B. OPERATED	2360	11.4	137	2	3	8	14	24	33	80
TOTAL 0-19 YRS	1922	3.9	23	1	1	3	4	8	11	23
20-34	2306	5.3	27	1	1	4	7	10	15	29
35-49	2545	6.0	36	1	2	4	7	12	16	30
50-64	3422	7.1	52	1	2	5	8	15	20	40
65+	6574	8.5	71	2	2	6	10	17	23	44
GRAND TOTAL	**16769**	**6.9**	**53**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.6	90	1	2	4	7	11	17	68
20-34	5	12.8	183	2	2	7	21	35	35	35
35-49	11	6.5	17	1	2	7	8	12	16	16
50-64	14	5.9	15	1	2	5	9	12	13	13
65+	46	8.0	40	2	3	6	10	14	26	30
B. *Operated*										
0-19 YRS	7	4.0	6	<1	<1	4	6	8	8	8
20-34	8	4.9	20	1	1	4	5	12	15	15
35-49	6	6.7	29	2	2	4	13	14	14	14
50-64	5	9.8	63	3	3	6	14	23	23	23
65+	8	5.6	12	1	1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	9.7	87	2	2	7	12	20	29	58
20-34	109	9.7	129	2	2	7	10	20	29	69
35-49	133	11.0	123	2	3	8	13	21	27	70
50-64	359	11.5	97	2	4	9	14	24	32	54
65+	1713	11.4	87	3	4	9	14	22	29	58
B. *Operated*										
0-19 YRS	33	17.2	269	1	3	10	31	47	55	99+
20-34	51	13.9	180	4	5	10	16	27	36	85
35-49	99	12.0	119	3	4	8	15	27	32	58
50-64	140	15.2	133	3	5	12	22	30	36	87
65+	472	19.8	252	4	6	15	27	40	57	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	7.2	62	2	2	5	8	13	18	41
B. *Operated*	34	5.9	23	1	2	5	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	2542	11.2	92	3	3	8	14	22	29	58
B. *Operated*	795	17.5	218	4	5	13	24	37	48	86
1. SINGLE DX	166	7.0	54	2	2	5	8	13	17	34
2. MULTIPLE DX	3337	12.7	130	3	4	9	15	27	36	67
A. NOT OPERATED	2674	11.0	92	3	3	8	14	21	29	58
B. OPERATED	829	17.0	216	3	5	13	23	36	48	86
TOTAL 0-19 YRS	324	9.8	111	2	2	6	11	21	33	61
20-34	173	10.8	144	2	2	7	13	25	30	78
35-49	249	11.1	116	2	3	8	13	22	28	58
50-64	518	12.3	108	2	3	9	16	26	33	54
65+	2239	13.1	133	3	4	10	16	27	36	75
GRAND TOTAL	**3503**	**12.4**	**127**	**3**	**4**	**9**	**15**	**26**	**35**	**67**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	11.2	40	2	4	10	14	19	22	33
20-34	185	11.3	28	2	4	11	14	18	21	25
35-49	5	8.2	44	3	3	5	12	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	34	14.9	175	2	3	12	15	39	39	66
20-34	14	13.1	215	<1	1	10	17	26	50	57
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1076	11.1	51	2	3	10	14	18	23	37
20-34	430	12.7	37	4	6	12	15	21	25	31
35-49	28	11.5	23	4	6	12	14	18	21	22
50-64										
65+										
B. *Operated*										
0-19 YRS	169	15.8	203	2	3	13	19	37	49	99+
20-34	65	17.8	178	1	5	14	22	35	48	69
35-49	8	3.8	39	<1	<1	1	3	14	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	11.2	38	2	4	10	14	19	22	31
B. *Operated*	51	13.6	181	1	2	11	16	30	39	66
2. MULTIPLE DX										
A. *Not Operated*	1534	11.6	47	2	4	11	14	19	24	35
B. *Operated*	242	15.9	196	2	3	13	20	35	47	99+
1. SINGLE DX	892	11.3	46	2	3	10	14	19	22	36
2. MULTIPLE DX	1776	12.2	69	2	4	11	15	21	26	46
A. NOT OPERATED	2375	11.4	44	2	4	11	14	19	23	33
B. OPERATED	293	15.5	193	1	2	13	19	35	47	96
TOTAL 0-19 YRS	1930	11.6	64	2	3	10	14	20	25	44
20-34	694	12.8	54	3	5	12	15	21	25	40
35-49	44	9.1	38	<1	1	9	13	18	20	22
50-64										
65+										
GRAND TOTAL	**2668**	**11.9**	**62**	**2**	**4**	**11**	**14**	**20**	**25**	**43**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.7	31	1	1	1	3	6	9	20
20-34	31	3.4	12	<1	<1	2	4	7	9	18
35-49	34	4.2	26	<1	1	3	5	7	9	30
50-64	10	6.1	34	1	1	3	10	16	17	17
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	43	7.2	7	4	5	7	8	10	12	18
20-34	650	7.7	7	5	5	7	9	10	12	16
35-49	494	8.6	15	5	5	8	10	12	14	26
50-64	76	8.1	10	4	4	8	11	12	13	15
65+	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	9.1	265	1	1	4	6	38	68	99+
20-34	156	4.7	14	1	1	4	6	8	13	19
35-49	233	5.8	36	1	1	4	7	11	16	33
50-64	185	7.3	56	2	2	5	9	14	19	92
65+	87	9.4	64	2	3	7	11	19	27	44
B. *Operated*										
0-19 YRS	41	8.2	11	4	5	8	10	11	13	22
20-34	1154	9.2	41	5	5	8	10	13	17	41
35-49	1535	9.8	43	5	6	8	10	14	18	41
50-64	383	10.6	46	5	6	9	11	16	24	48
65+	27	15.0	293	3	5	9	16	26	58	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.2	28	1	1	1	4	7	9	23
B. *Operated*	1265	8.1	10	5	5	8	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	773	6.8	75	1	1	5	8	13	21	72
B. *Operated*	3140	9.7	45	5	6	8	10	14	19	42
1. SINGLE DX	1476	7.4	16	1	3	7	9	11	13	18
2. MULTIPLE DX	3913	9.1	52	3	4	8	10	14	19	48
A. NOT OPERATED	984	6.0	67	1	1	4	7	12	18	63
B. OPERATED	4405	9.2	35	5	5	8	10	13	16	38
TOTAL 0-19 YRS	330	6.1	113	1	1	4	7	10	19	97
20-34	1991	8.3	29	3	5	8	9	12	14	31
35-49	2296	9.0	38	3	5	8	10	13	17	38
50-64	654	9.3	47	2	4	8	11	15	21	49
65+	118	10.6	119	3	3	7	12	22	28	63
GRAND TOTAL	**5389**	**8.7**	**43**	**2**	**4**	**8**	**10**	**13**	**17**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	612	2.9	9	<1	<1	2	4	6	9	14
20-34	298	3.3	22	<1	<1	2	4	7	9	18
35-49	179	5.3	48	<1	<1	3	6	11	18	44
50-64	178	3.8	15	<1	<1	3	5	8	10	21
65+	132	5.6	26	1	1	4	8	13	15	24
B. *Operated*										
0-19 YRS	167	4.4	16	1	1	3	5	11	13	85
20-34	273	4.5	24	1	1	3	5	10	15	28
35-49	314	4.2	42	<1	1	3	5	8	11	24
50-64	192	4.1	15	<1	1	3	5	8	10	23
65+	87	7.6	98	1	1	4	10	16	23	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	883	4.9	26	<1	1	3	6	10	14	25
20-34	609	6.8	52	1	1	5	8	14	20	37
35-49	795	7.3	63	1	2	5	9	14	20	46
50-64	862	7.9	49	1	2	6	9	15	22	34
65+	1258	8.8	59	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	182	10.7	139	1	2	7	14	29	49	99+
20-34	493	11.9	159	2	2	8	15	31	43	99+
35-49	711	10.5	127	1	2	7	12	24	33	66
50-64	621	9.9	108	1	2	7	12	22	32	52
65+	643	13.2	150	2	3	10	17	27	39	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	3.7	20	<1	<1	2	5	8	11	22
B. *Operated*	1033	4.6	34	<1	1	3	5	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	4407	7.3	52	1	2	5	9	15	20	37
B. *Operated*	2650	11.3	136	1	2	8	14	26	37	80
1. SINGLE DX	2432	4.0	26	<1	<1	3	5	9	12	23
2. MULTIPLE DX	7057	8.8	87	1	2	6	11	19	27	53
A. NOT OPERATED	5806	6.4	47	<1	1	4	8	13	19	35
B. OPERATED	3683	9.4	117	1	1	6	11	22	32	70
TOTAL 0-19 YRS	1844	4.7	35	<1	<1	3	6	10	15	45
20-34	1673	7.3	84	<1	1	5	9	16	26	56
35-49	1999	7.8	86	1	1	5	9	16	24	53
50-64	1853	7.8	66	1	1	5	9	16	23	41
65+	2120	9.9	91	2	2	7	12	20	27	52
GRAND TOTAL	**9489**	**7.6**	**76**	**<1**	**1**	**5**	**9**	**16**	**24**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10tn (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	35	3.9	3	1	2	4	5	6	8	8
35-49	110	4.0	7	1	1	3	5	8	10	11
50-64	139	4.6	9	1	2	4	6	8	10	18
65+	223	4.7	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS										
20-34	8	5.4	32	<1	<1	3	7	15	18	18
35-49	13	3.3	5	<1	1	2	4	7	8	8
50-64	51	4.7	16	1	2	3	6	9	16	17
65+	56	5.2	26	<1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	11	1	2	7	8	11	14	14
20-34	67	4.5	12	1	2	4	5	8	12	19
35-49	292	5.5	11	2	2	5	7	10	13	17
50-64	674	6.3	25	2	2	5	7	11	15	28
65+	1493	7.5	39	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS										
20-34	12	4.7	21	1	1	3	5	13	16	16
35-49	58	7.4	60	1	2	5	9	16	29	35
50-64	173	10.4	101	2	2	7	14	21	33	50
65+	263	12.1	145	2	3	9	15	25	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	4.4	7	1	2	4	6	8	10	13
B. *Operated*	128	4.8	20	<1	1	3	6	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	2536	6.9	32	2	2	5	8	13	17	27
B. *Operated*	506	10.8	120	2	2	8	14	22	34	58
1. SINGLE DX	637	4.5	10	1	2	4	6	8	10	17
2. MULTIPLE DX	3042	7.5	49	2	2	6	9	14	20	35
A. NOT OPERATED	3045	6.5	29	2	2	5	8	12	15	27
B. OPERATED	634	9.6	106	1	2	6	12	20	30	53
TOTAL 0-19 YRS	12	6.0	13	1	1	6	8	10	13	14
20-34	122	4.4	11	1	2	4	5	8	12	19
35-49	473	5.3	17	1	2	4	7	10	12	21
50-64	1037	6.7	38	2	2	5	8	13	18	34
65+	2035	7.7	53	2	2	6	9	15	20	36
GRAND TOTAL	**3679**	**7.0**	**43**	**2**	**2**	**5**	**8**	**14**	**18**	**34**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	391	2.9	4	1	1	2	3	5	7	12
20-34	142	2.9	4	1	1	2	4	5	7	12
35-49	188	3.6	9	1	1	3	4	6	8	17
50-64	209	4.2	15	1	1	3	5	8	10	21
65+	564	6.0	24	1	2	5	7	11	15	26
B. *Operated*										
0-19 YRS	8	4.3	10	1	1	3	5	9	11	11
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	4.3		1	4	4	5	5	5	5
50-64	9	9.7	46	3	3	8	13	21	23	23
65+	15	9.6	127	2	2	7	9	31	38	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3243	3.8	12	1	1	3	4	6	9	17
20-34	1806	4.2	19	1	1	3	5	8	10	19
35-49	2194	5.3	23	1	2	4	7	10	13	27
50-64	4646	6.7	35	1	2	5	8	13	17	30
65+	20175	9.0	57	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	104	9.3	104	1	2	6	10	27	35	99+
20-34	165	8.2	88	1	1	5	10	18	28	54
35-49	231	9.5	69	1	2	7	12	21	26	40
50-64	555	13.0	156	2	3	9	17	27	37	71
65+	1896	17.9	194	4	5	14	23	36	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1494	4.3	16	1	1	3	5	8	12	21
B. *Operated*	37	7.6	69	2	2	5	9	16	28	41
2. MULTIPLE DX										
A. *Not Operated*	32064	7.6	49	2	2	6	9	15	20	36
B. *Operated*	2951	15.4	180	2	3	12	21	32	46	80
1. SINGLE DX	1531	4.4	17	1	1	3	5	9	12	22
2. MULTIPLE DX	35015	8.3	64	2	2	6	10	17	23	44
A. NOT OPERATED	33558	7.5	48	2	2	6	9	15	19	35
B. OPERATED	2988	15.3	179	2	3	12	21	32	45	80
TOTAL 0-19 YRS	3746	3.8	15	1	1	3	4	7	9	21
20-34	2115	4.4	24	1	1	3	5	8	11	24
35-49	2616	5.5	27	1	2	4	7	10	14	29
50-64	5419	7.2	51	1	2	5	9	15	20	37
65+	22650	9.6	74	2	3	7	12	19	25	49
GRAND TOTAL	**36546**	**8.1**	**63**	**2**	**2**	**6**	**10**	**16**	**22**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.7	10	1	1	3	5	7	8	15
20-34	91	3.7	4	1	1	3	5	6	7	9
35-49	148	4.1	7	1	1	3	6	8	9	11
50-64	131	4.6	12	1	1	4	6	9	10	20
65+	346	5.0	20	1	1	4	6	9	11	27
B. *Operated*										
0-19 YRS	23	4.4	9	1	1	3	7	9	10	11
20-34	27	5.1	10	2	2	4	7	10	12	13
35-49	54	5.3	10	1	2	5	8	9	9	17
50-64	48	6.8	15	2	3	6	8	11	14	22
65+	110	7.1	19	2	3	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	4.6	19	1	1	4	6	8	10	17
20-34	343	4.9	14	1	1	4	6	8	11	17
35-49	703	5.3	16	1	2	4	6	9	12	20
50-64	1160	6.2	21	1	2	5	8	11	14	22
65+	5604	7.4	40	1	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	59	7.1	32	2	2	6	9	14	17	35
20-34	154	7.4	26	2	2	6	9	15	18	24
35-49	449	8.2	39	2	3	7	11	15	18	24
50-64	618	10.1	57	3	4	8	12	19	24	40
65+	2120	11.5	73	3	4	10	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	874	4.4	13	1	1	4	6	8	10	18
B. *Operated*	262	6.2	15	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	8140	6.8	34	1	2	6	9	13	17	29
B. *Operated*	3400	10.6	65	3	4	9	13	19	25	42
1. SINGLE DX	1136	4.8	14	1	1	4	6	9	11	19
2. MULTIPLE DX	11540	7.9	46	2	2	6	10	15	20	34
A. NOT OPERATED	9014	6.6	33	1	2	5	8	12	16	29
B. OPERATED	3662	10.2	62	3	4	8	12	19	24	41
TOTAL 0-19 YRS	570	4.6	18	1	1	4	6	8	11	18
20-34	615	5.4	17	1	2	4	7	10	13	20
35-49	1354	6.1	24	1	2	5	8	11	15	21
50-64	1957	7.3	35	1	2	6	9	13	18	29
65+	8180	8.4	51	2	2	7	10	16	21	36
GRAND TOTAL	**12676**	**7.6**	**44**	**1**	**2**	**6**	**10**	**14**	**19**	**34**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1709	4.4	10	1	1	4	6	8	9	15
20-34	1866	6.0	20	1	2	5	7	11	13	24
35-49	396	6.6	21	1	2	6	8	12	16	24
50-64	27	5.3	21	1	1	4	6	8	18	21
65+	6	5.3	14	1	1	5	8	11	11	11
B. *Operated*										
0-19 YRS	16	6.7	14	2	2	6	8	13	15	15
20-34	34	8.8	62	2	2	7	12	15	24	41
35-49	12	7.3	24	2	2	7	8	14	19	20
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1617	5.6	20	1	2	5	7	11	13	23
20-34	2119	7.8	38	2	3	6	9	15	19	31
35-49	546	8.7	54	2	3	7	11	16	21	31
50-64	123	6.9	18	1	2	6	9	13	15	19
65+	32	7.4	16	2	2	7	11	13	15	16
B. *Operated*										
0-19 YRS	74	12.3	91	1	2	10	18	24	32	43
20-34	188	14.7	160	2	3	10	20	29	39	82
35-49	67	13.6	195	2	3	10	15	27	38	87
50-64	19	9.3	41	2	2	8	12	18	23	27
65+	6	21.8	295	11	11	14	26	52	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4004	5.4	16	1	2	4	7	9	12	22
B. *Operated*	63	7.9	42	2	2	7	11	14	18	39
2. MULTIPLE DX										
A. *Not Operated*	4437	7.1	34	1	2	6	9	13	17	28
B. *Operated*	354	13.8	150	2	3	10	18	28	38	75
1. SINGLE DX	4067	5.4	17	1	2	5	7	10	12	22
2. MULTIPLE DX	4791	7.6	46	1	2	6	9	15	19	32
A. NOT OPERATED	8441	6.3	26	1	2	5	8	11	15	26
B. OPERATED	417	12.9	138	2	2	10	17	27	35	66
TOTAL 0-19 YRS	3416	5.1	18	1	1	4	6	10	12	23
20-34	4207	7.3	39	2	2	6	9	14	18	31
35-49	1021	8.2	53	2	2	7	10	15	20	32
50-64	170	6.9	22	1	2	6	9	14	18	21
65+	44	9.1	74	2	2	8	11	15	19	55
GRAND TOTAL	**8858**	**6.6**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	902	2.3	11	<1	<1	1	2	5	7	15
20-34	258	2.9	8	<1	<1	2	4	7	9	15
35-49	176	4.6	24	1	1	3	6	11	13	18
50-64	309	3.7	15	<1	<1	2	5	9	11	16
65+	1371	3.7	19	<1	1	2	5	8	11	21
B. *Operated*										
0-19 YRS	172	6.1	29	1	2	5	7	12	16	27
20-34	69	6.3	28	1	2	5	8	14	16	24
35-49	67	7.0	19	2	2	7	8	12	14	25
50-64	116	8.1	55	2	3	7	10	15	17	43
65+	314	8.0	37	1	2	7	10	15	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1026	3.8	29	<1	<1	2	5	8	11	23
20-34	645	5.0	25	<1	1	4	7	11	14	26
35-49	972	5.3	33	1	1	4	7	11	14	25
50-64	2482	5.8	40	1	1	4	8	12	16	31
65+	10190	6.7	47	1	1	5	9	14	19	33
B. *Operated*										
0-19 YRS	203	11.4	196	1	2	7	14	23	39	83
20-34	273	10.4	152	2	2	7	11	22	35	85
35-49	453	10.1	72	2	3	8	13	20	25	50
50-64	1070	10.8	73	2	3	9	14	21	27	50
65+	3723	13.1	131	3	4	10	16	25	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3016	3.2	16	<1	<1	2	4	7	10	17
B. *Operated*	738	7.3	36	1	2	6	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	15315	6.2	43	1	1	4	8	13	17	31
B. *Operated*	5722	12.2	120	2	3	9	15	24	32	66
1. SINGLE DX	3754	4.0	23	<1	<1	2	5	9	13	23
2. MULTIPLE DX	21037	7.8	71	1	1	6	10	16	22	44
A. NOT OPERATED	18331	5.7	40	<1	1	4	7	12	16	31
B. OPERATED	6460	11.7	113	2	3	9	14	23	31	63
TOTAL 0-19 YRS	2303	4.0	43	<1	<1	2	5	9	13	26
20-34	1245	5.9	56	<1	1	4	7	12	16	38
35-49	1668	6.6	47	1	1	5	9	14	18	31
50-64	3977	7.0	53	1	1	5	9	15	20	36
65+	15598	8.0	73	1	1	6	10	17	23	45
GRAND TOTAL	**24791**	**7.3**	**66**	**1**	**1**	**5**	**9**	**15**	**21**	**41**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.3	7	<1	<1	2	4	7	10	14
20-34	38	3.8	7	1	1	3	5	9	10	12
35-49	21	5.2	12	<1	1	4	7	11	12	13
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	10.3	121	3	3	5	18	23	23	23
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	4	6.3	17	1	1	7	9	10	10	10
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+	2	26.0	128	18	18	26	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	4.4	19	1	1	3	5	8	12	23
20-34	91	5.2	17	2	2	4	6	10	14	24
35-49	39	9.2	104	1	2	6	11	21	29	52
50-64	24	7.1	27	1	3	6	9	14	17	25
65+	12	8.3	31	3	3	7	11	17	20	21
B. *Operated*										
0-19 YRS	25	9.6	68	1	2	6	14	19	26	34
20-34	27	8.9	86	1	2	4	11	24	32	33
35-49	10	19.3	334	1	3	23	33	74	98	99+
50-64	5	11.4	101	5	5	8	15	29	29	29
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.0	11	<1	1	3	5	8	11	17
B. *Operated*	11	9.8	106	1	1	5	16	26	33	34
2. MULTIPLE DX										
A. *Not Operated*	405	5.3	30	1	1	4	6	11	15	27
B. *Operated*	67	10.9	123	1	2	6	17	30	34	92
1. SINGLE DX	131	4.5	21	<1	1	3	5	9	12	25
2. MULTIPLE DX	472	6.1	47	1	1	4	7	13	20	34
A. NOT OPERATED	525	5.0	26	1	1	4	6	11	14	25
B. OPERATED	78	10.7	120	1	2	6	17	30	34	87
TOTAL 0-19 YRS	325	4.6	23	1	1	3	5	10	13	24
20-34	160	5.5	28	1	2	4	6	11	16	32
35-49	71	9.6	124	<1	2	5	12	26	34	90
50-64	30	7.7	39	2	3	6	9	14	25	29
65+	17	10.8	78	3	3	7	16	23	30	34
GRAND TOTAL	**603**	**5.7**	**42**	**1**	**1**	**4**	**6**	**12**	**18**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	884	3.5	10	1	1	3	4	7	9	15
20-34	142	4.4	10	1	1	3	6	8	10	16
35-49	188	4.1	15	1	1	3	6	9	11	19
50-64	123	4.7	20	1	1	4	6	10	12	24
65+	279	4.2	22	1	1	3	5	8	12	26
B. *Operated*										
0-19 YRS	440	5.2	15	1	2	4	6	9	12	21
20-34	327	7.0	23	2	2	6	8	11	16	27
35-49	192	7.8	34	1	2	7	9	14	17	35
50-64	182	8.1	42	2	3	6	9	14	22	37
65+	177	9.3	94	1	2	7	11	18	20	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1105	4.6	17	<1	1	3	6	9	11	21
20-34	562	5.5	27	1	1	4	7	10	14	27
35-49	716	6.2	28	1	2	5	8	12	15	23
50-64	1316	7.2	44	1	2	5	9	14	18	37
65+	2742	7.5	52	1	1	6	9	15	20	37
B. *Operated*										
0-19 YRS	366	8.0	68	1	2	6	9	17	25	71
20-34	472	9.2	51	2	3	7	11	18	23	38
35-49	503	10.6	85	2	3	8	12	20	27	48
50-64	899	11.5	98	2	3	9	14	22	30	62
65+	1711	13.8	143	3	4	10	17	27	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1616	3.9	13	1	1	3	5	8	10	18
B. *Operated*	1318	7.0	36	1	2	6	8	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	6441	6.6	41	1	1	5	8	13	18	33
B. *Operated*	3951	11.8	111	2	3	9	15	23	32	62
1. SINGLE DX	2934	5.3	26	1	1	4	7	10	13	25
2. MULTIPLE DX	10392	8.6	74	1	2	6	11	18	24	47
A. NOT OPERATED	8057	6.1	37	1	1	4	8	12	16	30
B. OPERATED	5269	10.6	97	2	3	8	13	21	29	56
TOTAL 0-19 YRS	2795	4.8	23	1	1	4	6	9	12	25
20-34	1503	6.9	35	1	2	5	8	13	18	30
35-49	1599	7.5	50	1	2	6	9	14	19	38
50-64	2520	8.7	67	1	2	7	11	17	24	46
65+	4909	9.6	94	1	2	7	12	20	27	54
GRAND TOTAL	**13326**	**7.8**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2885	2.1	2	1	1	2	3	4	5	7
20-34	551	2.2	2	1	1	2	3	4	5	7
35-49	102	2.6	3	1	1	2	3	5	6	9
50-64	25	3.3	6	<1	1	3	4	6	9	11
65+	9	2.1	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	1333	3.7	2	2	2	3	4	5	7	10
20-34	457	4.0	4	2	2	4	5	6	7	11
35-49	53	4.8	5	2	3	4	5	7	10	15
50-64	5	5.6	9	2	2	6	8	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1592	2.7	4	1	1	2	3	5	6	9
20-34	321	2.9	6	1	1	2	4	5	6	9
35-49	72	3.9	9	1	1	3	5	6	8	19
50-64	38	4.2	6	1	2	4	5	7	10	12
65+	23	5.8	17	1	2	4	9	12	14	16
B. *Operated*										
0-19 YRS	700	4.7	9	2	2	4	5	7	9	18
20-34	276	5.5	10	2	3	5	7	10	11	18
35-49	53	6.3	12	3	4	5	7	13	15	16
50-54	16	7.9	45	2	3	6	9	16	25	29
65+	6	11.3	49	5	5	8	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3572	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1849	3.8	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2046	2.8	4	1	1	2	4	5	6	10
B. *Operated*	1051	5.1	11	2	2	4	6	8	11	18
1. SINGLE DX	5421	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX	3097	3.6	8	1	1	3	4	6	8	15
A. NOT OPERATED	5618	2.4	3	1	1	2	3	4	5	8
B. OPERATED	2900	4.3	6	2	2	4	5	7	8	15
TOTAL 0-19 YRS	6510	2.9	4	1	1	2	4	5	6	9
20-34	1605	3.4	6	1	1	3	4	6	7	12
35-49	280	4.1	9	1	1	4	5	7	10	16
50-64	84	4.7	16	1	2	4	6	9	11	25
65+	39	5.7	25	1	1	4	8	13	17	22
GRAND TOTAL	**8518**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	672	4.3	6	1	2	4	6	8	9	11
20-34	69	3.6	4	1	1	3	4	6	7	10
35-49	25	4.0	6	1	1	3	5	8	9	9
50-64	9	5.0	16	2	2	3	5	11	15	15
65+	8	6.0	62	1	1	3	5	19	25	25
B. *Operated*										
0-19 YRS	444	3.2	9	<1	<1	2	4	7	9	14
20-34	284	2.9	7	<1	<1	2	4	6	8	13
35-49	159	2.8	5	<1	1	2	3	5	8	11
50-64	99	3.0	5	<1	1	2	4	6	7	12
65+	49	3.2	5	<1	<1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	517	4.7	9	1	2	4	6	9	11	14
20-34	82	4.2	5	1	2	4	6	7	9	11
35-49	65	5.3	13	1	2	4	7	10	12	20
50-64	47	5.8	12	2	3	5	7	9	14	18
65+	37	7.8	43	1	2	6	10	14	21	33
B. *Operated*										
0-19 YRS	229	5.5	22	<1	1	4	8	12	14	21
20-34	169	5.3	28	1	1	4	7	12	15	19
35-49	148	5.3	31	1	1	3	6	11	16	30
50-64	137	6.7	42	1	2	4	8	15	19	30
65+	127	7.3	41	1	2	5	9	17	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	4.3	7	1	2	4	6	8	9	12
B. *Operated*	1035	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	748	4.9	11	1	2	4	6	9	11	17
B. *Operated*	810	5.9	32	1	1	4	8	13	17	27
1. SINGLE DX	1818	3.6	7	<1	1	3	5	7	9	12
2. MULTIPLE DX	1558	5.4	22	1	2	4	7	11	14	24
A. NOT OPERATED	1531	4.6	9	1	2	4	6	8	10	15
B. OPERATED	1845	4.3	20	<1	1	3	5	9	13	23
TOTAL 0-19 YRS	1862	4.3	10	1	1	3	6	8	10	15
20-34	604	3.8	13	<1	1	3	5	8	10	17
35-49	397	4.2	17	<1	1	3	5	8	11	21
50-64	292	5.2	26	1	1	4	6	11	15	26
65+	221	6.4	37	1	1	4	8	14	21	27
GRAND TOTAL	**3376**	**4.4**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	5.1	29	<1	1	3	6	14	18	19
20-34	111	13.4	211	1	2	9	18	30	43	85
35-49	30	12.3	107	<1	1	10	21	28	31	36
50-64	49	11.3	190	1	1	5	14	28	48	63
65+	93	10.1	79	1	2	8	14	22	31	41
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	10.5	156	1	1	5	13	30	41	54
20-34	184	14.7	242	1	2	10	20	32	47	99
35-49	146	12.3	121	1	2	9	18	28	34	81
50-64	265	13.1	178	2	3	9	16	29	44	71
65+	719	11.3	126	2	2	8	14	24	32	62
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	32.2	341	7	7	31	45	56	62	62
35-49	11	19.7	219	4	4	17	26	43	53	54
50-64	31	17.5	226	2	4	13	21	43	51	62
65+	64	17.4	308	2	2	13	22	39	54	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	11.0	143	1	1	7	15	26	33	69
B. *Operated*	6	4.7	13	<1	<1	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1360	12.2	153	2	2	8	15	27	35	74
B. *Operated*	116	18.7	287	2	3	13	26	43	53	77
1. SINGLE DX	327	10.9	142	1	1	7	15	26	33	68
2. MULTIPLE DX	1476	12.7	167	2	2	9	16	29	40	74
A. NOT OPERATED	1681	12.0	152	1	2	8	15	27	35	73
B. OPERATED	122	18.0	282	2	3	13	25	43	52	76
TOTAL 0-19 YRS	86	8.0	103	1	1	4	10	19	30	51
20-34	305	14.7	241	1	2	10	20	33	47	99
35-49	188	12.6	126	1	2	9	18	29	34	70
50-64	346	13.2	185	2	3	9	17	30	47	70
65+	878	11.6	136	2	2	8	15	25	33	69
GRAND TOTAL	**1803**	**12.4**	**163**	**1**	**2**	**8**	**16**	**28**	**38**	**73**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	584	2.4	17	<1	1	1	2	4	6	23
20-34	398	4.9	73	<1	1	3	5	10	14	50
35-49	195	7.4	93	1	1	4	8	15	26	53
50-64	282	10.3	112	1	2	7	14	22	28	59
65+	1823	11.0	127	2	2	8	14	23	33	63
B. *Operated*										
0-19 YRS	14	4.1	21	1	1	2	6	9	16	18
20-34	14	4.2	9	<1	1	3	6	8	11	12
35-49	11	5.3	15	2	2	4	7	11	15	15
50-64	16	6.4	19	2	3	5	7	11	17	20
65+	51	10.7	107	2	3	7	15	21	25	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	6.1	77	1	1	3	6	14	25	50
20-34	1218	8.0	79	1	2	5	9	17	26	52
35-49	819	9.9	107	2	2	7	11	22	30	55
50-64	1360	11.9	110	2	3	8	16	26	34	59
65+	12134	12.3	141	2	3	9	15	26	37	99+
B. *Operated*										
0-19 YRS	44	12.3	256	1	1	7	15	40	74	99+
20-34	83	10.4	187	1	2	5	12	30	36	95
35-49	74	17.8	364	1	2	11	20	43	56	87
50-64	139	18.2	298	2	3	14	26	51	98	99+
65+	1151	19.9	291	3	5	15	27	49	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3282	8.5	109	1	1	5	10	20	27	55
B. *Operated*	106	7.8	67	1	2	5	9	18	21	47
2. MULTIPLE DX										
A. *Not Operated*	16149	11.6	132	2	3	8	14	25	35	90
B. *Operated*	1491	18.9	294	2	4	14	26	48	79	99+
1. SINGLE DX	3388	8.5	108	1	1	5	10	20	27	55
2. MULTIPLE DX	17640	12.2	150	2	3	8	15	27	39	99+
A. NOT OPERATED	19431	11.0	129	1	2	8	14	24	34	84
B. OPERATED	1597	18.2	287	2	3	14	25	46	75	99+
TOTAL 0-19 YRS	1260	4.6	60	1	1	2	4	10	19	48
20-34	1713	7.4	84	1	1	4	9	15	26	55
35-49	1099	9.9	126	1	2	7	11	22	31	58
50-64	1797	12.1	128	2	3	9	16	27	36	78
65+	15159	12.7	155	2	3	9	16	27	40	99+
GRAND TOTAL	**21028**	**11.6**	**145**	**2**	**2**	**8**	**15**	**26**	**37**	**95**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	17.8	281	1	1	9	33	40	40	40
65+	84	14.1	202	2	2	10	17	29	44	81
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	9.3	25	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49	3	21.7	137	13	13	17	30	35	35	35
50-64	51	15.4	174	2	3	11	21	35	41	66
65+	701	12.7	158	2	3	9	16	27	42	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	34.0		34	34	34	34	34	34	34
50-64	4	35.0	951	10	10	25	56	79	79	79
65+	69	27.8	593	5	7	18	49	76	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	14.2	202	1	2	10	17	30	43	78
B. *Operated*	4	9.3	25	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	756	13.0	160	2	3	9	16	29	42	99+
B. *Operated*	74	28.3	595	5	7	18	49	78	98	99+
1. SINGLE DX	94	14.0	196	1	2	10	17	30	42	76
2. MULTIPLE DX	830	14.3	217	2	3	10	18	35	54	99+
A. NOT OPERATED	846	13.1	164	2	3	9	16	29	42	99+
B. OPERATED	78	27.3	583	5	6	18	48	77	97	99+
TOTAL 0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49	5	21.0	168	6	6	17	34	35	35	35
50-64	60	16.9	239	2	3	11	22	36	44	78
65+	858	14.1	213	2	3	10	17	34	53	99+
GRAND TOTAL	**9[illegible]4**	**14.3**	**214**	**2**	**3**	**10**	**17**	**34**	**52**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	4	<1	<1	2	4	6	8	8
20-34	427	4.4	15	1	1	5	5	6	8	23
35-49	674	4.9	17	1	2	5	5	7	9	22
50-64	335	5.8	40	1	2	5	5	11	16	34
65+	119	6.5	32	2	2	5	8	13	16	65
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	5.1	6	3	3	4	6	9	10	10
50-64	3	13.3	142	5	5	8	22	27	27	27
65+	2	11.0	72	5	5	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	6.7	45	1	2	5	8	14	22	35
20-34	2030	6.5	33	1	2	5	8	13	19	30
35-49	3615	6.6	39	2	2	5	7	12	18	31
50-64	2596	7.8	56	2	2	6	9	15	22	40
65+	1013	10.5	104	2	3	7	13	21	29	58
B. *Operated*										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	65	9.4	69	1	2	7	12	24	30	36
35-49	130	12.9	153	3	3	11	15	22	28	68
50-64	126	14.9	159	3	4	12	19	33	46	99+
65+	97	20.0	304	3	5	15	26	55	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	5.1	23	1	2	5	5	7	12	24
B. *Operated*	12	8.2	51	3	3	5	9	20	26	27
2. MULTIPLE DX										
A. *Not Operated*	9326	7.4	51	2	2	5	8	14	22	34
B. *Operated*	420	14.6	187	3	3	11	18	31	48	99+
1. SINGLE DX	1588	5.1	23	1	2	5	5	7	12	25
2. MULTIPLE DX	9746	7.7	59	2	2	5	9	15	23	38
A. NOT OPERATED	10902	7.0	47	1	2	5	8	14	21	34
B. OPERATED	432	14.4	185	3	3	11	18	31	47	99+
TOTAL 0-19 YRS	95	5.9	38	<1	1	4	6	14	17	33
20-34	2522	6.2	31	1	2	5	7	12	17	30
35-49	4426	6.6	40	1	2	5	7	12	18	31
50-64	3060	7.9	61	2	2	5	9	16	23	46
65+	1231	10.9	121	2	3	7	13	23	33	73
GRAND TOTAL	**11334**	**7.3**	**54**	**2**	**2**	**5**	**8**	**14**	**22**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	9.3	147	1	1	5	13	20	32	70
20-34	168	7.9	81	1	1	5	10	18	23	53
35-49	45	7.5	63	1	1	5	10	15	29	34
50-64	32	7.2	31	1	2	6	9	14	18	26
65+	35	7.1	85	1	2	5	8	13	15	56
B. *Operated*										
0-19 YRS										
20-34	5	6.2	18	2	2	5	10	12	12	12
35-49										
50-64	1	34.0		34	34	34	34	34	34	34
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	10.9	171	1	1	6	14	29	40	65
20-34	678	7.9	60	1	2	6	9	17	24	37
35-49	274	7.8	46	1	2	6	10	16	23	34
50-64	248	9.4	83	1	2	7	11	19	25	45
65+	545	9.0	79	2	3	7	11	17	25	47
B. *Operated*										
0-19 YRS	4	21.8	109	13	13	19	29	36	36	36
20-34	15	14.3	84	2	6	13	17	29	33	35
35-49	14	16.0	323	1	2	12	16	39	63	70
50-64	18	13.1	73	3	5	12	15	24	32	37
65+	36	17.4	283	2	3	12	24	47	56	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	8.0	87	1	1	5	10	17	23	55
B. *Operated*	6	10.8	143	2	2	7	12	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	1921	8.7	77	1	2	6	10	18	26	46
B. *Operated*	87	16.0	201	2	3	13	20	36	48	68
1. SINGLE DX	355	8.0	88	1	1	5	10	17	23	55
2. MULTIPLE DX	2008	9.0	85	1	2	6	11	18	27	47
A. NOT OPERATED	2270	8.6	79	1	2	6	10	18	25	46
B. OPERATED	93	15.6	197	2	3	12	19	35	47	67
TOTAL 0-19 YRS	249	10.7	165	1	1	6	14	27	38	66
20-34	866	8.0	65	1	2	6	10	17	24	38
35-49	333	8.1	61	1	2	6	10	17	23	35
50-64	299	9.5	79	1	2	7	12	19	26	41
65+	616	9.4	95	2	3	7	11	18	26	54
GRAND TOTAL	**2363**	**8.8**	**85**	**1**	**2**	**6**	**10**	**18**	**26**	**47**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	20.1	319	2	3	17	28	49	63	99+
20-34	4037	14.8	175	1	2	11	20	32	42	64
35-49	2040	14.4	143	1	2	12	20	29	38	59
50-64	839	15.7	150	2	3	13	21	33	40	58
65+	218	16.4	134	2	4	14	22	32	39	49
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	43	10.2	172	2	3	5	9	32	48	99+
35-49	18	9.8	58	1	1	7	17	20	24	26
50-64	5	18.6	285	6	6	11	27	47	47	47
65+	5	16.0	33	10	10	14	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	22.7	423	2	4	17	35	56	75	99+
20-34	2133	15.9	184	2	3	12	21	34	45	70
35-49	1475	16.1	181	2	4	13	21	33	42	75
50-64	822	18.9	190	4	6	16	24	37	46	76
65+	379	20.3	276	3	5	16	27	43	59	95
B. *Operated*										
0-19 YRS	5	17.2	57	9	9	16	23	28	28	28
20-34	101	22.7	287	4	5	20	30	48	72	99+
35-49	94	22.8	215	4	8	21	28	38	50	81
50-64	60	28.1	285	11	14	25	32	51	69	99+
65+	28	27.1	332	8	9	20	35	54	64	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7456	15.1	170	1	2	12	20	32	42	65
B. *Operated*	73	11.0	140	2	2	7	14	25	39	93
2. MULTIPLE DX										
A. *Not Operated*	4972	17.0	202	2	4	14	22	35	47	77
B. *Operated*	288	24.2	266	5	7	21	30	47	62	99
1. SINGLE DX	7529	15.0	170	1	2	12	20	32	42	65
2. MULTIPLE DX	5260	17.4	208	2	4	14	23	36	47	79
A. NOT OPERATED	12428	15.9	184	2	3	13	21	34	43	71
B. OPERATED	361	21.5	268	3	5	19	28	44	56	99
TOTAL 0-19 YRS	492	20.9	351	2	3	17	29	51	68	99+
20-34	6314	15.3	181	2	3	12	20	33	43	69
35-49	3627	15.3	162	2	3	12	20	32	40	65
50-64	1726	17.7	180	3	4	15	23	35	43	75
65+	630	19.3	233	3	5	15	25	39	53	86
GRAND TOTAL	**12789**	**16.0**	**187**	**2**	**3**	**13**	**21**	**34**	**44**	**72**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	21.6	427	2	3	14	35	56	76	99+
20-34	248	13.0	121	2	2	10	18	25	31	52
35-49	78	10.2	67	1	2	9	13	20	26	43
50-64	34	12.8	91	1	2	10	19	26	33	38
65+	12	9.3	52	2	2	6	16	19	22	22
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	31.1	442	3	5	29	43	66	78	97
20-34	140	15.6	204	1	2	12	21	32	45	80
35-49	55	15.5	174	1	3	14	19	35	46	61
50-64	35	15.1	99	3	5	14	22	28	31	42
65+	16	19.4	443	1	2	8	32	52	67	73
B. *Operated*										
0-19 YRS	2	35.0	288	23	23	35	47	47	47	47
20-34	2	16.0	200	6	6	16	26	26	26	26
35-49	5	10.6	63	3	3	7	18	21	21	21
50-64	3	29.7	560	16	16	16	47	57	57	57
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	14.1	184	1	2	10	18	30	42	83
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	317	19.2	291	2	3	15	26	43	55	82
B. *Operated*	12	20.3	278	3	4	17	24	50	56	57
1. SINGLE DX	467	14.1	183	1	2	10	18	30	42	83
2. MULTIPLE DX	329	19.2	290	2	3	15	26	43	55	82
A. NOT OPERATED	783	16.2	233	2	3	12	22	38	48	83
B. OPERATED	13	19.4	267	3	5	16	24	49	55	57
TOTAL 0-19 YRS	167	25.8	450	3	4	19	41	58	79	99+
20-34	391	13.9	151	1	2	11	20	27	36	59
35-49	138	12.3	115	1	2	10	16	24	37	50
50-64	72	14.6	116	2	4	11	20	28	34	54
65+	28	15.0	293	1	2	7	18	39	55	73
GRAND TOTAL	**796**	**16.2**	**233**	**2**	**3**	**12**	**22**	**38**	**48**	**82**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	733	21.8	347	2	4	17	31	49	70	99+
20-34	6266	14.9	182	1	2	11	20	32	43	69
35-49	3245	14.3	148	1	3	11	19	30	39	59
50-64	1483	15.6	152	2	3	13	21	31	38	67
65+	376	16.7	186	2	3	14	22	34	42	80
B. *Operated*										
0-19 YRS	1	98.0		98	98	98	98	98	98	98
20-34	25	11.9	152	<1	1	9	15	33	38	47
35-49	35	11.0	78	3	3	9	16	23	29	41
50-64	10	12.9	87	3	3	10	21	26	26	26
65+	7	16.7	140	3	3	15	27	31	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	21.6	318	2	4	18	32	53	71	99+
20-34	4059	16.6	209	2	3	13	22	36	47	74
35-49	2796	16.2	184	2	4	13	21	33	43	71
50-64	1911	16.9	171	3	4	14	22	34	43	67
65+	817	18.0	195	3	5	14	24	37	48	70
B. *Operated*										
0-19 YRS	28	28.5	468	3	7	20	47	63	89	99+
20-34	200	28.7	433	4	7	22	42	67	86	99+
35-49	173	22.4	209	4	7	18	30	44	52	82
50-64	140	29.6	426	6	9	23	42	70	79	99+
65+	73	26.5	292	6	10	21	37	51	67	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12103	15.3	182	1	2	12	20	33	43	72
B. *Operated*	78	13.2	200	1	2	10	18	29	34	84
2. MULTIPLE DX										
A. *Not Operated*	10134	16.9	201	2	4	13	22	36	46	78
B. *Operated*	614	26.9	360	5	8	22	37	59	75	99+
1. SINGLE DX	12181	15.3	183	1	2	12	20	33	43	72
2. MULTIPLE DX	10748	17.5	216	2	4	14	23	37	49	83
A. NOT OPERATED	22237	16.0	192	2	3	13	21	34	44	74
B. OPERATED	692	25.3	360	4	6	20	35	56	73	99+
TOTAL 0-19 YRS	1313	21.9	342	2	4	17	32	52	71	99+
20-34	10550	15.8	201	1	2	12	21	35	45	75
35-49	6249	15.4	168	2	3	12	20	32	42	67
50-64	3544	16.8	180	2	4	14	22	34	43	72
65+	1273	18.1	202	3	4	14	24	38	48	76
GRAND TOTAL	**22929**	**16.3**	**199**	**2**	**3**	**13**	**22**	**35**	**46**	**77**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	27.7	596	2	3	24	54	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	23.6	512	1	2	21	45	88	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	24.0	882	3	3	45	86	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	27.7	596	2	3	24	54	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	23.6	512	1	2	21	45	88	99+	99+
B. *Operated*	2	24.0	882	3	3	45	86	99+	99+	99+
1. SINGLE DX	91	27.7	596	2	3	24	55	99+	99+	99+
2. MULTIPLE DX	99	23.6	511	1	2	21	46	94	99+	99+
A. NOT OPERATED	188	25.5	554	1	2	23	50	99+	99+	99+
B. OPERATED	2	24.0	882	3	3	72	99+	99+	99+	99+
TOTAL 0-19 YRS	190	25.5	553	1	2	23	50	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**190**	**25.5**	**553**	**1**	**2**	**23**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	545	18.1	315	2	3	12	25	44	60	98
20-34	3118	13.6	146	1	2	10	18	29	37	64
35-49	3202	14.7	155	2	3	12	20	31	39	68
50-64	2553	17.4	185	2	4	14	23	34	43	71
65+	2026	20.8	232	2	4	18	28	41	50	73
B. *Operated*										
0-19 YRS										
20-34	21	21.4	312	3	4	14	36	49	54	59
35-49	18	16.8	194	3	4	12	22	32	48	58
50-64	20	17.1	160	3	4	14	25	36	43	47
65+	24	25.0	402	4	5	22	28	43	66	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	964	23.8	469	2	3	18	37	64	89	99+
20-34	5102	15.3	186	2	3	11	21	33	43	75
35-49	5403	16.3	184	2	3	13	22	34	43	64
50-64	5092	18.2	201	3	4	15	25	36	45	77
65+	5296	21.6	257	4	5	18	29	44	55	83
B. *Operated*										
0-19 YRS	43	33.4	504	5	7	35	52	99+	99+	99+
20-34	326	21.9	251	3	5	20	30	43	55	99+
35-49	466	23.6	233	5	8	21	31	43	56	97
50-64	463	26.3	300	6	9	23	36	49	60	91
65+	516	30.5	357	7	10	28	42	62	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11444	16.2	187	2	3	13	22	34	43	71
B. *Operated*	83	20.6	278	3	4	17	28	42	51	85
2. MULTIPLE DX										
A. *Not Operated*	21857	18.2	275	3	4	14	25	38	49	81
B. *Operated*	1814	26.2	306	5	8	23	35	52	68	99+
1. SINGLE DX	11527	16.3	188	2	3	13	22	34	43	71
2. MULTIPLE DX	23671	18.8	236	3	4	15	26	39	51	85
A. NOT OPERATED	33301	17.5	213	2	4	14	24	37	47	78
B. OPERATED	1897	25.9	306	5	8	22	35	52	67	99+
TOTAL 0-19 YRS	1552	22.1	426	2	3	16	33	59	80	99+
20-34	8567	15.0	177	2	3	11	20	32	42	73
35-49	9089	16.1	179	2	3	13	22	34	43	67
50-64	8128	18.4	205	3	4	15	25	37	46	76
65+	7862	22.0	262	3	5	18	30	44	56	87
GRAND TOTAL	**35198**	**18.0**	**222**	**2**	**4**	**14**	**25**	**38**	**49**	**81**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	425	16.8	206	2	3	13	24	37	50	84
20-34	3125	14.8	144	2	3	12	20	30	38	59
35-49	2561	14.6	142	2	3	12	19	29	37	59
50-64	1576	16.3	148	2	4	14	22	32	40	64
65+	618	18.3	196	3	5	15	24	37	46	69
B. *Operated*										
0-19 YRS	3	14.3	49	7	7	15	19	21	21	21
20-34	5	8.8	34	3	3	7	15	15	15	15
35-49	14	11.0	60	1	2	10	16	22	23	24
50-64	15	15.9	173	3	5	12	21	39	43	44
65+	7	40.4	766	14	14	40	48	86	95	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	447	21.9	357	3	4	17	31	48	63	99
20-34	2678	16.7	190	2	3	13	23	35	44	69
35-49	2584	16.6	165	3	4	14	22	33	42	65
50-64	2230	18.2	187	3	5	15	24	36	44	74
65+	1401	21.2	239	4	6	18	28	42	53	79
B. *Operated*										
0-19 YRS	14	21.6	430	1	2	16	48	96	99+	99+
20-34	157	26.6	242	6	9	24	36	54	62	99+
35-49	186	24.6	244	5	8	24	32	41	53	91
50-64	183	25.2	242	8	9	22	32	45	60	99+
65+	142	35.6	438	9	13	32	50	75	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8305	15.4	152	2	3	13	21	31	40	63
B. *Operated*	44	17.3	297	2	3	14	21	40	46	95
2. MULTIPLE DX										
A. *Not Operated*	9340	18.0	201	3	4	15	24	37	46	75
B. *Operated*	682	27.5	303	7	9	25	36	55	68	99+
1. SINGLE DX	8349	15.4	153	2	3	13	21	31	40	63
2. MULTIPLE DX	10022	18.6	214	3	4	15	25	38	48	80
A. NOT OPERATED	17645	16.7	179	2	4	14	22	34	44	68
B. OPERATED	726	26.8	308	6	8	24	36	54	67	99+
TOTAL 0-19 YRS	889	19.4	291	2	4	15	27	44	59	99+
20-34	5965	16.0	171	2	3	13	21	33	43	65
35-49	5345	15.9	160	2	4	13	21	32	41	64
50-64	4004	17.8	177	3	4	15	24	35	44	73
65+	2168	21.4	258	4	6	17	28	43	57	86
GRAND TOTAL	**18371**	**17.1**	**188**	**2**	**4**	**14**	**23**	**35**	**45**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	13.6	221	1	2	9	18	31	45	81
20-34	1369	10.3	106	1	1	7	14	23	31	44
35-49	812	10.8	95	1	2	8	14	23	30	45
50-64	626	12.6	121	1	2	10	17	28	35	50
65+	551	11.2	118	1	2	8	15	24	32	60
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	7	7.7	40	3	3	3	13	17	18	18
35-49	6	7.5	30	2	2	7	15	83	99+	99+
50-64	9	9.0	42	2	3	7	15	19	19	19
65+	15	13.0	158	2	3	9	16	31	44	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	17.9	428	1	2	10	25	53	80	99+
20-34	1466	12.5	147	1	2	8	16	28	37	62
35-49	1090	12.8	141	1	2	9	17	26	35	64
50-64	1195	12.4	133	2	2	9	16	28	35	54
65+	3026	11.7	111	2	3	9	15	25	34	58
B. *Operated*										
0-19 YRS	10	24.7	557	<1	3	15	44	62	74	74
20-34	64	19.3	303	2	3	15	25	41	55	85
35-49	61	20.1	273	3	4	17	29	45	67	99+
50-64	141	17.5	229	3	4	13	23	38	51	99+
65+	343	17.9	205	3	4	14	23	39	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3682	11.2	119	1	2	8	15	25	33	51
B. *Operated*	40	9.7	84	2	2	7	14	21	39	99+
2. MULTIPLE DX										
A. *Not Operated*	7100	12.4	143	2	2	9	16	27	36	69
B. *Operated*	619	18.2	232	3	4	15	24	40	51	99+
1. SINGLE DX	3722	11.2	119	1	2	8	15	25	33	51
2. MULTIPLE DX	7719	12.9	153	2	3	9	17	28	38	72
A. NOT OPERATED	10782	12.0	135	1	2	9	16	26	35	61
B. OPERATED	659	17.7	227	3	4	14	23	40	51	99+
TOTAL 0-19 YRS	660	15.8	331	1	2	10	20	42	63	99+
20-34	2906	11.6	133	1	2	8	15	26	34	56
35-49	1969	12.2	129	1	2	9	16	26	35	61
50-64	1971	12.8	137	2	2	9	17	29	36	55
65+	3935	12.2	124	2	3	9	16	26	35	61
GRAND TOTAL	**11441**	**12.3**	**142**	**1**	**2**	**9**	**16**	**27**	**36**	**65**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	5.0	66	<1	1	2	4	9	18	44
20-34	976	5.8	51	<1	1	4	7	13	19	34
35-49	861	5.6	40	1	1	3	7	13	18	34
50-64	446	6.1	51	1	1	4	7	13	21	38
65+	276	5.7	33	1	1	4	7	12	16	31
B. *Operated*										
0-19 YRS	3	5.7	20	<1	<1	6	9	10	10	10
20-34	12	5.5	10	2	2	5	7	11	11	11
35-49	11	5.5	35	1	1	3	8	16	19	19
50-64	6	4.5	6	1	1	4	6	8	8	8
65+	12	8.6	100	1	2	5	8	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	7.8	122	1	1	4	8	25	34	83
20-34	2029	7.3	75	1	1	4	9	17	24	41
35-49	2316	6.9	61	1	1	4	8	16	23	37
50-64	1839	6.6	47	1	2	4	8	14	20	37
65+	1828	6.8	48	1	2	5	8	14	19	35
B. *Operated*										
0-19 YRS	16	14.8	234	1	1	7	23	36	47	52
20-34	166	8.0	103	1	1	4	10	21	29	47
35-49	154	9.4	120	1	2	6	12	21	29	50
50-64	115	13.6	135	2	2	10	20	31	40	71
65+	96	9.5	97	2	3	7	11	18	22	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2793	5.7	47	1	1	3	7	13	18	35
B. *Operated*	44	6.2	40	1	1	4	7	12	22	31
2. MULTIPLE DX										
A. *Not Operated*	8384	7.0	61	1	1	4	8	15	22	39
B. *Operated*	547	10.0	121	1	1	6	13	23	31	52
1. SINGLE DX	2837	5.7	47	1	1	3	7	13	18	35
2. MULTIPLE DX	8931	7.1	65	1	1	4	8	16	23	40
A. NOT OPERATED	11177	6.6	58	1	1	4	8	15	21	38
B. OPERATED	591	9.7	116	1	1	6	13	23	31	52
TOTAL 0-19 YRS	625	6.9	107	<1	1	3	6	18	32	56
20-34	3183	6.9	70	1	1	4	8	16	23	40
35-49	3342	6.7	59	1	1	4	8	15	22	35
50-64	2406	6.8	54	1	1	4	8	15	22	39
65+	2212	6.8	49	1	2	5	8	14	20	35
GRAND TOTAL	**11768**	**6.8**	**61**	**1**	**1**	**4**	**8**	**15**	**22**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	17.4	315	1	2	11	28	48	75	99+
20-34	2863	9.7	94	1	2	6	13	22	30	46
35-49	2341	10.7	95	1	2	8	15	24	30	45
50-64	1197	11.1	94	1	2	8	15	24	30	49
65+	649	12.5	115	2	3	9	17	27	36	51
B. *Operated*										
0-19 YRS	6	15.0	378	1	1	13	76	99+	99+	99+
20-34	18	18.8	409	2	3	11	24	57	66	69
35-49	19	16.2	186	1	2	11	27	34	41	45
50-64	10	23.1	84	12	13	22	26	37	43	43
65+	9	12.3	135	2	3	7	22	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1182	22.4	483	2	3	15	34	63	84	99+
20-34	4585	11.4	111	1	2	8	16	26	32	50
35-49	4149	12.0	117	2	2	9	16	27	32	50
50-64	2891	11.7	98	2	3	8	16	25	31	45
65+	2645	11.5	100	2	3	8	15	24	32	47
B. *Operated*										
0-19 YRS	52	32.3	525	5	6	25	49	67	85	99+
20-34	268	18.1	199	2	4	14	26	39	46	69
35-49	331	17.9	180	3	5	14	24	35	44	74
50-64	248	16.9	141	4	5	15	23	31	39	66
65+	221	19.7	239	4	5	15	28	41	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7744	11.1	120	1	2	8	15	26	34	56
B. *Operated*	62	17.4	241	1	2	14	27	44	64	99+
2. MULTIPLE DX										
A. *Not Operated*	15452	12.5	145	2	3	8	17	28	36	65
B. *Operated*	1120	18.8	213	3	5	15	25	39	49	80
1. SINGLE DX	7806	11.2	121	1	2	8	15	26	34	57
2. MULTIPLE DX	16572	12.9	152	2	3	9	17	29	37	68
A. NOT OPERATED	23196	12.0	137	1	2	8	16	27	35	62
B. OPERATED	1182	18.7	214	3	5	15	25	39	49	81
TOTAL 0-19 YRS	1934	20.8	432	1	2	14	33	59	84	99+
20-34	7734	11.0	111	1	2	7	15	25	32	50
35-49	6840	11.8	115	1	2	8	16	26	32	50
50-64	4346	11.9	101	2	3	9	16	26	31	48
65+	3524	12.2	116	2	3	9	16	26	35	53
GRAND TOTAL	**24378**	**12.4**	**143**	**2**	**2**	**8**	**17**	**28**	**36**	**64**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	798	11.5	222	1	1	5	15	36	46	99+
20-34	1792	9.3	113	1	1	5	12	22	33	55
35-49	810	9.1	120	1	1	5	12	23	30	51
50-64	341	8.0	81	1	1	5	11	21	26	41
65+	164	9.2	117	1	2	6	12	19	25	46
B. *Operated*										
0-19 YRS	22	4.8	22	<1	1	3	6	9	14	22
20-34	131	7.9	22	2	3	9	9	13	16	23
35-49	97	7.2	27	1	2	7	9	11	15	31
50-64	110	4.7	9	1	2	4	6	9	10	15
65+	47	5.4	9	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1202	13.8	318	1	1	7	18	43	65	99+
20-34	3479	10.5	144	1	1	6	14	26	36	63
35-49	2025	10.6	135	1	2	7	14	25	34	63
50-64	1143	10.5	119	1	2	7	14	23	31	54
65+	873	10.5	107	1	2	7	14	24	33	59
B. *Operated*										
0-19 YRS	52	17.9	466	1	2	8	39	58	80	99+
20-34	262	16.2	269	1	2	10	23	38	56	99
35-49	204	13.1	183	2	3	9	18	31	41	73
50-64	209	11.2	148	2	2	7	12	29	41	62
65+	114	12.0	142	2	3	8	16	28	34	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3905	9.6	135	1	1	5	12	25	35	66
B. *Operated*	407	6.4	20	1	2	6	9	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	8722	11.0	160	1	2	7	14	27	38	76
B. *Operated*	841	13.7	217	2	2	9	19	35	49	95
1. SINGLE DX	4312	9.3	125	1	1	5	11	23	34	61
2. MULTIPLE DX	9563	11.2	166	1	2	7	14	28	39	78
A. NOT OPERATED	12627	10.6	153	1	1	6	14	26	37	73
B. OPERATED	1248	11.3	164	2	2	7	13	28	40	78
TOTAL 0-19 YRS	2074	12.9	284	1	1	6	17	41	59	99+
20-34	5664	10.3	139	1	1	6	13	25	35	62
35-49	3136	10.3	132	1	1	6	13	24	33	62
50-64	1803	9.8	111	1	1	6	12	23	31	51
65+	1198	10.3	109	1	2	7	13	23	32	59
GRAND TOTAL	**13875**	**10.6**	**154**	**1**	**1**	**6**	**14**	**26**	**37**	**73**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	836	15.0	179	<1	1	10	28	34	35	42
20-34	5114	12.2	107	1	1	7	22	28	29	34
35-49	5512	11.0	100	1	2	6	21	28	29	34
50-64	2589	10.3	94	1	2	6	18	28	29	33
65+	715	10.8	95	1	2	7	18	27	30	38
B. *Operated*										
0-19 YRS	11	13.5	318	<1	<1	1	17	46	51	51
20-34	36	13.4	202	1	1	4	30	31	34	35
35-49	38	15.1	170	<1	<1	10	30	30	33	35
50-64	10	19.3	327	3	3	17	30	43	53	53
65+	8	16.9	128	2	3	18	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2145	21.1	232	1	1	23	33	40	44	59
20-34	11820	13.7	127	1	2	8	24	30	32	41
35-49	14089	11.6	104	2	2	7	20	28	30	38
50-64	10264	11.4	104	2	2	7	19	28	30	39
65+	4148	12.5	110	2	3	8	21	28	31	42
B. *Operated*										
0-19 YRS	81	30.0	312	<1	1	32	45	48	52	66
20-34	442	18.5	162	1	3	18	29	32	37	47
35-49	616	17.8	138	3	4	16	27	31	36	50
50-64	562	18.0	164	3	5	14	27	35	42	76
65+	327	18.8	155	4	6	16	26	35	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14766	11.5	107	1	2	6	21	28	30	35
B. *Operated*	103	14.9	203	<1	1	7	30	31	34	52
2. MULTIPLE DX										
A. *Not Operated*	42466	12.7	122	1	2	7	21	29	32	42
B. *Operated*	2028	18.7	165	2	4	16	28	35	42	62
1. SINGLE DX	14869	11.5	107	1	2	6	21	28	30	35
2. MULTIPLE DX	44494	13.0	126	1	2	8	22	29	32	43
A. NOT OPERATED	57232	12.4	118	1	2	7	21	29	31	41
B. OPERATED	2131	18.5	168	2	3	16	28	34	42	60
TOTAL 0-19 YRS	3073	19.6	230	1	1	21	32	38	44	54
20-34	17412	13.4	123	1	2	8	24	29	31	38
35-49	20255	11.6	105	1	2	7	21	28	30	38
50-64	13425	11.5	107	2	2	7	19	28	30	39
65+	5198	12.6	114	2	3	8	21	28	31	43
GRAND TOTAL	**59363**	**12.6**	**121**	**1**	**2**	**7**	**22**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	17.8	178	1	2	14	34	37	38	43
20-34	497	10.9	67	1	2	9	14	24	29	36
35-49	112	12.4	81	1	3	11	16	24	30	43
50-64	11	8.8	35	1	2	8	12	18	19	19
65+	7	17.0	157	1	1	21	27	32	33	33
B. *Operated*										
0-19 YRS										
20-34	4	8.5	35	3	3	8	13	15	15	15
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	18.4	298	2	4	14	20	39	56	91
20-34	1542	12.9	62	3	4	13	16	22	29	38
35-49	548	13.3	48	4	5	13	16	20	28	36
50-64	90	13.5	67	3	4	13	17	24	31	37
65+	24	12.7	39	3	5	13	17	19	23	28
B. *Operated*										
0-19 YRS	2	35.5	113	28	28	35	43	43	43	43
20-34	120	16.3	134	4	6	14	17	28	34	69
35-49	46	18.6	129	5	8	16	20	31	41	62
50-64	6	16.5	49	9	9	15	21	26	27	27
65+	4	15.3	14	10	10	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	11.5	77	1	2	10	15	25	29	38
B. *Operated*	5	7.4	32	3	3	4	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2248	13.2	63	3	4	13	16	22	29	39
B. *Operated*	178	17.1	130	5	7	15	18	29	35	61
1. SINGLE DX	662	11.5	77	1	2	10	15	24	29	38
2. MULTIPLE DX	2426	13.4	69	3	4	13	17	23	30	42
A. NOT OPERATED	2905	12.8	67	2	4	12	16	23	29	38
B. OPERATED	183	16.9	130	4	7	15	18	29	35	61
TOTAL 0-19 YRS	76	18.6	249	2	4	14	23	38	43	85
20-34	2163	12.7	68	2	3	12	16	23	29	38
35-49	707	13.5	60	3	5	13	17	21	29	42
50-64	107	13.2	64	3	4	12	18	23	30	37
65+	35	13.9	59	2	4	14	18	22	29	33
GRAND TOTAL	**3088**	**13.0**	**72**	**2**	**4**	**12**	**16**	**24**	**30**	**41**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	16.8	266	1	1	10	29	38	45	65
20-34	525	13.2	114	1	2	9	22	28	30	37
35-49	145	13.5	119	1	2	10	21	28	30	44
50-64	32	10.5	93	1	2	6	19	26	28	30
65+	9	13.2	89	2	2	12	18	28	28	28
B. *Operated*										
0-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
20-34	6	19.5	188	1	1	25	30	31	31	31
35-49	1	23.0		23	23	23	23	23	23	23
50-64	2	8.5	13	6	6	8	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	490	22.8	304	1	1	25	35	43	52	73
20-34	1108	15.9	144	1	2	14	26	31	36	46
35-49	374	16.1	116	2	3	14	24	30	35	42
50-64	141	15.1	126	2	4	13	21	30	35	69
65+	81	14.6	89	2	3	14	21	26	31	42
B. *Operated*										
0-19 YRS	25	38.0	208	9	12	41	45	47	63	68
20-34	68	18.7	128	3	4	16	29	33	38	45
35-49	28	18.9	121	5	5	20	29	31	37	40
50-64	10	24.1	110	14	14	21	29	39	48	48
65+	11	17.7	138	6	7	14	25	36	43	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	933	14.0	152	1	1	10	23	30	36	50
B. *Operated*	11	16.5	146	<1	1	21	28	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	2194	17.4	180	1	2	15	28	35	42	59
B. *Operated*	142	22.4	190	4	6	20	31	44	45	62
1. SINGLE DX	944	14.1	152	1	1	10	23	30	36	50
2. MULTIPLE DX	2336	17.7	182	1	3	15	28	35	42	60
A. NOT OPERATED	3127	16.4	174	1	2	13	27	33	40	56
B. OPERATED	153	22.0	188	4	5	21	30	44	45	62
TOTAL 0-19 YRS	739	21.5	305	1	1	22	35	43	49	71
20-34	1707	15.2	136	1	2	13	25	30	34	44
35-49	548	15.6	118	2	3	13	23	30	35	43
50-64	185	14.7	125	2	3	12	21	30	34	64
65+	101	14.8	93	2	4	13	21	28	31	45
GRAND TOTAL	**3280**	**16.7**	**176**	**1**	**2**	**14**	**27**	**34**	**41**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	867	1.6	8	<1	<1	1	1	2	3	14
20-34	504	3.0	37	<1	<1	1	2	5	13	30
35-49	246	3.9	45	<1	<1	2	3	8	20	31
50-64	164	3.1	21	<1	<1	2	3	6	9	28
65+	58	2.8	8	<1	1	2	4	5	8	17
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	3.7	62	<1	<1	1	2	7	20	42
20-34	1131	4.8	50	<1	<1	2	6	9	18	32
35-49	839	5.5	49	<1	1	3	7	11	21	36
50-64	608	5.7	39	1	1	4	7	11	21	31
65+	307	5.9	44	1	1	4	7	14	20	33
B. *Operated*										
0-19 YRS	34	4.0	45	<1	<1	1	3	14	16	34
20-34	54	4.3	37	<1	<1	2	6	9	16	35
35-49	34	8.1	62	<1	<1	5	13	17	21	35
50-64	33	10.2	136	<1	1	6	12	30	38	47
65+	27	9.4	112	1	1	7	13	21	35	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1839	2.5	22	<1	<1	1	2	4	7	30
B. *Operated*	11	2.4	5	<1	<1	1	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	3594	5.0	50	<1	1	3	6	10	20	35
B. *Operated*	182	6.7	77	<1	<1	3	8	16	25	44
1. SINGLE DX	1850	2.5	22	<1	<1	1	2	4	7	30
2. MULTIPLE DX	3776	5.1	52	<1	<1	3	6	11	20	36
A. NOT OPERATED	5433	4.2	42	<1	<1	2	4	8	16	32
B. OPERATED	193	6.5	74	<1	<1	3	8	16	22	43
TOTAL 0-19 YRS	1614	2.6	33	<1	<1	1	2	4	8	32
20-34	1693	4.3	46	<1	<1	2	5	8	18	32
35-49	1121	5.3	49	<1	<1	3	6	11	21	35
50-64	806	5.3	41	<1	1	3	6	11	21	32
65+	392	5.7	45	1	1	4	7	13	19	37
GRAND TOTAL	**5626**	**4.2**	**44**	**<1**	**<1**	**2**	**4**	**8**	**16**	**33**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	8.8	126	<1	1	3	12	30	33	43
20-34	422	9.0	113	<1	1	4	12	28	30	43
35-49	84	9.4	116	<1	1	5	13	28	30	45
50-64	15	9.4	146	1	1	5	10	30	40	44
65+	10	5.8	40	1	1	4	7	16	21	21
B. *Operated*										
0-19 YRS										
20-34	3	13.3	184	5	5	6	23	29	29	29
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	19.3	385	1	1	11	30	48	61	79
20-34	1223	11.1	120	1	1	7	16	29	31	43
35-49	358	10.7	98	1	1	7	16	28	30	39
50-64	173	10.2	94	1	2	7	12	25	29	43
65+	113	9.5	109	2	2	6	11	24	29	52
B. *Operated*										
0-19 YRS	14	24.3	388	3	3	25	35	48	64	69
20-34	52	17.7	180	2	3	13	29	34	40	53
35-49	18	15.2	139	2	4	11	19	36	41	43
50-64	8	18.3	116	4	5	19	29	30	30	30
65+	9	14.3	389	2	3	7	12	45	66	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	9.0	116	<1	1	4	12	28	31	43
B. *Operated*	3	13.3	184	5	5	6	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	2340	12.5	179	1	1	7	19	30	38	62
B. *Operated*	101	17.9	213	2	3	13	29	36	44	67
1. SINGLE DX	742	9.0	116	<1	1	4	12	28	31	43
2. MULTIPLE DX	2441	12.7	181	1	1	7	20	30	38	64
A. NOT OPERATED	3079	11.7	166	1	1	6	17	30	36	60
B. OPERATED	104	17.8	211	2	3	12	29	35	44	67
TOTAL 0-19 YRS	695	16.2	331	<1	1	7	28	42	54	76
20-34	1700	10.8	122	1	1	6	15	29	31	44
35-49	460	10.6	104	1	1	7	16	28	30	40
50-64	196	10.5	100	1	2	7	12	27	30	45
65+	132	9.6	123	2	2	6	11	23	29	69
GRAND TOTAL	**3183**	**11.9**	**169**	**1**	**1**	**7**	**18**	**30**	**36**	**60**

109: Psychophysiologic disorder (306: 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.5	11	1	1	3	4	6	8	14
20-34	302	3.7	6	1	1	3	5	7	9	12
35-49	258	4.2	23	1	1	3	5	8	11	21
50-64	167	4.0	12	1	1	3	5	7	9	20
65+	98	4.6	19	1	1	3	6	10	11	25
B. *Operated*										
0-19 YRS	22	4.6	11	1	1	4	7	10	12	13
20-34	26	5.0	24	1	1	3	7	8	14	25
35-49	30	4.6	12	1	1	4	6	9	12	16
50-64	12	4.0	8	1	1	3	5	9	10	10
65+	4	4.8	11	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.5	81	1	1	3	5	9	13	58
20-34	648	5.0	17	1	1	4	6	9	12	22
35-49	755	5.5	28	1	1	4	7	11	15	25
50-64	649	5.5	25	1	2	4	7	10	14	27
65+	726	6.2	29	1	2	5	8	11	14	27
B. *Operated*										
0-19 YRS	30	8.9	166	1	1	4	12	18	40	63
20-34	77	8.4	53	2	2	6	11	15	22	42
35-49	82	9.1	73	2	2	6	11	22	26	42
50-64	73	7.8	28	2	2	6	10	18	19	23
65+	66	10.1	66	3	3	8	12	19	31	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	3.9	14	1	1	3	5	7	9	16
B. *Operated*	94	4.6	14	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	3105	5.6	31	1	2	4	7	10	14	28
B. *Operated*	328	8.8	65	2	2	7	11	18	24	47
1. SINGLE DX	1191	3.9	14	1	1	3	5	7	9	16
2. MULTIPLE DX	3433	5.9	35	1	2	4	7	11	15	31
A. NOT OPERATED	4202	5.1	27	1	1	4	6	9	13	26
B. OPERATED	422	7.9	57	1	2	6	10	16	22	45
TOTAL 0-19 YRS	651	4.8	55	1	1	3	5	8	12	49
20-34	1053	4.9	18	1	1	4	6	9	12	22
35-49	1125	5.5	31	1	1	4	7	11	15	28
50-64	901	5.4	23	1	1	4	6	10	14	25
65+	894	6.3	32	1	2	5	8	12	15	31
GRAND TOTAL	**4624**	**5.4**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1871	11.9	197	1	1	7	16	30	43	80
20-34	2392	6.5	51	1	1	4	8	15	21	36
35-49	1342	6.7	54	1	1	4	9	15	21	37
50-64	443	7.1	55	1	1	4	9	17	24	33
65+	208	9.4	86	1	2	7	12	21	27	56
B. *Operated*										
0-19 YRS	22	8.7	140	1	1	4	7	24	37	50
20-34	38	5.2	52	1	1	3	5	12	25	33
35-49	20	5.6	34	1	1	3	7	15	19	22
50-64	9	7.1	41	1	1	5	9	18	22	22
65+	4	16.3	277	6	6	9	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2336	14.0	289	1	1	7	18	38	57	99
20-34	4310	8.0	73	1	1	5	10	18	25	39
35-49	2761	8.1	66	1	1	5	10	18	24	41
50-64	1192	8.8	82	1	2	6	11	20	27	43
65+	947	9.9	96	2	2	7	13	21	29	47
B. *Operated*										
0-19 YRS	108	15.9	411	<1	<1	7	22	50	78	99+
20-34	218	10.5	129	1	1	7	14	24	31	72
35-49	173	12.2	136	1	2	9	17	28	44	90
50-64	83	12.1	130	2	3	9	15	27	35	63
65+	49	17.5	204	4	6	14	21	35	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6256	8.3	102	1	1	5	10	20	29	52
B. *Operated*	93	6.8	79	1	1	3	7	18	28	46
2. MULTIPLE DX										
A. *Not Operated*	11546	9.5	123	1	1	6	12	22	31	62
B. *Operated*	631	12.7	189	1	1	8	17	30	43	88
1. SINGLE DX	6349	8.3	102	1	1	5	10	20	29	52
2. MULTIPLE DX	12177	9.6	127	1	1	6	12	22	31	63
A. NOT OPERATED	17802	9.0	116	1	1	5	11	21	30	59
B. OPERATED	724	11.9	179	1	1	8	16	28	41	85
TOTAL 0-19 YRS	4337	13.1	253	1	1	7	17	36	50	92
20-34	6958	7.5	68	1	1	5	10	17	24	39
35-49	4296	7.8	66	1	1	5	10	17	24	42
50-64	1727	8.5	78	1	2	6	11	19	26	41
65+	1208	10.2	101	1	2	7	13	22	30	48
GRAND TOTAL	**18526**	**9.2**	**119**	**1**	**1**	**5**	**11**	**21**	**30**	**60**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2635	18.0	438	1	2	9	29	56	73	99+
20-34	2091	8.8	119	1	1	5	11	21	30	63
35-49	1383	8.2	77	1	1	5	10	18	25	41
50-64	724	11.0	139	1	2	7	15	24	32	55
65+	463	12.3	134	2	2	8	16	29	36	55
B. *Operated*										
0-19 YRS	46	7.8	169	1	1	3	7	41	60	99+
20-34	62	6.4	86	1	1	3	6	19	37	93
35-49	63	7.4	78	1	2	4	10	17	22	53
50-64	22	7.7	53	2	2	6	8	12	23	37
65+	20	7.6	46	1	2	4	12	19	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3690	21.0	514	2	2	12	35	65	88	99+
20-34	4232	10.1	136	1	2	6	13	25	35	71
35-49	3347	9.6	111	1	2	6	12	22	30	54
50-64	2453	10.3	112	2	2	7	13	23	31	51
65+	2713	11.3	118	2	3	8	14	25	34	58
B. *Operated*										
0-19 YRS	163	27.2	773	1	2	18	58	99	99+	99+
20-34	309	14.6	226	1	2	9	20	38	49	89
35-49	301	14.7	177	2	3	11	20	32	39	85
50-64	260	15.7	179	3	4	11	22	37	44	76
65+	283	17.2	203	3	4	13	23	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7296	12.4	248	1	2	6	15	34	51	96
B. *Operated*	213	7.2	93	1	1	4	8	19	32	99+
2. MULTIPLE DX										
A. *Not Operated*	16435	12.7	230	2	2	7	16	33	49	98
B. *Operated*	1316	17.0	283	2	3	11	24	44	62	99+
1. SINGLE DX	7509	12.3	244	1	2	6	15	34	51	97
2. MULTIPLE DX	17751	13.0	235	2	2	7	16	34	50	99+
A. NOT OPERATED	23731	12.6	235	1	2	7	16	33	50	98
B. OPERATED	1529	15.6	268	2	2	10	21	41	59	99+
TOTAL 0-19 YRS	6534	19.9	491	1	2	11	33	62	84	99+
20-34	6694	9.9	136	1	2	6	12	24	35	70
35-49	5094	9.5	107	1	2	6	12	22	29	54
50-64	3459	10.9	124	2	2	7	14	25	33	55
65+	3479	11.9	129	2	3	8	15	27	35	60
GRAND TOTAL	**25260**	**12.8**	**238**	**1**	**2**	**7**	**16**	**34**	**50**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	7.2	93	<1	1	4	9	28	67	99+
20-34	35	9.0	123	<1	1	4	12	30	34	40
35-49	12	10.5	147	1	2	6	12	30	41	43
50-64	9	11.8	41	1	1	15	16	18	18	18
65+	3	4.7	9	2	2	8	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	7	3.7	5	<1	<1	3	6	7	7	7
20-34	3	12.0	219	2	2	5	23	29	29	29
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	12.1	235	1	2	7	16	29	49	99+
20-34	256	10.9	98	1	2	9	15	22	29	66
35-49	119	9.4	92	1	2	7	13	18	24	49
50-64	61	11.3	96	1	2	8	16	28	32	41
65+	28	11.4	129	1	2	8	16	27	59	99+
B. *Operated*										
0-19 YRS	31	9.4	118	2	2	6	10	20	31	55
20-34	29	5.1	47	<1	1	2	6	17	24	25
35-49	15	8.7	70	1	1	6	14	20	27	29
50-64	11	28.3	392	2	7	21	40	56	59	59
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	8.6	102	1	1	4	14	30	44	99+
B. *Operated*	16	5.6	45	<1	2	4	6	10	23	29
2. MULTIPLE DX										
A. *Not Operated*	677	11.1	141	1	2	7	15	25	34	90
B. *Operated*	86	10.2	167	1	2	5	12	28	39	58
1. SINGLE DX	115	8.2	95	1	1	4	13	28	42	99+
2. MULTIPLE DX	763	11.0	144	1	2	7	15	25	34	84
A. NOT OPERATED	776	10.8	137	1	2	7	15	25	34	99+
B. OPERATED	102	9.5	150	1	2	5	10	26	34	57
TOTAL 0-19 YRS	291	11.0	201	1	1	6	15	28	45	99+
20-34	323	10.2	99	1	1	7	15	22	29	58
35-49	150	9.3	92	1	2	6	13	19	24	43
50-64	82	13.5	158	1	2	10	18	31	39	57
65+	32	10.7	117	1	2	8	17	57	99+	99+
GRAND TOTAL	**878**	**10.6**	**138**	**1**	**2**	**7**	**15**	**25**	**34**	**98**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1578	10.3	23	2	3	11	12	15	17	24
20-34	282	7.1	25	1	2	6	10	13	16	25
35-49	153	8.8	56	1	2	8	11	17	21	32
50-64	84	8.5	51	1	2	7	12	18	19	40
65+	33	9.7	53	1	2	9	13	17	21	36
B. *Operated*										
0-19 YRS	158	13.2	57	3	5	12	15	21	30	47
20-34	109	8.6	88	1	2	6	10	19	23	52
35-49	142	7.7	78	1	1	5	9	20	24	38
50-64	102	8.8	115	1	1	5	11	18	29	58
65+	27	12.9	184	1	1	8	19	31	42	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1551	11.3	31	2	4	11	14	17	19	31
20-34	291	9.1	59	2	2	7	11	17	24	44
35-49	259	11.5	82	2	3	10	15	22	28	60
50-64	288	13.0	118	2	3	11	16	23	33	59
65+	222	17.0	155	3	5	14	21	33	45	72
B. *Operated*										
0-19 YRS	346	19.4	182	6	8	15	24	35	47	73
20-34	128	20.7	322	2	3	15	29	47	69	99+
35-49	252	18.1	373	2	2	12	23	47	72	99+
50-64	260	20.6	352	2	3	15	29	54	76	99+
65+	154	27.8	433	4	7	23	42	65	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2130	9.7	28	2	3	10	12	15	18	25
B. *Operated*	538	10.0	91	1	2	8	13	20	28	53
2. MULTIPLE DX										
A. *Not Operated*	2611	11.7	63	2	3	11	14	19	24	48
B. *Operated*	1140	20.7	320	2	4	15	28	48	68	99+
1. SINGLE DX	2668	9.8	41	1	2	10	12	16	19	33
2. MULTIPLE DX	3751	14.4	158	2	3	12	16	28	42	90
A. NOT OPERATED	4741	10.8	48	2	3	11	13	17	21	40
B. OPERATED	1678	17.2	272	2	3	13	22	41	56	99+
TOTAL 0-19 YRS	3633	11.7	49	2	4	11	14	17	22	41
20-34	810	10.2	114	2	2	7	12	20	33	57
35-49	806	12.4	183	1	2	9	15	26	41	99
50-64	734	14.6	215	2	3	11	18	33	51	97
65+	436	20.0	284	2	4	15	25	45	59	99+
GRAND TOTAL	**6419**	**12.5**	**114**	**2**	**3**	**11**	**15**	**22**	**33**	**69**

114: Parkinson's disease (332)

TYPE OF PATIENT. (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	20	1	1	5	9	10	10	10
20-34	12	6.1	25	1	1	5	8	14	17	18
35-49	24	8.8	81	2	2	5	8	28	53	99+
50-64	187	9.0	50	2	3	8	11	19	25	34
65+	577	9.6	55	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	12.5	91	1	3	10	18	27	28	28
50-64	10	10.1	53	3	3	9	13	22	24	24
65+	31	14.4	143	3	3	12	21	34	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	30	5	5	11	15	16	16	16
20-34	13	9.1	88	3	3	6	11	18	34	38
35-49	68	11.4	202	2	3	7	10	21	39	79
50-64	629	11.3	86	3	3	9	14	23	31	45
65+	4346	12.2	110	3	4	9	15	23	32	70
B. *Operated*										
0-19 YRS										
20-34	3	9.3	25	4	4	10	13	14	14	14
35-49	8	10.3	33	1	1	13	14	15	15	15
50-64	115	16.4	229	3	4	12	20	35	55	99+
65+	592	18.8	208	4	6	15	25	41	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	804	9.3	54	2	3	7	12	19	25	39
B. *Operated*	52	13.1	114	3	3	10	20	28	40	98
2. MULTIPLE DX										
A. *Not Operated*	5059	12.0	108	3	4	9	15	23	32	67
B. *Operated*	718	18.3	210	4	5	15	24	40	64	99+
1. SINGLE DX	856	9.6	59	2	3	8	12	20	27	41
2. MULTIPLE DX	5777	12.8	125	3	4	10	16	26	35	79
A. NOT OPERATED	5863	11.7	102	3	3	9	14	23	31	63
B. OPERATED	770	18.0	205	4	5	15	24	39	60	99+
TOTAL 0-19 YRS	7	7.6	28	1	1	8	11	15	16	16
20-34	28	7.8	54	1	2	5	10	14	20	38
35-49	111	10.8	152	2	3	7	13	24	37	89
50-64	941	11.4	100	2	3	9	14	24	31	53
65+	5546	12.6	120	3	4	10	16	25	35	79
GRAND TOTAL	**6633**	**12.4**	**118**	**3**	**3**	**9**	**15**	**25**	**34**	**77**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.5	24	1	2	6	11	16	16	17
20-34	753	8.2	39	1	2	7	11	16	20	29
35-49	998	9.9	53	1	2	9	13	19	23	33
50-64	337	9.3	46	1	2	8	14	18	23	29
65+	43	9.0	26	2	3	8	13	15	17	24
B. *Operated*										
0-19 YRS	4	6.8	43	<1	<1	5	12	15	15	15
20-34	137	8.0	89	1	2	6	11	16	21	91
35-49	121	7.0	48	1	2	4	10	16	19	36
50-64	58	8.0	39	1	2	6	11	17	19	29
65+	5	12.8	24	5	5	14	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	6.8	23	2	2	6	9	13	17	22
20-34	700	11.4	95	2	3	9	15	22	29	54
35-49	1226	12.7	123	2	3	10	16	25	32	63
50-64	695	12.8	126	2	4	10	16	23	31	63
65+	212	10.9	103	2	3	8	13	23	31	66
B. *Operated*										
0-19 YRS	7	35.4	537	9	10	31	58	67	67	67
20-34	185	18.4	315	2	3	13	25	44	70	99+
35-49	351	15.8	217	2	4	11	20	34	49	97
50-64	268	19.0	318	3	4	15	25	57	95	99+
65+	65	21.2	420	3	4	13	29	60	75	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2163	9.2	47	1	2	8	13	18	22	30
B. *Operated*	325	7.7	63	1	2	5	11	16	19	39
2. MULTIPLE DX										
A. *Not Operated*	2867	12.2	115	2	3	10	15	24	31	62
B. *Operated*	876	17.9	290	2	4	13	23	43	68	99+
1. SINGLE DX	2488	9.0	49	1	2	8	13	17	22	30
2. MULTIPLE DX	3743	13.5	162	2	3	10	16	27	38	85
A. NOT OPERATED	5030	10.9	88	2	2	9	14	21	27	49
B. OPERATED	1201	15.1	249	2	2	11	19	36	60	99+
TOTAL 0-19 YRS	77	9.7	131	1	2	7	11	17	29	67
20-34	1775	10.5	103	1	2	8	14	21	29	59
35-49	2696	11.8	111	2	3	10	15	23	30	61
50-64	1358	13.0	151	2	3	10	16	25	36	96
65+	325	12.7	172	2	3	9	14	28	40	82
GRAND TOTAL	**6231**	**11.7**	**122**	**2**	**2**	**9**	**15**	**23**	**31**	**70**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2482	3.5	12	1	1	3	4	7	9	17
20-34	1587	3.6	11	1	1	3	4	7	9	17
35-49	756	3.9	13	1	1	3	5	8	10	17
50-64	481	4.1	14	1	1	3	5	7	10	20
65+	348	4.5	18	1	1	3	6	8	11	20
B. *Operated*										
0-19 YRS	42	7.1	24	2	2	6	12	13	17	19
20-34	62	6.0	23	1	2	4	7	14	17	21
35-49	35	6.6	106	<1	1	4	6	13	18	61
50-64	27	4.0	11	1	1	3	4	8	10	17
65+	17	3.6	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2925	4.6	23	1	1	3	6	9	13	24
20-34	2339	5.2	32	1	1	4	6	10	15	29
35-49	2057	6.1	42	1	2	4	7	12	16	36
50-64	2285	6.6	41	1	2	5	8	13	17	36
65+	3120	8.2	67	2	2	6	10	16	22	42
B. *Operated*										
0-19 YRS	132	10.8	146	2	2	7	15	22	31	90
20-34	213	8.6	66	2	2	7	11	18	24	52
35-49	204	11.3	128	2	2	8	14	23	38	90
50-64	277	13.1	177	2	2	9	17	31	41	72
65+	321	16.4	205	2	3	13	22	35	49	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5654	3.7	12	1	1	3	4	7	10	17
B. *Operated*	183	5.9	36	1	2	4	7	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	12726	6.2	44	1	2	4	8	13	17	35
B. *Operated*	1147	12.6	159	2	2	9	16	27	40	72
1. SINGLE DX	5837	3.8	13	1	1	3	5	7	10	17
2. MULTIPLE DX	13873	6.7	56	1	2	5	8	14	19	41
A. NOT OPERATED	18380	5.4	35	1	1	4	7	11	15	31
B. OPERATED	1330	11.7	148	2	2	8	15	26	38	71
TOTAL 0-19 YRS	5581	4.3	22	1	1	3	5	9	12	23
20-34	4201	4.8	27	1	1	3	6	10	14	25
35-49	3052	5.9	45	1	1	4	7	12	16	37
50-64	3070	6.8	54	1	2	5	8	13	19	41
65+	3806	8.6	81	2	2	6	10	18	25	47
GRAND TOTAL	**19710**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

117: Misceilaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1006	3.8	22	<1	1	3	4	7	11	25
20-34	1059	4.7	21	1	1	3	6	10	14	22
35-49	772	5.1	35	1	1	4	6	10	14	27
50-64	716	6.8	56	1	2	4	8	14	19	42
65+	1045	7.8	73	1	2	5	9	15	22	52
B. *Operated*										
0-19 YRS	853	5.5	35	1	1	4	7	11	16	35
20-34	716	6.6	65	1	1	4	8	14	18	42
35-49	697	6.6	55	1	1	4	9	14	18	43
50-64	643	6.7	48	1	2	4	8	15	20	35
65+	534	8.6	65	1	2	6	12	19	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1759	5.9	69	1	1	4	7	12	19	46
20-34	1600	8.1	106	1	2	5	9	17	28	65
35-49	1778	8.4	99	1	2	5	10	17	25	58
50-64	2847	10.9	152	2	3	7	13	22	36	79
65+	8543	11.9	126	2	3	9	14	25	36	68
B. *Operated*										
0-19 YRS	1558	8.9	143	1	2	5	10	21	35	82
20-34	1253	11.1	186	1	2	7	13	26	43	99+
35-49	1383	12.2	195	2	2	8	15	27	48	99+
50-64	1949	13.9	216	2	2	9	17	32	51	99+
65+	3348	16.7	234	2	3	12	22	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4598	5.6	43	1	1	4	7	11	16	36
B. *Operated*	3443	6.6	53	1	1	4	8	14	19	38
2. MULTIPLE DX										
A. *Not Operated*	16527	10.4	124	2	2	7	12	22	33	68
B. *Operated*	9491	13.5	211	2	2	9	17	32	49	99+
1. SINGLE DX	8041	6.0	48	1	1	4	7	13	18	37
2. MULTIPLE DX	26018	11.5	158	2	2	8	14	26	39	86
A. NOT OPERATED	21125	9.3	110	1	2	6	11	20	30	64
B. OPERATED	12934	11.6	178	1	2	7	15	28	42	93
TOTAL 0-19 YRS	5176	6.3	80	1	1	4	7	13	22	54
20-34	4628	7.9	107	1	1	5	9	17	27	72
35-49	4630	8.7	117	1	2	5	10	18	28	74
50-64	6155	10.9	157	2	2	7	13	24	38	86
65+	13470	12.7	153	2	3	9	16	28	40	79
GRAND TOTAL	**34059**	**10.2**	**137**	**1**	**2**	**7**	**12**	**23**	**35**	**76**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	957	2.6	3	1	1	2	3	5	6	8
20-34	2017	3.3	7	1	1	3	4	6	8	12
35-49	1351	3.7	8	1	1	3	5	7	9	14
50-64	443	3.7	8	1	1	3	5	7	9	14
65+	101	3.7	9	1	1	3	4	7	9	17
B. *Operated*										
0-19 YRS	44	3.8	7	1	2	3	5	8	10	11
20-34	183	3.9	9	1	1	3	5	8	10	16
35-49	160	4.3	7	1	2	4	6	7	9	15
50-64	61	4.7	12	1	1	4	6	10	12	16
65+	17	4.8	16	1	2	3	5	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	633	3.5	10	1	1	3	4	6	8	15
20-34	2332	4.5	13	1	2	4	6	8	11	19
35-49	2248	5.4	23	1	2	4	7	10	13	25
50-64	1192	5.1	18	1	2	4	6	10	12	19
65+	430	5.6	14	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	36	6.0	38	1	1	4	8	13	15	33
20-34	248	6.6	24	2	2	5	9	12	16	25
35-49	256	7.4	31	2	2	6	10	14	18	25
50-64	191	7.1	29	2	2	5	9	14	16	26
65+	81	7.5	51	2	2	6	10	12	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4869	3.3	7	1	1	3	4	6	8	12
B. *Operated*	465	4.1	9	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	6835	4.9	17	1	2	4	6	9	12	20
B. *Operated*	812	7.0	31	2	2	6	9	13	16	29
1. SINGLE DX	5334	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	7647	5.1	19	1	2	4	6	10	13	21
A. NOT OPERATED	11704	4.2	13	1	1	3	5	8	10	18
B. OPERATED	1277	6.0	25	1	2	4	8	12	15	24
TOTAL 0-19 YRS	1670	3.0	7	1	1	2	4	6	7	13
20-34	4780	4.1	11	1	1	3	5	8	10	18
35-49	4015	4.9	19	1	2	4	6	9	12	22
50-64	1887	4.9	17	1	2	4	6	10	12	19
65+	629	5.5	19	1	2	4	7	11	12	23
GRAND TOTAL	**12981**	**4.4**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	29	2.8	3	<1	1	2	4	6	7	7
35-49	56	3.3	5	<1	<1	3	4	7	8	10
50-64	44	3.5	6	<1	1	3	5	7	9	11
65+	13	3.5	6	<1	1	2	6	7	8	8
B. *Operated*										
0-19 YRS	119	2.5	31	<1	<1	2	2	4	4	26
20-34	1991	1.9	2	<1	<1	2	2	3	4	7
35-49	3551	2.0	2	<1	<1	2	2	3	4	7
50-64	3469	2.1	2	<1	<1	2	2	3	4	7
65+	2204	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	9	1	1	3	6	9	10	10
20-34	64	3.4	5	<1	<1	3	5	6	8	12
35-49	153	4.1	9	<1	1	3	5	8	9	12
50-64	191	4.7	14	<1	1	3	7	10	12	17
65+	136	5.2	14	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	56	2.8	7	<1	1	2	3	4	8	14
20-34	756	3.0	13	<1	1	2	3	5	7	16
35-49	1683	3.2	9	<1	1	2	4	6	9	15
50-64	2803	3.3	12	1	1	2	4	6	9	16
65+	2202	3.8	16	1	1	2	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.3	5	<1	1	3	4	7	8	10
B. *Operated*	11334	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	553	4.5	12	<1	1	4	6	9	11	16
B. *Operated*	7500	3.4	13	1	1	2	4	6	9	19
1. SINGLE DX	11479	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	8053	3.5	13	1	1	2	4	7	10	19
A. NOT OPERATED	698	4.3	11	<1	1	3	6	9	10	16
B. OPERATED	18834	2.6	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	187	2.7	22	<1	<1	2	3	4	6	14
20-34	2840	2.3	5	<1	<1	2	3	4	5	10
35-49	5443	2.5	5	<1	<1	2	3	4	6	11
50-64	6507	2.7	7	<1	1	2	3	5	7	14
65+	4555	3.1	10	<1	1	2	3	5	8	18
GRAND TOTAL	**19532**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	5.8	45	1	1	3	7	11	18	36
20-34	738	6.1	60	1	1	4	7	11	18	40
35-49	829	5.5	27	1	1	4	7	11	15	29
50-64	805	6.0	54	1	1	4	7	12	17	35
65+	584	6.5	46	1	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	429	3.7	22	1	1	3	4	7	8	21
20-34	2312	3.8	10	1	1	3	5	7	9	15
35-49	2770	4.0	17	1	1	3	5	8	11	21
50-64	2573	3.7	15	1	1	3	4	7	10	19
65+	1153	4.4	22	1	1	3	5	9	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	8.3	125	1	1	5	9	19	26	55
20-34	855	7.6	80	1	2	5	9	16	25	46
35-49	1520	7.3	54	1	2	5	9	14	18	40
50-64	2462	7.9	63	2	2	6	10	15	20	46
65+	3199	8.9	71	2	3	7	11	17	23	52
B. *Operated*										
0-19 YRS	284	5.6	63	1	1	3	6	11	23	85
20-34	1384	6.2	67	1	2	4	7	12	19	46
35-49	2136	6.5	56	1	2	4	8	14	19	40
50-64	2595	7.1	76	1	2	4	9	16	23	63
65+	2040	10.9	169	2	2	7	14	25	39	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3299	6.0	46	1	1	4	7	12	16	34
B. *Operated*	9237	3.9	15	1	1	3	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	8289	8.1	68	1	2	6	10	15	22	49
B. *Operated*	8439	7.7	95	1	2	4	9	17	26	70
1. SINGLE DX	12536	4.4	24	1	1	3	5	9	12	25
2. MULTIPLE DX	16728	7.9	82	1	2	5	10	16	23	56
A. NOT OPERATED	11588	7.5	63	1	2	5	9	15	21	46
B. OPERATED	17676	5.7	57	1	1	3	6	12	18	44
TOTAL 0-19 YRS	1309	5.5	59	1	1	3	6	11	19	48
20-34	5289	5.3	45	1	1	3	6	10	15	38
35-49	7255	5.6	39	1	2	4	7	11	16	31
50-64	8435	6.2	55	1	2	4	7	13	18	44
65+	6976	8.5	94	1	2	6	10	18	26	59
GRAND TOTAL	**29264**	**6.4**	**60**	**1**	**2**	**4**	**8**	**13**	**19**	**45**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	6	<1	<1	1	2	4	9	10
20-34	7	4.1	21	<1	<1	2	7	12	13	13
35-49	8	2.9	4	<1	<1	2	4	6	6	6
50-64	8	2.0	3	<1	<1	1	3	5	5	5
65+	10	4.4	11	1	1	4	6	9	12	12
B. *Operated*										
0-19 YRS	240	4.8	15	2	2	4	6	9	10	19
20-34	462	4.6	10	1	2	4	5	8	9	17
35-49	497	4.4	6	1	2	4	5	7	8	12
50-64	1550	4.3	11	1	2	4	5	7	8	12
65+	1501	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	10	<1	<1	1	2	4	11	13
20-34	16	2.9	5	<1	<1	2	4	6	8	9
35-49	19	3.5	15	<1	<1	1	5	10	13	13
50-64	29	3.3	9	<1	1	3	4	6	10	14
65+	36	4.6	27	<1	1	3	5	14	16	23
B. *Operated*										
0-19 YRS	183	5.4	31	2	2	4	6	9	13	34
20-34	352	5.4	13	2	2	5	6	9	11	20
35-49	420	5.8	22	1	2	4	7	10	14	26
50-64	1565	5.3	11	2	2	4	6	9	11	19
65+	2100	5.5	14	2	2	5	7	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.0	9	<1	<1	2	4	7	10	13
B. *Operated*	4250	4.5	8	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	114	3.6	15	<1	1	2	4	9	13	19
B. *Operated*	4620	5.4	14	2	2	5	7	9	12	21
1. SINGLE DX	4296	4.4	9	1	2	4	5	7	9	13
2. MULTIPLE DX	4734	5.4	14	2	2	5	6	9	12	20
A. NOT OPERATED	160	3.4	13	<1	<1	2	4	8	12	16
B. OPERATED	8870	5.0	12	2	2	4	6	8	10	17
TOTAL 0-19 YRS	450	4.9	22	1	2	4	6	9	11	29
20-34	837	4.9	11	2	2	4	6	8	11	19
35-49	944	5.0	14	1	2	4	6	8	10	22
50-64	3152	4.8	11	1	2	4	6	8	9	17
65+	3647	5.1	11	2	2	4	6	8	10	17
GRAND TOTAL	**9030**	**4.9**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2		1	1	1	1	2	3	3
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	16	2.4	4	<1	1	2	3	4	7	9
50-64	55	2.1	3	<1	1	1	2	4	6	10
65+	121	2.0	3	1	1	2	2	3	5	10
B. *Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	6	6
20-34	32	2.8	2	1	1	3	4	5	5	7
35-49	130	2.8	4	1	1	2	3	5	7	13
50-64	345	2.8	3	1	1	2	3	5	6	8
65+	768	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	8	1	1	1	3	7	9	9
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	15	2.2	2	1	1	2	3	4	5	5
50-64	53	2.9	5	1	1	2	3	6	8	11
65+	167	4.0	13	1	1	3	5	9	12	17
B. *Operated*										
0-19 YRS	17	2.3	1	1	1	2	3	4	5	5
20-34	29	3.8	10	1	1	3	5	6	12	15
35-49	73	3.5	8	1	1	3	4	6	8	18
50-64	310	4.0	21	1	1	3	4	8	11	18
65+	1024	4.6	27	1	2	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	2.0	3	1	1	2	2	4	6	10
B. *Operated*	1292	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	246	3.6	11	1	1	3	4	8	11	16
B. *Operated*	1453	4.4	24	1	1	3	5	9	12	22
1. SINGLE DX	1502	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1699	4.3	23	1	1	3	5	9	12	21
A. NOT OPERATED	456	2.9	8	1	1	2	3	6	9	16
B. OPERATED	2745	3.6	15	1	1	3	4	7	10	18
TOTAL 0-19 YRS	56	2.1	2	1	1	2	2	4	5	9
20-34	68	3.2	6	1	1	3	4	6	7	14
35-49	234	3.0	6	1	1	2	3	5	7	17
50-64	763	3.2	11	1	1	2	4	6	8	16
65+	2080	3.8	17	1	1	3	4	7	10	18
GRAND TOTAL	**3201**	**3.5**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

123: Other glaucoma (365.0; 365.3-265.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	2	<1	<1	1	2	4	5	5
20-34	8	1.9	1	1	1	2	3	3	3	3
35-49	10	3.3	18	1	1	2	3	10	15	15
50-64	20	2.7	4	<1	1	2	3	6	7	7
65+	46	3.1	6	1	1	2	4	5	10	16
B. *Operated*										
0-19 YRS	36	2.4	2	1	1	2	3	5	5	6
20-34	69	3.2	13	1	1	2	3	6	7	24
35-49	117	2.9	3	1	1	2	4	5	6	9
50-64	244	3.1	7	1	1	2	4	5	8	15
65+	524	2.9	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.2	12	<1	<1	1	5	8	11	13
20-34	19	2.5	4	<1	1	2	3	5	8	9
35-49	24	4.3	15	<1	1	3	5	10	14	15
50-64	46	5.1	54	1	1	3	6	11	14	48
65+	131	5.1	38	1	1	3	6	12	15	37
B. *Operated*										
0-19 YRS	37	3.4	8	1	1	3	4	5	10	16
20-34	68	4.4	15	1	1	3	5	11	13	19
35-49	100	3.5	7	<1	1	3	4	7	10	13
50-64	262	4.1	14	1	1	3	5	8	11	16
65+	718	4.5	23	1	1	3	5	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.8	7	1	1	2	3	5	7	16
B. *Operated*	990	3.0	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	241	4.7	34	1	1	3	6	10	14	36
B. *Operated*	1185	4.3	19	1	1	3	5	9	12	24
1. SINGLE DX	1083	2.9	5	<1	1	2	3	5	7	14
2. MULTIPLE DX	1426	4.3	22	1	1	3	5	9	13	25
A. NOT OPERATED	334	4.1	27	1	1	2	5	9	14	26
B. OPERATED	2175	3.7	13	1	1	3	4	7	10	20
TOTAL 0-19 YRS	103	2.9	6	<1	1	2	3	5	7	14
20-34	164	3.6	13	1	1	3	4	7	11	19
35-49	251	3.3	6	1	1	2	4	6	9	14
50-64	572	3.7	14	1	1	3	4	7	10	16
65+	1419	3.9	18	1	1	3	4	8	11	24
GRAND TOTAL	**2509**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	33	1.8	2	<1	<1	1	2	3	4	7
65+	161	1.9	2	<1	<1	2	2	3	3	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	2154	2.2	1	1	1	2	2	3	4	6
50-64	13889	2.2	1	1	1	2	2	3	4	5
65+	58354	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	56	1.9	3	<1	<1	1	2	4	6	7
50-64	388	2.5	16	<1	<1	1	2	5	8	14
65+	1775	2.5	8	<1	1	2	3	6	9	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1400	2.6	3	1	2	2	3	4	5	10
50-64	11651	2.7	5	1	2	2	3	4	5	11
65+	59900	2.8	7	1	2	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	1.8	2	<1	<1	2	2	3	3	6
B. *Operated*	74397	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2219	2.5	9	<1	<1	2	3	6	9	14
B. *Operated*	72951	2.8	6	1	2	2	3	4	6	13
1. SINGLE DX	74602	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	75170	2.8	6	1	2	2	3	4	6	13
A. NOT OPERATED	2424	2.4	9	<1	<1	2	2	5	6	14
B. OPERATED	147348	2.5	4	1	2	2	3	4	4	10
TOTAL 0-19 YRS										
20-34										
35-49	3621	2.3	2	1	1	2	3	3	4	8
50-64	25961	2.4	3	1	1	2	3	3	4	9
65+	120190	2.5	4	1	2	2	3	4	5	10
GRAND TOTAL	**149772**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	2	<1	<1	1	3	4	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	267	2.1	1	1	1	2	2	3	4	6
20-34	185	2.0	1	<1	1	2	2	3	4	5
35-49	259	2.1	1	<1	1	2	2	3	3	5
50-64	571	2.1	1	1	1	2	2	3	4	5
65+	636	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	7	2.1	5	<1	<1	1	2	6	7	7
50-64	12	2.3	6	<1	<1	1	2	7	8	8
65+	22	2.6	9	<1	<1	1	2	7	10	13
B. *Operated*										
0-19 YRS	160	2.9	6	<1	1	2	3	5	7	11
20-34	155	2.5	2	1	1	2	3	4	5	8
35-49	267	3.0	11	1	1	2	3	5	7	24
50-64	536	2.7	5	1	1	2	3	4	5	10
65+	846	2.8	9	1	1	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.1	2	<1	<1	1	3	4	5	5
B. *Operated*	1918	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	61	2.1	5	<1	<1	1	2	5	8	12
B. *Operated*	1964	2.8	7	1	1	2	3	4	6	14
1. SINGLE DX	1935	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	2025	2.8	7	1	1	2	3	4	6	13
A. NOT OPERATED	78	2.1	4	<1	<1	1	2	4	7	12
B. OPERATED	3882	2.4	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	451	2.3	3	<1	1	2	3	4	5	10
20-34	346	2.2	1	<1	1	2	3	4	5	6
35-49	534	2.5	6	<1	1	2	3	4	5	12
50-64	1120	2.4	3	1	1	2	3	3	4	9
65+	1509	2.4	6	<1	1	2	3	3	5	12
GRAND TOTAL	**3960**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.2	5	<1	<1	1	3	4	7	12
20-34	32	3.1	5	1	1	3	4	6	7	10
35-49	31	2.7	3	1	1	2	3	5	7	7
50-64	43	3.6	6	1	1	3	4	8	10	11
65+	30	3.5	8	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	5647	1.5		<1	<1	1	2	2	2	3
20-34	964	1.8		<1	1	2	2	2	3	4
35-49	488	1.9	1	<1	1	2	2	2	3	5
50-64	234	2.0	2	1	1	2	2	3	3	7
65+	169	2.2	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	1.6	3	<1	<1	1	1	3	4	10
20-34	58	4.1	17	1	1	3	5	9	12	21
35-49	60	4.3	12	1	1	3	6	9	12	15
50-64	142	6.0	26	1	2	5	7	12	17	24
65+	233	6.6	33	1	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	1463	1.6	1	<1	<1	2	2	2	2	4
20-34	354	2.2	3	1	1	2	2	3	4	12
35-49	253	2.6	11	1	1	2	2	4	6	13
50-64	232	4.0	32	1	1	2	4	9	12	27
65+	240	4.4	31	1	1	2	5	10	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	2.8	5	<1	1	2	3	6	8	11
B. *Operated*	7702	1.6	1	<1	<1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	753	4.4	23	<1	<1	3	6	10	13	23
B. *Operated*	2542	2.3	9	<1	<1	2	2	3	5	15
1. SINGLE DX	7927	1.6	1	<1	<1	2	2	2	2	4
2. MULTIPLE DX	3295	2.8	13	<1	<1	2	2	5	9	19
A. NOT OPERATED	978	4.0	19	<1	<1	3	5	9	12	21
B. OPERATED	10244	1.8	3	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	7659	1.6	1	<1	<1	1	2	2	2	4
20-34	1408	2.0	2	<1	1	2	2	3	4	9
35-49	832	2.3	5	<1	1	2	2	3	5	11
50-64	651	3.7	20	1	1	2	4	8	11	20
65+	672	4.6	26	1	1	3	5	10	14	29
GRAND TOTAL	**11222**	**2.0**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	741	2.4	5	<1	<1	1	3	5	6	11
20-34	145	3.5	8	<1	<1	3	4	7	9	14
35-49	82	4.8	26	<1	<1	4	6	9	12	32
50-64	107	4.0	11	<1	1	3	5	7	11	17
65+	177	5.2	13	1	1	4	7	10	13	17
B. *Operated*										
0-19 YRS	825	1.8	2	<1	<1	1	2	3	4	9
20-34	783	2.3	2	<1	<1	2	3	4	5	8
35-49	1039	2.1	2	<1	<1	2	2	4	5	8
50-64	1415	2.0	2	<1	<1	2	2	3	4	6
65+	2432	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	682	3.4	5	<1	1	3	4	7	8	11
20-34	126	4.3	14	<1	1	3	6	9	12	19
35-49	152	5.7	24	1	1	4	8	11	14	23
50-64	220	5.4	28	1	1	4	7	12	16	25
65+	503	7.0	45	1	1	5	9	15	19	33
B. *Operated*										
0-19 YRS	341	3.0	7	<1	<1	2	4	6	8	15
20-34	398	3.4	11	1	1	2	4	6	8	16
35-49	851	3.0	10	1	1	2	3	5	7	20
50-64	1829	3.1	15	1	1	2	3	5	7	15
65+	3556	3.6	16	1	1	3	4	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1252	3.2	9	<1	<1	2	4	7	9	15
B. *Operated*	6494	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1683	5.0	25	<1	1	4	6	11	14	27
B. *Operated*	6975	3.4	14	1	1	2	4	6	8	19
1. SINGLE DX	7746	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	8658	3.7	17	1	1	3	4	7	10	21
A. NOT OPERATED	2935	4.3	19	<1	<1	3	5	9	13	21
B. OPERATED	13469	2.8	9	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	2589	2.6	5	<1	<1	2	3	5	7	11
20-34	1452	2.9	7	<1	1	2	3	5	7	12
35-49	2124	2.8	9	<1	1	2	3	5	7	14
50-64	3571	2.8	11	<1	1	2	3	5	7	15
65+	6668	3.5	15	1	1	2	4	6	10	20
GRAND TOTAL	**16404**	**3.1**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1347	3.7	5	1	2	3	5	6	8	11
20-34	295	3.8	6	1	1	3	5	7	9	12
35-49	190	4.0	7	1	1	3	5	8	9	13
50-64	167	3.7	6	1	1	3	5	7	9	12
65+	236	4.6	12	1	1	4	6	9	10	20
B. *Operated*										
0-19 YRS	254	3.3	10	<1	1	2	4	7	10	15
20-34	271	2.8	8	<1	<1	2	3	5	8	14
35-49	409	2.8	6	<1	<1	2	3	6	8	13
50-64	1152	2.5	7	1	1	2	3	4	5	11
65+	3236	2.3	2	1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1277	4.5	8	1	2	4	5	8	10	14
20-34	345	4.5	16	1	1	4	5	8	11	24
35-49	282	5.5	17	1	2	4	7	10	13	23
50-64	510	5.5	21	1	1	4	7	11	14	23
65+	885	5.9	27	1	1	5	8	11	14	23
B. *Operated*										
0-19 YRS	292	5.8	43	1	1	4	6	13	21	37
20-34	428	4.5	21	1	2	3	5	8	12	27
35-49	506	4.9	27	1	2	3	6	10	13	27
50-64	1632	4.4	24	1	2	3	5	9	12	29
65+	4444	3.8	17	1	2	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2235	3.8	6	1	1	3	5	7	8	12
B. *Operated*	5322	2.5	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	3299	5.1	17	1	2	4	6	10	12	21
B. *Operated*	7302	4.1	21	1	2	3	5	8	12	24
1. SINGLE DX	7557	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	10601	4.4	20	1	2	3	5	9	12	23
A. NOT OPERATED	5534	4.6	13	1	1	4	6	9	11	17
B. OPERATED	12624	3.4	14	1	1	2	3	7	10	20
TOTAL 0-19 YRS	3170	4.2	11	1	2	3	5	7	10	15
20-34	1339	4.0	14	<1	1	3	5	8	10	18
35-49	1387	4.3	17	1	1	3	5	8	11	21
50-64	3461	3.9	18	1	1	2	4	8	11	22
65+	8801	3.5	13	1	1	2	4	7	10	18
GRAND TOTAL	**18158**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.0	1	<1	<1	2	3	4	4	6
20-34	59	2.9	3	<1	<1	2	4	5	7	9
35-49	48	3.4	7	1	1	3	4	7	7	16
50-64	46	3.3	10	<1	1	2	4	6	11	17
65+	34	3.1	4	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	46	2.3	7	<1	<1	2	2	3	10	13
20-34	50	2.6	3	<1	1	2	3	4	5	10
35-49	44	2.7	3	1	1	2	3	5	6	11
50-64	60	2.8	3	<1	1	2	4	5	6	8
65+	74	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	7	<1	<1	2	5	7	8	13
20-34	115	3.8	9	1	1	3	5	7	9	16
35-49	163	4.1	8	1	1	3	5	7	10	16
50-64	216	4.6	11	1	2	4	6	9	10	16
65+	291	5.9	28	1	2	4	7	12	15	26
B. *Operated*										
0-19 YRS	67	3.0	8	<1	1	2	3	5	9	18
20-34	103	3.3	8	1	2	3	4	5	8	18
35-49	122	4.7	27	1	2	3	5	9	13	34
50-64	227	5.0	49	1	2	3	5	9	13	31
65+	241	5.0	19	1	2	4	6	10	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	5	<1	1	2	4	5	7	12
B. *Operated*	274	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	896	4.6	16	1	1	4	6	9	12	19
B. *Operated*	760	4.5	27	1	2	3	5	9	12	23
1. SINGLE DX	540	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	1656	4.6	21	1	1	3	5	9	12	21
A. NOT OPERATED	1162	4.2	14	1	1	3	5	8	11	17
B. OPERATED	1034	4.0	22	1	1	3	4	8	10	21
TOTAL 0-19 YRS	303	2.8	6	<1	1	2	3	6	7	13
20-34	327	3.3	7	1	1	3	4	6	8	12
35-49	377	4.0	14	1	1	3	5	7	10	17
50-64	549	4.4	26	1	2	3	5	8	10	20
65+	640	5.0	22	1	1	4	6	10	14	22
GRAND TOTAL	**2196**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2924	2.8	6	<1	1	3	4	5	6	8
20-34	81	3.1	11	<1	<1	2	4	6	9	19
35-49	39	3.7	7	<1	<1	3	5	8	9	11
50-64	27	4.7	15	<1	<1	4	6	10	14	16
65+	19	4.1	19	<1	<1	3	4	11	15	17
B. *Operated*										
0-19 YRS	12517	1.2	1	<1	<1	<1	1	2	2	3
20-34	970	2.0	2	<1	1	2	2	3	3	6
35-49	786	2.0	1	<1	1	2	2	3	3	6
50-64	858	2.0	1	1	1	2	2	3	3	5
65+	354	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9727	3.3	5	1	1	3	4	6	7	11
20-34	272	4.3	8	1	1	4	5	8	10	13
35-49	207	4.8	12	1	1	4	6	9	11	15
50-64	219	5.4	15	1	1	5	7	11	13	17
65+	203	7.3	31	1	2	6	9	13	20	25
B. *Operated*										
0-19 YRS	10684	1.6	3	<1	<1	1	2	2	3	8
20-34	1324	2.4	3	1	1	2	3	4	5	11
35-49	1103	2.7	15	1	1	2	3	4	6	13
50-64	1166	2.7	6	1	1	2	3	4	6	16
65+	567	3.3	16	1	1	2	3	5	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3090	2.9	7	<1	1	3	4	5	6	9
B. *Operated*	15485	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	10628	3.5	6	1	1	3	4	6	8	13
B. *Operated*	14844	1.9	5	<1	<1	2	2	3	4	10
1. SINGLE DX	18575	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	25472	2.6	6	<1	<1	2	3	5	7	11
A. NOT OPERATED	13718	3.4	6	1	1	3	4	6	8	12
B. OPERATED	30329	1.6	3	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	35852	2.0	4	<1	<1	1	2	4	5	9
20-34	2647	2.5	4	<1	1	2	3	4	6	11
35-49	2135	2.7	10	1	1	2	3	4	6	12
50-64	2270	2.8	6	1	1	2	3	5	7	14
65+	1143	3.7	18	1	1	2	4	8	11	22
GRAND TOTAL	**44047**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	3.5	6	1	1	3	4	6	8	12
20-34	191	3.6	5	<1	1	3	4	6	8	10
35-49	102	4.1	7	2	2	4	5	6	9	17
50-64	55	5.7	39	1	2	4	6	11	16	40
65+	34	6.0	18	1	1	5	7	12	15	20
B. *Operated*										
0-19 YRS	1170	1.6	4	<1	<1	1	1	3	4	9
20-34	194	2.6	3	1	1	2	3	5	6	9
35-49	15[illegible]	3.0	12	1	1	2	3	5	8	17
50-64	13[illegible]	3.6	20	1	1	2	3	7	12	25
65+	95	3.6	10	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	929	3.9	10	1	1	3	5	7	9	14
20-34	287	4.8	15	1	2	4	6	8	10	18
35-49	204	5.1	10	1	2	4	6	10	11	16
50-64	214	7.0	45	1	2	5	8	14	17	43
65+	255	9.2	65	2	3	7	11	17	26	43
B. *Operated*										
0-19 YRS	1506	2.2	9	<1	<1	1	2	4	6	15
20-34	344	3.5	14	1	1	3	4	7	9	19
35-49	297	3.9	30	1	1	3	4	8	11	24
50-64	312	6.1	101	1	2	3	5	14	25	56
65+	233	9.9	166	1	1	4	11	32	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	3.9	9	1	1	3	5	7	9	15
B. *Operated*	1748	2.1	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1889	5.2	25	1	2	4	6	10	13	29
B. *Operated*	2692	3.7	41	<1	<1	2	3	7	12	36
1. SINGLE DX	2514	2.7	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	4581	4.3	35	<1	1	3	5	8	13	34
A. NOT OPERATED	2655	4.8	21	1	1	4	6	9	12	26
B. OPERATED	4440	3.1	28	<1	<1	2	3	5	10	31
TOTAL 0-19 YRS	3989	2.6	8	<1	<1	2	3	5	7	13
20-34	1016	3.7	11	1	1	3	4	7	9	17
35-49	757	4.1	19	1	1	3	5	8	11	17
50-64	716	5.9	65	1	2	3	6	12	18	45
65+	617	8.4	97	1	1	5	10	20	32	46
GRAND TOTAL	**7095**	**3.7**	**26**	**<1**	**<1**	**2**	**4**	**7**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.0	4	1	1	3	4	5	7	12
20-34	499	3.4	7	1	1	3	4	6	8	11
35-49	868	3.5	6	1	1	3	4	6	8	12
50-64	1216	3.4	6	1	1	3	4	6	8	12
65+	1291	3.7	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	35	2.7	4	1	1	2	3	4	8	10
20-34	183	3.0	3	1	1	3	3	6	7	10
35-49	271	3.8	6	1	2	3	4	8	8	13
50-64	348	3.9	6	1	2	3	5	7	9	13
65+	154	4.6	9	1	2	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	8	1	1	3	4	6	8	16
20-34	681	4.3	8	1	2	4	5	8	10	13
35-49	1353	4.5	10	1	2	4	6	8	10	15
50-64	3183	4.7	10	1	2	4	6	8	10	16
65+	6004	5.3	15	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	20	4.6	19	1	2	3	6	12	16	16
20-34	114	5.2	12	1	2	4	7	10	12	17
35-49	183	5.8	26	1	2	4	8	11	15	29
50-64	447	6.7	26	2	2	5	9	13	15	23
65+	540	7.9	35	2	2	6	10	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3985	3.5	7	1	1	3	4	6	8	13
B. *Operated*	991	3.8	6	1	2	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	11351	4.9	13	1	2	4	6	9	11	17
B. *Operated*	1304	6.9	29	2	2	6	9	14	17	25
1. SINGLE DX	4976	3.6	7	1	1	3	4	7	8	13
2. MULTIPLE DX	12655	5.2	15	1	2	4	7	10	12	19
A. NOT OPERATED	15336	4.6	11	1	2	4	6	8	11	16
B. OPERATED	2295	5.6	22	1	2	4	7	11	14	23
TOTAL 0-19 YRS	296	3.3	7	1	1	3	4	6	8	15
20-34	1477	3.9	8	1	1	3	5	7	9	13
35-49	2675	4.2	10	1	1	3	5	8	10	15
50-64	5194	4.5	11	1	2	4	6	8	11	16
65+	7989	5.2	16	1	2	4	7	10	12	19
GRAND TOTAL	**17631**	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	3.3	5	<1	<1	3	5	7	7	7
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	96	2.2	1	1	1	2	3	3	4	5
20-34	782	2.3	1	1	1	2	3	3	4	6
35-49	1104	2.2	1	1	1	2	3	3	4	5
50-64	1127	2.3	1	1	1	2	3	3	4	5
65+	420	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	1.0		<1	<1	<1	1	1	1	1
35-49	9	2.6	22	<1	<1	1	1	10	15	15
50-64	9	2.0	2	<1	<1	1	3	4	4	4
65+	17	5.7	24	1	1	4	7	15	16	16
B. *Operated*										
0-19 YRS	29	2.8	1	1	1	3	3	4	5	5
20-34	192	2.3	1	1	1	2	3	3	5	6
35-49	327	2.5	1	1	1	2	3	4	4	8
50-64	409	2.6	2	1	1	2	3	4	5	7
65+	185	2.8	3	1	1	3	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	3	<1	<1	2	3	5	7	7
B. *Operated*	3529	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	45	3.3	17	<1	<1	1	4	9	15	16
B. *Operated*	1142	2.5	2	1	1	2	3	4	5	8
1. SINGLE DX	3542	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1187	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	58	3.1	14	<1	<1	1	4	7	1[illegible]	16
B. OPERATED	4671	2.3	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	129	2.3	1	1	1	2	3	4	4	5
20-34	984	2.3	1	1	1	2	3	3	4	6
35-49	1441	2.3	1	1	1	2	3	3	4	6
50-64	1551	2.3	1	1	1	2	3	3	4	5
65+	624	2.6	3	1	1	2	3	4	5	9
GRAND TOTAL	**4729**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.7	5	<1	<1	2	3	6	8	10
20-34	120	3.3	7	<1	<1	3	4	6	8	16
35-49	131	3.5	5	1	1	3	4	6	8	12
50-64	134	3.5	5	1	1	4	4	6	7	11
65+	79	3.6	5	1	1	4	4	7	8	11
B. *Operated*										
0-19 YRS	2594	1.8	1	<1	<1	2	2	3	3	4
20-34	1530	2.0	1	1	1	2	2	3	4	6
35-49	1176	2.1	4	1	1	2	2	3	4	7
50-64	973	2.1	1	1	1	2	3	3	4	6
65+	366	2.4	5	1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.9	8	<1	<1	2	3	6	8	14
20-34	120	3.5	6	<1	<1	3	4	7	8	12
35-49	163	4.5	16	1	1	3	6	9	13	20
50-64	220	4.6	12	1	1	4	6	9	12	17
65+	305	6.3	32	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	1993	2.0	2	<1	1	2	2	3	3	7
20-34	1342	2.3	2	1	1	2	3	3	4	9
35-49	1121	2.4	3	1	1	2	3	4	5	10
50-64	1121	2.8	10	1	1	2	3	4	6	14
65+	574	3.4	15	1	1	2	4	6	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	6639	2.0	2	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	957	4.7	19	<1	1	4	6	10	12	20
B. *Operated*	6151	2.4	5	1	1	2	3	4	5	11
1. SINGLE DX	7196	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	7108	2.7	8	1	1	2	3	5	7	14
A. NOT OPERATED	1514	4.2	14	<1	1	3	5	8	11	17
B. OPERATED	12790	2.2	4	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	4829	1.9	2	<1	<1	2	2	3	3	7
20-34	3112	2.2	2	1	1	2	3	3	4	8
35-49	2591	2.5	5	1	1	2	3	4	5	10
50-64	2448	2.7	7	1	1	2	3	4	6	13
65+	1324	3.8	18	1	1	2	4	8	11	20
GRAND TOTAL	**14304**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	6.4	18	2	3	5	8	12	14	20
20-34	71	6.1	9	2	2	6	8	11	12	13
35-49	25	7.8	100	1	2	5	8	16	37	43
50-64	9	5.9	13	1	1	7	8	11	12	12
65+	10	9.1	24	2	3	8	15	16	17	17
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	9	4.7	18	1	1	2	6	12	13	13
50-64	12	9.6	53	2	2	8	14	22	23	23
65+	3	8.3	16	4	4	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	9.4	153	2	2	6	10	18	30	72
20-34	69	7.3	50	2	2	6	8	11	19	40
35-49	76	7.2	25	1	2	6	10	14	18	23
50-64	130	7.8	42	2	2	6	10	14	20	35
65+	187	9.8	63	2	3	8	13	20	28	40
B. *Operated*										
0-19 YRS	9	12.7	53	2	2	14	18	21	22	22
20-34	17	15.2	267	2	2	8	26	44	52	55
35-49	44	7.8	42	1	2	5	12	16	22	26
50-64	66	10.3	113	2	2	9	15	20	25	65
65+	66	14.8	146	2	2	12	21	28	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	6.5	23	2	2	6	8	12	14	28
B. *Operated*	29	7.4	34	2	2	8	11	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	574	8.6	70	2	2	6	10	17	24	41
B. *Operated*	202	11.8	124	2	2	9	16	24	30	55
1. SINGLE DX	326	6.6	24	2	2	6	8	12	15	26
2. MULTIPLE DX	776	9.5	86	2	2	7	12	20	27	48
A. NOT OPERATED	871	7.9	55	2	2	6	9	15	20	39
B. OPERATED	231	11.2	115	2	2	9	16	23	29	55
TOTAL 0-19 YRS	305	7.7	71	2	2	6	9	14	19	47
20-34	160	7.6	59	2	2	6	8	12	22	46
35-49	154	7.3	42	1	2	5	10	15	18	35
50-64	217	8.6	64	2	2	7	11	18	22	38
65+	266	11.0	86	2	2	8	14	23	30	48
GRAND TOTAL	**1102**	**8.6**	**69**	**2**	**2**	**6**	**10**	**17**	**23**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.7	3	1	1	4	5	6	6	6
20-34	68	4.4	27	1	1	3	5	8	10	37
35-49	88	4.2	9	1	2	4	5	7	9	18
50-64	69	4.6	15	1	1	3	7	9	11	22
65+	58	6.2	16	2	2	5	8	12	15	19
B. *Operated*										
0-19 YRS	23	5.7	19	<1	1	2	10	11	12	12
20-34	117	6.3	42	1	2	3	10	13	17	31
35-49	252	6.3	47	1	2	3	10	14	17	26
50-64	332	7.1	43	2	2	3	11	16	19	27
65+	158	7.5	47	2	2	4	12	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.0	32	1	1	4	8	12	16	31
20-34	259	5.5	30	1	1	4	7	11	14	30
35-49	539	5.7	28	1	2	4	7	10	15	27
50-64	1045	7.2	35	2	2	6	9	14	18	30
65+	1623	9.3	62	2	3	8	11	17	22	45
B. *Operated*										
0-19 YRS	43	9.7	78	1	2	8	14	22	26	37
20-34	224	9.7	67	2	2	9	13	20	28	45
35-49	686	10.5	85	2	2	9	14	21	26	55
50-64	1570	11.9	137	2	2	10	16	24	32	62
65+	1313	14.0	158	2	2	12	19	31	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.7	16	1	1	4	6	9	11	20
B. *Operated*	882	6.8	44	1	2	3	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	3511	7.8	48	2	2	6	10	15	20	36
B. *Operated*	3836	12.2	132	2	2	10	17	25	35	62
1. SINGLE DX	1183	6.2	38	1	2	3	10	14	17	27
2. MULTIPLE DX	7347	10.1	97	2	2	7	13	21	29	52
A. NOT OPERATED	3812	7.6	46	2	2	6	9	15	19	36
B. OPERATED	4718	11.2	120	2	2	9	15	24	32	57
TOTAL 0-19 YRS	129	6.9	45	1	1	4	10	15	21	32
20-34	668	6.9	48	1	2	4	10	14	21	40
35-49	1565	7.8	60	1	2	5	11	17	22	41
50-64	3016	9.6	94	2	2	7	13	21	26	51
65+	3152	11.1	107	2	2	8	15	23	32	55
GRAND TOTAL	**8530**	**9.6**	**90**	**2**	**2**	**7**	**13**	**20**	**27**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.3	7	1	1	3	4	6	8	14
20-34	638	3.8	10	1	1	3	5	7	8	14
35-49	1546	4.2	7	1	2	4	5	8	9	14
50-64	1646	4.5	10	1	2	4	6	8	10	16
65+	1210	4.7	14	1	2	4	6	9	10	16
B. *Operated*										
0-19 YRS	50	3.7	24	1	1	2	4	8	9	34
20-34	127	3.4	7	1	1	3	4	7	9	13
35-49	164	4.0	8	1	2	3	5	8	11	14
50-64	233	4.4	11	1	2	3	5	9	12	18
65+	114	5.8	32	1	2	4	8	11	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	4.3	14	1	2	3	5	8	9	26
20-34	1854	4.9	12	1	2	4	6	9	11	18
35-49	6439	5.5	18	2	2	4	7	10	13	21
50-64	10850	6.1	21	2	2	5	8	11	14	23
65+	13411	7.0	33	2	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	59	7.1	54	1	1	4	9	17	24	34
20-34	368	7.3	44	1	2	6	9	15	18	35
35-49	999	8.4	48	2	2	7	11	16	21	36
50-64	1868	8.8	61	2	2	7	11	17	21	39
65+	1840	11.4	101	2	3	9	15	22	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5221	4.4	10	1	2	4	5	8	10	15
B. *Operated*	688	4.3	15	1	1	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	32832	6.3	26	2	2	5	8	11	15	26
B. *Operated*	5134	9.5	73	2	2	7	12	18	25	47
1. SINGLE DX	5909	4.4	11	1	2	4	5	8	10	15
2. MULTIPLE DX	37966	6.7	33	2	2	5	8	13	16	29
A. NOT OPERATED	38053	6.0	24	2	2	5	7	11	14	25
B. OPERATED	5022	8.9	69	2	2	7	12	18	23	45
TOTAL 0-19 YRS	568	4.2	18	1	1	3	5	8	11	27
20-34	2987	4.9	16	1	2	4	6	9	12	18
35-49	9148	5.6	20	2	2	4	7	10	14	23
50-64	14597	6.2	26	2	2	5	8	12	15	25
65+	16575	7.3	42	2	2	6	9	14	19	35
GRAND TOTAL	**43875**	**6.4**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	7	2	2	5	8	9	9	9
20-34	38	4.5	6	2	2	4	6	7	9	12
35-49	197	5.8	16	2	2	5	7	10	[illegible]	21
50-64	379	5.7	18	2	2	5	7	10	14	23
65+	609	6.5	20	2	3	6	8	11	14	25
B. *Operated*										
0-19 YRS										
20-34	7	5.4	13	2	2	5	6	12	13	13
35-49	36	5.3	26	2	2	3	7	10	17	25
50-64	77	4.3	23	1	2	2	4	10	14	28
65+	42	6.9	96	1	2	3	9	13	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.6	41	2	2	6	9	17	21	30
20-34	146	6.5	22	2	2	5	8	12	16	26
35-49	1227	7.1	25	2	2	6	9	13	15	25
50-64	4154	7.8	33	2	3	7	10	14	18	29
65+	11613	9.6	58	3	3	8	12	18	24	42
B. *Operated*										
0-19 YRS	10	7.3	45	1	1	5	8	19	21	21
20-34	37	8.6	59	2	3	7	10	18	21	42
35-49	235	8.5	50	2	2	7	12	17	19	33
50-64	806	9.7	86	2	2	7	13	20	28	44
65+	1454	14.8	164	2	4	11	19	30	40	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1230	6.1	18	2	2	5	8	11	14	23
B. *Operated*	162	5.2	43	1	2	3	6	11	14	43
2. MULTIPLE DX										
A. *Not Operated*	17166	9.0	50	2	3	7	11	16	22	38
B. *Operated*	2542	12.5	134	2	2	10	16	26	34	69
1. SINGLE DX	1392	6.0	21	2	2	5	7	11	14	24
2. MULTIPLE DX	19708	9.4	62	2	3	7	11	18	24	43
A. NOT OPERATED	18396	8.8	49	2	3	7	11	16	21	37
B. OPERATED	2704	12.1	132	2	2	9	15	25	33	67
TOTAL 0-19 YRS	43	7.2	36	1	2	6	9	17	20	30
20-34	228	6.5	26	2	2	5	8	12	17	27
35-49	1695	7.1	28	2	2	6	9	14	17	27
50-64	5416	7.9	41	2	2	6	10	15	19	32
65+	13718	10.0	71	2	3	8	12	19	25	46
GRAND TOTAL	**21100**	**9.2**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	4.3	18	1	1	3	4	10	15	17
20-34	43	4.3	13	<1	1	3	5	9	13	16
35-49	93	5.9	26	1	2	5	7	12	14	29
50-64	102	6.8	35	1	2	5	8	15	19	30
65+	82	7.6	51	2	2	6	9	14	20	43
B. Operated										
0-19 YRS	29	5.4	20	1	1	4	8	11	16	19
20-34	83	5.4	38	<1	1	3	6	12	19	32
35-49	124	7.5	83	1	2	4	9	17	22	51
50-64	161	7.9	58	1	2	5	11	17	24	47
65+	92	8.7	74	1	2	5	13	19	25	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	6.1	30	1	1	4	8	13	17	29
20-34	163	5.8	37	1	1	4	7	12	16	24
35-49	334	7.0	33	1	2	5	9	14	18	30
50-64	708	9.3	68	2	2	7	12	19	24	47
65+	1685	11.6	105	2	3	9	14	22	31	64
B. Operated										
0-19 YRS	66	12.3	256	1	2	6	17	24	48	74
20-34	313	10.7	140	2	2	7	14	23	35	79
35-49	571	11.6	146	2	2	8	15	24	34	64
50-64	1019	12.7	156	2	2	9	16	27	37	73
65+	1041	16.1	212	2	3	12	21	34	51	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	342	6.3	34	1	2	5	8	13	17	28
B. Operated	489	7.4	62	1	1	4	9	17	22	42
2. MULTIPLE DX										
A. Not Operated	2956	10.1	86	2	2	8	13	20	26	57
B. Operated	3010	13.4	178	2	2	10	17	30	42	80
1. SINGLE DX	831	6.9	51	1	2	4	9	16	20	36
2. MULTIPLE DX	5966	11.8	135	2	2	8	15	25	34	69
A. NOT OPERATED	3298	9.7	82	2	2	7	12	19	25	54
B. OPERATED	3499	12.6	166	2	2	9	16	28	39	76
TOTAL 0-19 YRS	183	8.0	118	1	1	4	9	18	23	71
20-34	602	8.2	96	1	2	5	10	18	25	59
35-49	1122	9.3	101	2	2	6	12	19	27	53
50-64	1990	10.8	115	2	2	8	14	23	31	59
65+	2900	13.0	147	2	3	10	16	27	39	76
GRAND TOTAL	**6797**	**11.2**	**128**	**2**	**2**	**8**	**14**	**24**	**33**	**66**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	9.8	28	3	3	10	13	16	19	20
20-34	214	9.9	18	2	4	10	13	14	16	21
35-49	2656	10.2	14	4	5	10	13	14	16	20
50-64	5934	11.0	17	4	6	11	13	16	18	22
65+	5091	11.5	24	5	6	11	14	17	19	27
B. Operated										
0-19 YRS	7	5.3	25	1	1	2	9	12	13	13
20-34	47	10.3	35	2	2	11	14	17	21	27
35-49	488	10.1	27	2	2	10	13	16	17	27
50-64	990	10.9	31	2	2	11	14	17	19	27
65+	458	12.9	47	2	3	12	16	21	25	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	12.5	83	4	5	11	13	24	29	57
20-34	456	9.9	30	3	4	10	12	15	18	30
35-49	6811	10.9	23	3	5	11	13	16	19	27
50-64	24177	12.0	31	5	6	11	14	18	21	31
65+	43312	13.4	52	5	7	12	16	21	26	41
B. Operated										
0-19 YRS	18	11.4	109	1	3	9	12	16	37	50
20-34	238	11.6	79	2	2	11	15	20	30	47
35-49	2681	11.5	60	2	2	11	15	20	25	41
50-64	7923	13.7	82	2	2	12	17	24	29	49
65+	7728	17.9	130	4	8	15	22	31	40	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13908	11.0	19	4	6	11	13	16	18	24
B. Operated	1990	11.1	35	2	2	11	14	18	21	30
2. MULTIPLE DX										
A. Not Operated	74816	12.7	43	5	7	12	15	20	24	38
B. Operated	18588	15.1	105	2	4	13	19	27	34	57
1. SINGLE DX	15898	11.0	21	3	6	11	13	16	18	25
2. MULTIPLE DX	93404	13.2	57	4	6	12	16	21	26	42
A. NOT OPERATED	88724	12.4	40	5	6	12	15	19	23	36
B. OPERATED	20578	14.7	100	2	3	13	18	26	32	55
TOTAL 0-19 YRS	98	11.4	78	2	3	10	13	19	29	55
20-34	955	10.3	40	2	3	10	13	16	20	34
35-49	12636	10.9	29	2	4	10	13	17	19	29
50-64	39024	12.1	40	3	6	11	14	19	22	34
65+	56589	13.9	63	5	7	12	16	22	28	45
GRAND TOTAL	**109302**	**12.9**	**52**	**4**	**6**	**12**	**15**	**20**	**25**	**41**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.1	7	1	1	3	5	8	10	10
20-34	166	3.5	7	1	1	3	4	7	9	12
35-49	1394	3.8	7	1	1	3	5	7	8	13
50-64	2692	3.9	7	1	1	3	5	7	9	13
65+	2483	4.2	8	1	2	4	5	8	9	14
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	39	3.2	8	1	1	2	4	7	8	17
35-49	445	3.4	10	1	1	2	3	8	10	15
50-64	850	3.3	10	1	1	2	3	7	10	16
65+	332	3.7	14	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	5.5	18	2	2	4	7	9	13	23
20-34	590	4.8	10	1	2	4	6	9	11	16
35-49	6891	4.8	11	1	2	4	6	9	11	16
50-64	20709	5.2	13	1	2	4	7	9	11	18
65+	33015	6.0	19	2	2	5	7	11	14	22
B. Operated										
0-19 YRS	20	4.4	14	2	2	2	7	9	13	16
20-34	208	6.3	63	2	2	4	8	13	16	34
35-49	3649	5.8	31	1	2	3	9	12	16	25
50-64	11981	6.5	40	1	2	4	10	14	17	29
65+	7715	8.6	71	2	2	6	12	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6746	4.0	8	1	1	3	5	7	9	13
B. Operated	1668	3.4	10	1	1	2	3	8	10	16
2. MULTIPLE DX										
A. Not Operated	61253	5.6	16	2	2	5	7	10	13	20
B. Operated	23573	7.1	50	1	2	4	10	15	19	33
1. SINGLE DX	8414	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	84826	6.0	26	2	2	5	8	12	15	25
A. NOT OPERATED	67999	5.4	16	1	2	4	7	10	12	20
B. OPERATED	25241	6.8	48	1	2	4	10	15	19	32
TOTAL 0-19 YRS	81	4.9	15	1	2	4	7	9	11	22
20-34	1003	4.8	21	1	1	4	6	9	12	18
35-49	12379	4.9	17	1	2	4	6	10	12	20
50-64	36232	5.5	22	1	2	4	7	11	14	22
65+	43545	6.3	29	2	2	5	8	12	16	27
GRAND TOTAL	**93240**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**24**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	69	4.7	5	1	2	5	6	8	8	10
35-49	982	4.4	8	1	2	4	6	8	9	14
50-64	2222	5.0	10	1	2	4	6	9	11	16
65+	2368	5.6	18	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34	10	5.8	36	1	1	4	7	15	21	21
35-49	153	6.1	21	1	2	5	9	12	15	20
50-64	391	6.9	27	1	2	6	10	13	17	23
65+	186	7.6	41	1	2	6	11	15	20	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	6.6	18	2	2	6	9	12	16	19
20-34	275	5.9	19	2	2	5	8	11	12	25
35-49	4514	5.7	14	2	2	5	7	10	13	18
50-64	16710	6.3	18	2	2	5	8	11	14	21
65+	29414	7.4	28	2	3	6	9	13	17	27
B. Operated										
0-19 YRS	6	13.8	139	2	2	11	27	29	29	29
20-34	93	8.2	24	2	2	8	12	15	18	21
35-49	1786	8.8	45	2	2	8	12	16	19	31
50-64	6529	9.9	58	2	2	9	13	18	23	38
65+	5594	12.8	102	2	3	11	16	24	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5646	5.2	13	1	2	4	6	9	11	17
B. Operated	743	6.9	29	1	2	5	10	14	17	26
2. MULTIPLE DX										
A. Not Operated	50950	6.8	24	2	3	6	8	12	15	25
B. Operated	14008	10.9	76	2	2	9	14	20	26	45
1. SINGLE DX	6389	5.4	15	1	2	4	7	10	12	20
2. MULTIPLE DX	64958	7.7	38	2	3	6	10	14	18	31
A. NOT OPERATED	56596	6.7	23	2	3	6	8	12	15	24
B. OPERATED	14751	10.7	74	2	2	9	14	20	26	44
TOTAL 0-19 YRS	51	7.2	36	2	2	5	9	15	19	29
20-34	447	6.2	19	2	2	5	8	12	14	21
35-49	7435	6.2	23	2	2	5	8	12	15	23
50-64	25852	7.1	30	2	2	6	9	13	17	27
65+	37562	8.1	43	2	3	6	10	15	19	33
GRAND TOTAL	**71347**	**7.5**	**36**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	19	2	2	9	11	12	12	12
20-34	45	4.0	10	1	1	4	5	9	10	15
35-49	470	4.1	8	1	2	3	5	8	10	14
50-64	1156	4.5	15	1	1	3	5	9	11	20
65+	1128	5.2	16	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	11	5.1	24	1	1	3	8	13	17	17
20-34	140	4.3	18	1	2	2	5	11	14	17
35-49	3124	4.9	20	1	2	2	8	11	13	19
50-64	8819	5.6	27	1	2	3	9	12	15	21
65+	3648	6.4	37	1	2	3	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	7.6	59	1	1	6	9	15	18	44
20-34	196	5.1	14	1	2	4	6	9	12	22
35-49	3199	5.3	16	1	2	4	7	10	12	18
50-64	12081	6.2	22	1	2	5	8	12	14	23
65+	26298	8.0	42	2	3	6	10	15	19	34
B. *Operated*										
0-19 YRS	53	6.0	27	<1	1	3	10	13	17	19
20-34	380	6.4	66	1	2	3	9	13	16	41
35-49	7928	6.5	38	1	2	4	10	14	17	27
50-64	26395	7.9	55	2	2	6	11	16	20	34
65+	16414	10.7	97	2	2	9	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2803	4.7	14	1	2	4	6	9	12	19
B. *Operated*	15742	5.6	28	1	2	3	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	41821	7.3	35	2	2	6	9	14	17	30
B. *Operated*	51170	8.6	68	2	2	7	12	18	23	40
1. SINGLE DX	18545	5.5	26	1	2	3	9	12	15	22
2. MULTIPLE DX	92991	8.0	54	2	2	6	11	16	21	36
A. NOT OPERATED	44624	7.1	34	2	2	6	9	13	17	30
B. OPERATED	66912	7.9	60	1	2	5	11	17	21	37
TOTAL 0-19 YRS	115	6.7	39	1	1	5	10	14	16	35
20-34	761	5.5	41	1	2	3	8	12	14	30
35-49	14721	5.8	29	1	2	4	9	12	15	24
50-64	48451	7.0	42	1	2	5	10	14	18	30
65+	47488	8.8	62	2	2	7	11	17	23	40
GRAND TOTAL	**111536**	**7.6**	**50**	**2**	**2**	**6**	**10**	**15**	**20**	**34**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	9.9	37	3	5	9	11	14	23	34
20-34	368	8.9	12	3	5	9	11	14	15	18
35-49	406	9.9	16	3	5	10	12	15	17	21
50-64	532	9.8	18	4	5	9	12	15	18	22
65+	549	11.1	25	4	6	10	14	17	21	29
B. *Operated*										
0-19 YRS	3	14.3	5	13	13	13	16	17	17	17
20-34	71	10.5	20	3	5	10	13	16	19	25
35-49	88	11.7	43	3	5	11	15	18	21	40
50-64	94	12.2	48	5	6	11	14	19	25	44
65+	81	13.1	41	5	7	12	16	21	28	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	10.5	15	5	6	10	12	15	17	23
20-34	586	10.2	33	3	4	9	12	16	19	26
35-49	1161	11.3	37	4	6	10	13	17	21	33
50-64	2339	12.0	37	5	6	11	14	19	22	32
65+	4580	13.7	56	5	7	12	16	22	28	42
B. *Operated*										
0-19 YRS	18	13.5	104	4	5	11	15	24	38	48
20-34	191	13.9	74	5	7	12	16	24	29	50
35-49	369	15.0	96	5	7	13	18	27	34	52
50-64	760	15.7	105	6	8	13	18	27	34	64
65+	1217	18.4	137	7	8	15	22	33	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1882	10.0	19	4	5	9	12	15	18	24
B. *Operated*	337	11.9	39	4	6	11	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	8704	12.7	48	5	6	11	15	20	25	39
B. *Operated*	2555	16.8	119	6	8	14	20	29	37	64
1. SINGLE DX	2219	10.3	23	4	5	10	12	16	19	27
2. MULTIPLE DX	11259	13.6	67	5	7	12	16	22	28	46
A. NOT OPERATED	10586	12.2	44	5	6	11	15	19	24	37
B. OPERATED	2892	16.2	112	6	7	13	19	28	36	61
TOTAL 0-19 YRS	86	11.1	41	4	5	10	12	16	23	43
20-34	1216	10.4	35	3	5	9	13	16	20	30
35-49	2024	11.7	47	4	6	10	14	18	23	37
50-64	3725	12.4	52	5	6	11	14	20	24	38
65+	6427	14.4	73	5	7	12	17	24	30	48
GRAND TOTAL	**13478**	**13.1**	**61**	**5**	**6**	**11**	**15**	**21**	**27**	**44**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	19.5	118	3	3	17	29	34	35	36
20-34	29	15.8	165	2	3	13	23	31	36	58
35-49	25	17.9	115	4	5	16	29	33	35	36
50-64	23	19.0	121	3	6	19	29	32	36	42
65+	33	24.2	156	5	8	25	33	38	49	51
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	59.0		59	59	59	59	59	59	59
35-49	4	24.5	185	6	6	27	34	38	38	38
50-64										
65+	3	38.0	37	34	34	35	42	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	21.9	188	2	4	22	30	42	44	55
20-34	251	26.1	177	4	7	28	34	42	46	71
35-49	172	23.4	199	3	4	27	33	43	46	54
50-64	203	25.9	154	5	9	28	34	43	46	53
65+	383	28.9	212	5	8	30	38	47	54	63
B. *Operated*										
0-19 YRS	19	37.9	257	7	17	36	51	58	60	62
20-34	127	36.6	198	14	16	34	45	51	59	76
35-49	75	34.3	308	9	11	31	45	54	68	83
50-64	116	34.2	316	7	10	34	43	55	69	90
65+	162	37.9	323	11	16	37	51	67	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	19.5	144	3	4	16	29	34	36	53
B. *Operated*	9	33.3	211	6	13	34	40	53	59	59
2. MULTIPLE DX										
A. *Not Operated*	1066	26.4	194	4	7	28	35	44	48	61
B. *Operated*	499	36.2	285	10	14	35	46	57	71	99+
1. SINGLE DX	134	20.4	159	3	5	19	30	35	41	58
2. MULTIPLE DX	1565	29.5	243	4	8	30	40	48	56	83
A. NOT OPERATED	1191	25.7	193	4	7	28	34	43	48	60
B. OPERATED	508	36.1	284	10	14	35	46	57	70	99+
TOTAL 0-19 YRS	92	24.9	230	2	4	25	34	44	55	60
20-34	408	28.7	219	4	8	29	39	47	51	74
35-49	276	25.9	248	3	5	28	36	45	50	73
50-64	342	28.3	227	5	8	29	38	46	51	75
65+	581	31.2	257	6	10	31	42	53	60	99
GRAND TOTAL	**1699**	**28.8**	**243**	**4**	**8**	**29**	**39**	**48**	**56**	**81**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.8	5	<1	1	2	4	6	7	9
20-34	224	2.4	4	<1	1	2	3	5	7	10
35-49	375	2.6	4	<1	1	2	3	5	7	10
50-64	467	2.7	4	1	1	2	3	5	6	9
65+	381	3.3	7	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	11	5.4	8	2	2	5	6	10	11	11
50-64	19	3.6	7	2	2	2	4	8	11	12
65+	16	5.3	20	1	1	4	8	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	2.8	4	1	1	2	3	6	7	9
20-34	324	3.8	10	1	1	3	5	8	9	16
35-49	680	3.6	8	1	1	3	5	7	8	15
50-64	1665	4.4	10	1	1	3	6	8	10	16
65+	2826	5.9	25	1	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	9	7.2	33	2	2	6	10	17	18	18
20-34	22	7.3	17	1	3	7	9	13	16	17
35-49	77	6.3	27	1	2	5	9	14	15	28
50-64	157	8.5	58	2	2	6	10	19	28	43
65+	243	11.1	99	2	3	8	13	26	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1596	2.8	5	<1	1	2	4	5	7	11
B. *Operated*	53	4.3	11	1	2	3	5	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	5623	5.0	18	1	1	4	6	10	13	21
B. *Operated*	508	9.3	74	2	2	7	11	19	29	47
1. SINGLE DX	1649	2.8	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6131	5.3	24	1	1	4	7	10	14	27
A. NOT OPERATED	7219	4.5	16	1	1	3	6	9	12	19
B. OPERATED	561	8.9	70	2	2	7	11	18	28	43
TOTAL 0-19 YRS	289	3.0	6	1	1	2	4	6	7	13
20-34	574	3.4	9	1	1	2	4	7	9	15
35-49	1143	3.5	9	1	1	3	4	7	9	15
50-64	2308	4.3	14	1	1	3	6	8	11	19
65+	3466	6.0	31	1	2	4	7	12	15	30
GRAND TOTAL	**7780**	**4.8**	**21**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.3	2	<1	1	2	3	4	6	6
20-34	384	2.4	5	<1	1	2	3	4	6	9
35-49	713	2.5	4	<1	1	2	3	5	6	10
50-64	1421	3.0	7	<1	1	2	4	6	8	13
65+	1763	3.8	10	1	1	3	5	8	10	15
B. Operated										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	10	4.6	10	1	1	5	6	9	10	10
35-49	36	3.6	8	1	1	2	6	8	8	11
50-64	74	4.5	21	1	1	2	6	9	12	26
65+	80	5.3	14	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.8	8	<1	1	3	5	8	10	13
20-34	475	3.2	6	1	1	2	4	7	8	12
35-49	1580	4.1	13	1	1	3	5	8	10	18
50-64	6959	5.2	18	1	1	4	7	10	13	21
65+	20403	7.0	39	1	2	5	9	13	17	31
B. Operated										
0-19 YRS	18	7.5	29	1	2	4	12	15	18	19
20-34	31	4.7	13	1	1	4	6	11	12	16
35-49	135	7.0	33	1	1	5	9	15	19	27
50-64	742	9.5	66	2	2	8	12	19	24	46
65+	2449	13.0	112	3	4	10	16	26	34	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4314	3.2	8	<1	1	2	4	6	8	13
B. Operated	202	4.7	15	1	1	3	7	9	12	19
2. MULTIPLE DX										
A. Not Operated	29492	6.4	33	1	2	5	8	12	16	29
B. Operated	3375	11.9	101	2	3	9	15	24	31	61
1. SINGLE DX	4516	3.3	8	<1	1	2	4	7	8	14
2. MULTIPLE DX	32867	6.9	43	1	2	5	9	14	18	33
A. NOT OPERATED	33806	5.9	31	1	1	4	8	12	15	28
B. OPERATED	3577	11.5	99	2	3	9	15	23	30	60
TOTAL 0-19 YRS	128	3.9	12	<1	1	3	5	8	12	17
20-34	900	3.0	6	<1	1	2	4	6	8	12
35-49	2464	3.6	12	1	1	3	5	8	10	18
50-64	9196	5.2	23	1	1	4	7	10	14	23
65+	24695	7.4	48	1	2	6	9	14	19	36
GRAND TOTAL	**37383**	**6.5**	**40**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	295	3.7	12	1	1	3	4	8	10	17
20-34	632	3.3	6	1	1	3	4	6	8	12
35-49	1140	3.5	9	1	1	3	4	6	9	13
50-64	1460	4.0	9	1	1	3	5	8	10	14
65+	1757	4.6	13	1	1	4	6	8	11	18
B. Operated										
0-19 YRS	44	5.3	15	<1	1	4	8	12	13	14
20-34	74	5.9	20	1	2	5	8	10	14	25
35-49	172	4.5	12	1	2	3	6	9	12	14
50-64	487	5.4	15	1	2	5	7	10	12	19
65+	1634	7.2	23	2	3	6	9	13	15	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	543	4.8	29	1	1	3	6	9	15	28
20-34	1715	4.2	11	1	1	3	5	8	10	17
35-49	4188	4.9	16	1	1	4	6	9	11	18
50-64	11275	6.0	24	1	2	5	7	11	14	24
65+	25814	7.3	38	2	2	6	9	14	18	31
B. Operated										
0-19 YRS	128	8.9	124	1	2	6	10	17	29	68
20-34	224	8.3	105	1	2	6	9	15	22	67
35-49	819	8.6	78	2	2	6	11	17	24	43
50-64	3319	9.6	77	2	2	7	12	19	26	49
65+	14225	11.4	81	3	4	9	14	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5284	4.0	10	1	1	3	5	8	10	16
B. Operated	2411	6.5	21	2	2	6	8	12	14	24
2. MULTIPLE DX										
A. Not Operated	43535	6.6	32	1	2	5	8	12	16	28
B. Operated	18715	10.9	81	2	3	9	14	21	27	51
1. SINGLE DX	7695	4.8	15	1	1	4	6	9	12	19
2. MULTIPLE DX	62250	7.9	51	2	2	6	10	15	20	37
A. NOT OPERATED	48819	6.3	30	1	2	5	8	12	16	27
B. OPERATED	21126	10.4	76	2	3	8	13	20	26	49
TOTAL 0-19 YRS	1010	5.0	38	1	1	3	6	10	15	31
20-34	2645	4.4	19	1	1	3	5	8	11	19
35-49	6319	5.1	25	1	1	4	6	10	13	24
50-64	16541	6.5	36	1	2	5	8	12	16	30
65+	43430	8.6	54	2	3	7	11	16	21	39
GRAND TOTAL	**69945**	**7.5**	**48**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	5.9	30	1	2	4	7	12	16	30
20-34	33	5.5	14	1	2	5	8	10	13	17
35-49	150	6.1	31	2	2	5	8	11	14	20
50-64	856	6.3	21	2	2	5	8	12	15	24
65+	4232	7.2	33	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	7	5.4	19	1	1	4	9	12	12	12
20-34	6	4.7	5	1	1	5	5	8	8	8
35-49	17	5.5	42	1	1	2	8	17	20	21
50-64	45	9.4	37	2	2	7	12	19	22	26
65+	112	9.8	69	2	3	7	12	20	28	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	495	6.7	34	1	2	5	8	13	18	33
20-34	456	7.7	33	2	2	6	10	14	18	33
35-49	2849	8.1	43	2	3	7	10	15	20	34
50-64	19226	8.7	42	2	3	7	11	16	20	34
65+	96059	10.0	63	3	3	8	12	18	24	43
B. *Operated*										
0-19 YRS	104	14.1	210	2	2	9	19	33	49	69
20-34	140	9.6	97	1	1	6	13	22	30	44
35-49	495	10.7	80	2	2	9	14	19	26	46
50-64	2694	14.7	148	2	4	11	19	29	39	65
65+	9678	17.6	172	4	6	14	22	34	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5321	7.0	31	2	2	6	9	13	17	28
B. *Operated*	187	9.0	57	2	2	7	11	19	23	47
2. MULTIPLE DX										
A. *Not Operated*	119085	9.7	59	3	3	8	12	18	23	41
B. *Operated*	13111	16.6	166	3	5	13	21	33	43	75
1. SINGLE DX	5508	7.1	32	2	2	6	9	13	17	29
2. MULTIPLE DX	132196	10.4	74	3	3	8	13	20	26	47
A. NOT OPERATED	124406	9.6	58	3	3	8	12	18	23	40
B. OPERATED	13298	16.5	165	3	5	13	21	33	43	75
TOTAL 0-19 YRS	656	7.8	68	1	2	5	9	16	25	48
20-34	635	8.0	47	1	2	6	10	16	20	36
35-49	3511	8.4	49	2	3	7	10	16	20	37
50-64	22821	9.3	58	2	3	7	11	17	23	40
65+	110081	10.5	76	3	3	8	13	20	27	48
GRAND TOTAL	**137704**	**10.2**	**73**	**3**	**3**	**8**	**13**	**19**	**26**	**47**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	4.1	10	1	1	3	5	8	11	16
20-34	879	4.0	9	1	1	3	5	7	9	13
35-49	1010	4.5	15	1	1	3	6	8	11	22
50-64	899	5.2	17	1	2	4	6	10	12	21
65+	574	6.5	29	2	2	5	8	11	15	34
B. *Operated*										
0-19 YRS	262	4.1	18	1	1	2	7	10	13	21
20-34	314	5.8	30	1	2	3	9	12	14	24
35-49	671	5.0	27	1	2	2	7	12	14	24
50-64	1225	5.1	29	1	2	2	8	13	15	23
65+	673	6.7	52	1	2	3	11	16	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	559	6.2	48	1	2	4	7	12	17	32
20-34	1833	5.7	31	1	2	4	7	11	14	28
35-49	3474	6.4	32	2	2	5	8	12	16	29
50-64	6829	7.6	35	2	2	6	9	14	18	31
65+	10783	9.2	58	2	3	7	11	17	23	40
B. *Operated*										
0-19 YRS	314	8.1	144	1	1	3	10	17	33	74
20-34	621	10.2	111	1	2	7	13	24	32	53
35-49	1837	8.4	76	1	2	6	11	18	24	44
50-64	4914	9.4	88	2	2	7	13	20	27	45
65+	5007	12.9	145	2	2	10	17	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3643	4.8	17	1	2	4	6	9	11	21
B. *Operated*	3145	5.4	33	1	2	2	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	23478	8.0	47	2	2	6	10	15	20	35
B. *Operated*	12693	10.6	115	2	2	8	14	23	31	54
1. SINGLE DX	6788	5.1	24	1	2	3	7	11	14	25
2. MULTIPLE DX	36171	8.9	72	2	2	7	11	18	25	44
A. NOT OPERATED	27121	7.5	44	2	2	6	9	15	19	34
B. OPERATED	15838	9.6	103	1	2	7	13	21	29	50
TOTAL 0-19 YRS	1416	5.8	58	1	1	3	7	12	17	47
20-34	3647	6.1	43	1	2	4	7	12	16	37
35-49	6992	6.5	43	1	2	5	8	13	17	32
50-64	13867	7.8	54	2	2	6	10	16	21	37
65+	17037	10.1	86	2	2	8	13	21	28	47
GRAND TOTAL	**42959**	**8.3**	**67**	**2**	**2**	**6**	**11**	**17**	**23**	**42**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	3.9	7	1	1	3	6	7	10	11
50-64	52	4.7	8	1	2	4	6	9	10	12
65+	101	5.8	22	1	2	4	8	11	17	22
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	16	3.5	13	2	2	2	3	7	13	16
50-64	65	4.4	19	1	2	2	6	10	11	26
65+	20	6.2	31	2	2	3	9	13	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	8	3	3	6	9	11	12	12
20-34	9	5.6	15	2	2	4	9	11	13	13
35-49	226	5.7	15	1	2	5	8	11	13	17
50-64	1078	6.7	26	2	2	5	9	12	15	27
65+	4470	8.7	60	2	3	7	11	16	22	41
B. *Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	7	5.1	30	1	1	2	9	14	15	15
35-49	172	6.5	64	1	2	3	8	16	21	49
50-64	635	7.1	44	1	2	5	10	15	20	28
65+	865	12.2	125	2	2	9	16	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	5.3	17	1	2	4	7	10	12	20
B. *Operated*	103	4.7	22	2	2	3	6	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	5793	8.2	52	2	3	6	10	16	20	38
B. *Operated*	1682	9.7	94	2	2	7	13	21	27	53
1. SINGLE DX	270	5.1	19	1	2	3	7	10	12	22
2. MULTIPLE DX	7475	8.5	62	2	2	6	11	17	22	42
A. NOT OPERATED	5960	8.1	52	2	3	6	10	16	20	38
B. OPERATED	1785	9.4	91	2	2	7	12	20	27	52
TOTAL 0-19 YRS	13	6.5	8	2	3	6	9	10	12	12
20-34	18	5.7	24	1	2	3	9	14	15	15
35-49	428	5.9	34	1	2	4	7	13	16	25
50-64	1830	6.7	32	2	2	5	9	13	17	27
65+	5456	9.2	71	2	3	7	11	18	25	44
GRAND TOTAL	**7745**	**8.4**	**61**	**2**	**2**	**6**	**10**	**16**	**22**	**42**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	30	<1	<1	3	7	15	17	17
20-34	13	7.4	95	<1	1	3	8	24	32	34
35-49	35	6.0	55	<1	<1	2	8	15	19	35
50-64	21	5.8	82	<1	<1	1	6	18	29	37
65+	40	12.7	243	<1	1	6	18	36	52	62
B. *Operated*										
0-19 YRS	14	11.9	105	<1	2	8	16	29	33	34
20-34	90	17.3	110	4	5	16	23	30	39	56
35-49	125	15.6	96	2	3	15	20	27	36	64
50-64	113	20.4	227	2	4	17	26	40	47	90
65+	42	22.0	324	2	2	18	29	56	89	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	30	<1	<1	4	6	14	19	20
20-34	21	7.0	79	<1	1	3	9	17	28	38
35-49	39	8.9	95	<1	<1	5	12	26	31	38
50-64	65	13.2	188	<1	1	10	17	34	45	95
65+	143	18.2	240	2	3	16	27	36	72	99+
B. *Operated*										
0-19 YRS	19	18.0	374	1	2	10	20	48	66	74
20-34	114	22.1	189	4	6	20	32	43	54	99+
35-49	219	27.2	353	6	10	22	36	63	90	99+
50-64	294	29.7	423	5	9	24	44	74	99+	99+
65+	212	33.5	415	9	13	29	48	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	8.3	133	<1	<1	3	11	22	35	55
B. *Operated*	384	18.0	168	2	4	16	23	35	43	94
2. MULTIPLE DX										
A. *Not Operated*	281	14.4	205	<1	1	11	22	34	46	99+
B. *Operated*	858	28.8	384	6	9	24	41	68	96	99+
1. SINGLE DX	502	15.7	176	1	2	14	21	33	42	84
2. MULTIPLE DX	1139	25.2	373	2	5	21	36	63	90	99+
A. NOT OPERATED	399	12.6	191	<1	1	8	19	32	43	99+
B. OPERATED	1242	25.4	342	4	7	21	35	61	86	99+
TOTAL 0-19 YRS	55	11.4	191	<1	1	7	15	28	35	73
20-34	238	18.2	168	2	3	17	25	39	44	99+
35-49	418	20.3	287	1	2	17	27	46	70	99+
50-64	493	24.4	383	1	4	20	35	63	87	99+
65+	437	25.5	396	2	4	22	35	63	95	99+
GRAND TOTAL	**1641**	**22.3**	**336**	**1**	**3**	**19**	**32**	**53**	**77**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	17.5	25	14	14	17	21	21	21	21
20-34	2	12.0	242	<1	<1	11	23	23	23	23
35-49	4	19.5	358	4	4	14	33	46	46	46
50-64	10	20.5	90	5	5	22	26	31	36	36
65+	9	33.2	296	1	7	34	47	52	54	54
B. *Operated*										
0-19 YRS	2	33.0	8	31	31	33	35	35	35	35
20-34	7	44.1	707	16	17	44	77	96	99+	99+
35-49	25	36.4	277	17	20	37	65	99+	99+	99+
50-64	42	41.4	443	12	17	38	53	90	99+	99+
65+	20	41.7	556	9	12	43	75	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	23.7	225	1	4	23	33	46	50	54
B. *Operated*	96	40.2	425	12	17	39	60	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	123	36.6	425	7	14	35	55	90	99+	99+
A. NOT OPERATED	27	23.7	225	1	4	23	33	46	50	54
B. OPERATED	96	40.2	425	12	17	39	60	99+	99+	99+
TOTAL 0-19 YRS	4	25.3	91	14	14	26	33	35	35	35
20-34	9	37.0	762	<1	8	31	67	94	99+	99+
35-49	29	34.0	311	5	17	36	60	99+	99+	99+
50-64	52	37.4	442	10	15	35	51	86	97	99+
65+	29	39.0	478	6	12	43	57	88	99+	99+
GRAND TOTAL	**123**	**36.6**	**425**	**7**	**14**	**35**	**55**	**90**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.0	22	<1	<1	6	9	14	15	16
20-34	15	5.5	49	<1	1	3	6	12	24	28
35-49	22	9.4	96	<1	<1	7	16	21	29	40
50-64	60	9.4	99	<1	1	6	13	20	28	49
65+	156	11.3	122	<1	1	9	14	23	34	58
B. *Operated*										
0-19 YRS	30	10.5	198	2	2	7	14	21	30	75
20-34	58	11.9	113	2	2	10	16	25	42	98
35-49	68	13.6	195	2	3	10	16	22	33	84
50-64	136	14.2	160	4	5	10	17	28	41	83
65+	235	14.3	139	4	5	11	17	28	35	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	8.6	47	1	2	7	12	19	22	30
20-34	37	11.9	180	1	2	8	15	30	43	64
35-49	93	12.5	185	1	2	9	14	23	34	83
50-64	356	15.8	228	2	3	11	20	35	45	94
65+	1190	18.0	203	3	4	15	23	37	51	88
B. *Operated*										
0-19 YRS	71	19.5	333	5	6	18	23	40	71	99
20-34	87	22.6	322	3	6	18	24	62	83	99+
35-49	144	22.6	378	4	7	14	32	57	75	99+
50-64	425	23.7	395	5	7	18	30	63	90	99+
65+	904	23.5	307	6	7	19	31	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	10.1	107	<1	1	6	13	22	30	49
B. *Operated*	527	13.7	152	3	4	10	16	27	37	79
2. MULTIPLE DX										
A. *Not Operated*	1724	16.8	207	2	4	13	22	36	48	90
B. *Operated*	1631	23.3	338	5	7	18	30	55	74	99+
1. SINGLE DX	796	12.5	139	1	2	10	15	25	34	74
2. MULTIPLE DX	3355	20.0	281	3	5	15	26	45	62	99+
A. NOT OPERATED	1993	15.9	198	1	3	12	21	34	45	84
B. OPERATED	2158	20.9	309	4	6	15	27	49	70	99+
TOTAL 0-19 YRS	165	13.4	222	1	2	10	17	27	38	96
20-34	197	16.2	247	2	2	12	23	41	64	99+
35-49	327	17.0	290	1	3	12	20	41	60	98
50-64	977	18.6	305	3	4	13	24	43	68	99+
65+	2485	19.2	243	3	5	15	25	40	56	99+
GRAND TOTAL	**4151**	**18.5**	**262**	**2**	**4**	**14**	**24**	**41**	**59**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	22	1	1	4	10	12	12	12
20-34	5	16.0	33	11	11	13	21	24	24	24
35-49	31	29.2	553	5	6	27	37	84	86	99+
50-64	137	24.7	339	4	6	20	34	51	63	81
65+	426	24.9	306	6	8	21	34	55	73	99+
B. *Operated*										
0-19 YRS	9	36.7	705	2	6	35	56	77	81	81
20-34	15	34.1	465	2	6	39	45	70	74	75
35-49	27	37.9	594	7	10	37	81	99+	99+	99+
50-64	76	30.9	440	8	11	32	64	99+	99+	99+
65+	185	33.2	387	9	11	30	51	69	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	604	24.8	325	5	7	21	34	54	73	99+
B. *Operated*	312	33.2	428	8	11	32	53	84	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	916	27.7	375	6	8	24	40	66	66	99+
A. NOT OPERATED	604	24.8	325	5	7	21	34	54	73	99+
B. OPERATED	312	33.2	428	8	11	32	53	84	99+	99+
TOTAL 0-19 YRS	14	25.6	679	1	2	14	36	71	79	81
20-34	20	29.6	414	3	8	24	43	59	72	75
35-49	58	33.2	581	6	8	29	49	94	99+	99+
50-64	213	26.9	382	5	7	22	44	69	99+	99+
65+	611	27.4	345	6	9	23	38	62	79	99+
GRAND TOTAL	**916**	**27.7**	**375**	**6**	**8**	**24**	**40**	**66**	**86**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	5.7	8	4	4	4	8	9	9	9
35-49	14	5.3	16	<1	1	4	7	11	13	14
50-64	92	5.0	65	1	1	3	5	10	15	50
65+	147	4.1	15	1	1	3	5	7	11	26
B. *Operated*										
0-19 YRS	7	5.0	20	1	1	2	9	11	11	11
20-34	20	8.0	89	2	2	6	8	16	30	44
35-49	229	6.8	27	1	2	6	9	14	17	23
50-64	2004	6.2	21	2	2	5	8	11	14	22
65+	3432	6.4	21	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	12.3	152	5	5	6	17	34	37	37
35-49	74	8.2	45	1	2	6	10	19	25	29
50-64	557	6.6	53	1	2	5	8	13	17	33
65+	1615	8.0	67	1	2	6	10	16	22	46
B. *Operated*										
0-19 YRS	16	9.6	130	1	2	6	11	16	39	49
20-34	25	7.6	47	2	2	4	10	21	22	24
35-49	528	8.4	52	2	2	7	11	15	21	43
50-64	5740	8.5	46	2	2	7	11	16	21	34
65+	11850	9.5	64	2	3	7	12	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.5	33	1	1	3	5	9	12	26
B. *Operated*	5692	6.4	22	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2254	7.7	63	1	2	6	9	15	21	46
B. *Operated*	18159	9.1	58	2	3	7	11	18	23	38
1. SINGLE DX	5950	6.3	22	1	2	5	8	12	15	23
2. MULTIPLE DX	20413	9.0	59	2	2	7	11	17	23	39
A. NOT OPERATED	2512	7.4	61	1	2	5	9	15	21	44
B. OPERATED	23851	8.5	51	2	2	7	10	16	21	36
TOTAL 0-19 YRS	26	7.7	90	1	1	5	10	15	23	49
20-34	55	8.2	72	2	2	5	9	21	23	44
35-49	845	7.9	45	2	2	6	10	15	20	39
50-64	8393	7.8	42	2	2	6	10	15	19	31
65+	17044	8.7	57	2	2	7	11	17	22	38
GRAND TOTAL	**26363**	**8.4**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	15.6	77	6	6	13	20	29	31	31
50-64	34	13.5	271	2	2	7	13	43	53	69
65+	119	17.9	368	2	4	12	21	35	67	89
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	13.0	405	1	1	4	24	43	43	43
35-49	28	14.8	197	2	3	10	20	43	57	99+
50-64	265	16.4	342	2	3	10	19	44	61	99
65+	527	18.1	261	2	3	13	25	43	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	162	16.9	334	2	3	11	20	35	62	88
B. Operated	825	17.4	285	2	3	12	23	43	56	99+
1. SINGLE DX										
2. MULTIPLE DX	987	17.4	293	2	3	12	22	43	57	99
A. NOT OPERATED	162	16.9	334	2	3	11	20	35	62	88
B. OPERATED	825	17.4	285	2	3	12	23	43	56	99+
TOTAL 0-19 YRS	2	20.0	98	13	13	20	27	27	27	27
20-34	5	10.6	332	1	1	2	15	43	43	43
35-49	35	15.0	170	2	3	11	20	38	52	99+
50-64	299	16.1	334	2	3	10	19	43	59	99
65+	646	18.1	260	2	4	13	24	42	54	99
GRAND TOTAL	**987**	**17.4**	**293**	**2**	**3**	**12**	**22**	**43**	**57**	**99**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.7	14	1	1	2	4	9	14	14
20-34	23	5.7	17	1	2	5	7	13	15	16
35-49	96	7.9	64	2	2	6	9	14	22	47
50-64	272	9.3	63	2	3	7	12	19	27	49
65+	876	11.1	89	2	3	8	14	23	31	47
B. Operated										
0-19 YRS	8	6.1	30	1	1	5	9	14	16	16
20-34	27	8.3	111	1	2	5	10	14	23	56
35-49	66	9.7	100	1	2	7	12	18	32	53
50-64	132	8.3	52	2	2	7	10	17	25	59
65+	135	10.3	127	2	2	8	12	22	29	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	9.2	156	1	1	5	10	19	39	59
20-34	103	9.3	78	2	2	6	11	18	29	47
35-49	377	11.4	129	2	3	8	13	24	37	82
50-64	2414	12.1	115	3	3	9	15	25	34	55
65+	10180	14.2	149	3	4	11	18	29	39	82
B. Operated										
0-19 YRS	11	16.8	176	2	3	12	24	38	44	45
20-34	63	13.2	203	3	3	10	14	22	51	99
35-49	213	13.3	191	2	4	10	16	25	35	96
50-64	935	14.2	208	2	3	10	17	32	47	91
65+	1940	18.6	265	3	4	14	25	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1277	10.3	81	2	3	8	13	22	30	48
B. Operated	368	9.2	92	2	2	7	11	19	27	54
2. MULTIPLE DX										
A. Not Operated	13099	13.7	143	3	4	10	17	28	38	76
B. Operated	3162	16.8	246	3	4	12	22	39	54	99+
1. SINGLE DX	1645	10.1	84	2	2	8	12	22	29	49
2. MULTIPLE DX	16261	14.3	165	3	4	10	18	30	42	87
A. NOT OPERATED	14376	13.4	138	3	4	10	17	27	38	75
B. OPERATED	3530	16.0	236	2	4	11	20	37	52	99+
TOTAL 0-19 YRS	54	9.3	130	1	1	5	10	22	33	58
20-34	216	9.9	116	2	2	7	12	18	29	68
35-49	752	11.3	138	2	3	8	13	23	34	83
50-64	3753	12.3	135	2	3	9	15	26	36	71
65+	13131	14.6	166	3	4	11	18	31	42	90
GRAND TOTAL	**17906**	**13.9**	**159**	**3**	**4**	**10**	**17**	**29**	**41**	**85**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	11.6	79	2	3	10	14	24	33	36
20-34	21	14.8	244	3	4	12	17	21	49	78
35-49	127	16.5	247	3	4	11	19	40	53	75
50-64	887	18.5	263	3	5	13	23	40	57	87
65+	4410	19.1	206	4	6	15	25	39	50	91
B. *Operated*										
0-19 YRS	4	15.3	210	2	2	13	27	33	33	33
20-34	15	9.3	23	2	3	10	13	18	75	99+
35-49	52	21.8	479	3	5	13	28	58	86	99+
50-64	262	26.8	503	5	7	19	39	71	88	99+
65+	667	28.5	399	6	8	24	40	66	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5461	18.9	216	4	6	15	25	39	51	88
B. *Operated*	1000	27.4	431	5	7	22	39	65	87	99+
1. SINGLE DX										
2. MULTIPLE DX	6461	20.2	259	4	6	16	27	43	58	99+
A. NOT OPERATED	5461	18.9	216	4	6	15	25	39	51	88
B. OPERATED	1000	27.4	431	5	7	22	39	66	87	99+
TOTAL 0-19 YRS	20	12.4	98	1	2	10	17	29	34	36
20-34	36	12.5	156	3	4	11	16	18	59	99+
35-49	179	18.0	318	3	4	12	21	46	59	92
50-64	1149	20.4	329	4	5	14	26	48	66	99+
65+	5077	20.4	241	4	6	16	27	43	56	99+
GRAND TOTAL	**6461**	**20.2**	**259**	**4**	**6**	**16**	**27**	**43**	**58**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	2	<1	1	3	4	5	6	6
20-34	78	3.4	5	1	1	3	5	7	8	11
35-49	328	3.9	7	1	1	3	5	7	10	13
50-64	1150	4.1	9	1	1	3	5	8	9	15
65+	3104	4.6	16	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	6	3.8	9	1	1	3	6	8	8	8
20-34	19	4.1	5	1	1	4	6	7	8	8
35-49	192	4.8	14	1	2	4	6	10	12	18
50-64	678	4.8	14	1	2	4	6	9	11	18
65+	782	5.1	23	1	2	4	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.9	12	2	2	5	8	11	12	18
20-34	178	4.4	10	1	1	4	5	9	10	16
35-49	1022	5.4	17	1	2	5	7	10	12	18
50-64	6040	5.8	20	2	2	5	7	10	13	21
65+	30265	7.3	43	2	2	6	9	14	18	35
B. *Operated*										
0-19 YRS	10	5.6	4	3	3	5	6	9	10	10
20-34	63	5.6	21	2	2	4	7	10	12	30
35-49	509	7.5	54	2	2	6	9	14	18	39
50-64	2794	7.9	38	2	2	6	10	15	20	32
65+	6512	10.3	89	2	3	8	13	20	27	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4671	4.4	13	1	1	4	6	8	10	17
B. *Operated*	1677	4.9	18	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	37559	7.0	39	2	2	6	9	13	17	32
B. *Operated*	9888	9.4	74	2	2	7	12	18	24	50
1. SINGLE DX	6348	4.6	15	1	1	4	6	9	11	17
2. MULTIPLE DX	47447	7.5	47	2	2	6	9	14	19	36
A. NOT OPERATED	42230	6.7	36	2	2	5	8	13	16	31
B. OPERATED	11565	8.8	68	2	2	7	11	17	23	46
TOTAL 0-19 YRS	81	5.3	11	1	2	5	7	10	11	17
20-34	338	4.4	11	1	1	4	6	9	10	15
35-49	2051	5.6	26	1	2	4	7	11	14	22
50-64	10662	6.1	25	1	2	5	8	11	15	25
65+	40663	7.6	50	2	2	6	9	14	19	37
GRAND TOTAL	**53795**	**7.2**	**44**	**2**	**2**	**6**	**9**	**14**	**18**	**35**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	6.0	71	<1	1	4	7	9	25	40
20-34	33	4.7	17	<1	1	4	5	11	12	20
35-49	150	7.8	59	2	2	6	9	13	18	51
50-64	711	9.2	81	1	2	7	11	19	25	46
65+	2933	11.2	105	2	3	8	14	22	30	57
B. Operated										
0-19 YRS	6	3.7	5	2	2	3	6	7	7	7
20-34	21	10.3	72	2	3	8	13	26	29	31
35-49	67	8.3	39	2	2	7	11	18	21	29
50-64	186	8.0	42	2	2	7	10	15	21	33
65+	261	11.4	118	2	3	9	14	25	31	76
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	10.0	101	1	2	7	12	21	24	61
20-34	94	9.7	100	1	2	7	10	21	32	52
35-49	620	10.7	92	2	3	8	13	22	31	58
50-64	4413	12.1	125	2	3	9	15	25	35	65
65+	24048	14.1	145	3	4	11	18	29	40	81
B. Operated										
0-19 YRS	11	18.1	509	2	3	9	25	51	77	79
20-34	60	12.8	138	2	2	8	18	31	33	56
35-49	268	13.7	151	2	3	10	16	31	43	96
50-64	1276	16.4	232	3	4	11	20	38	56	99+
65+	3668	20.8	311	4	5	16	28	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3847	10.7	99	2	3	8	14	21	29	55
B. Operated	541	9.7	82	2	2	7	12	20	28	50
2. MULTIPLE DX										
A. Not Operated	29239	13.7	142	3	4	10	17	28	39	77
B. Operated	5283	19.3	288	3	5	14	26	47	68	99+
1. SINGLE DX	4388	10.5	97	2	3	8	13	21	29	55
2. MULTIPLE DX	34522	14.6	168	3	4	11	18	31	44	93
A. NOT OPERATED	33086	13.4	138	3	4	10	17	27	38	74
B. OPERATED	5824	18.4	276	3	4	13	25	44	64	99+
TOTAL 0-19 YRS	101	9.7	141	1	2	6	11	21	30	72
20-34	208	9.9	101	1	2	7	11	22	31	52
35-49	1105	10.9	102	2	3	8	13	23	33	61
50-64	6586	12.5	143	2	3	9	15	27	38	73
65+	30910	14.6	167	3	4	11	18	31	43	92
GRAND TOTAL	**38910**	**14.1**	**162**	**3**	**4**	**10**	**18**	**30**	**42**	**88**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	13.8	237	1	1	10	14	36	52	60
20-34	39	19.2	498	1	3	9	23	54	72	94
35-49	249	16.1	193	2	3	12	20	38	48	65
50-64	1771	17.3	245	3	4	13	22	39	53	94
65+	9153	18.4	201	4	6	14	24	38	51	99+
B. Operated										
0-19 YRS	5	15.2	221	1	1	7	29	35	35	35
20-34	20	20.2	256	4	6	17	25	40	60	70
35-49	101	24.7	402	4	7	19	34	59	88	99+
50-64	409	25.4	448	4	6	19	36	60	79	99+
65+	1330	27.3	372	6	8	23	42	61	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	11229	18.2	209	4	5	14	23	38	51	97
B. Operated	1865	26.6	390	5	7	22	39	61	84	99+
1. SINGLE DX										
2. MULTIPLE DX	13094	19.4	244	4	5	15	25	43	57	99+
A. NOT OPERATED	11229	18.2	209	4	5	14	23	38	51	97
B. OPERATED	1865	26.6	390	5	7	22	39	61	84	99+
TOTAL 0-19 YRS	22	14.1	223	1	1	9	16	36	47	60
20-34	59	19.5	410	2	3	13	24	48	70	92
35-49	350	18.6	268	2	4	13	24	45	58	99+
50-64	2180	18.9	293	3	4	13	24	43	59	95
65+	10483	19.5	232	4	6	15	25	42	57	99+
GRAND TOTAL	**13094**	**19.4**	**244**	**4**	**5**	**15**	**25**	**43**	**57**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	11	1	1	3	6	10	11	11
20-34	52	4.0	19	<1	1	3	5	7	12	28
35-49	158	4.5	19	1	2	3	5	8	11	17
50-64	320	5.3	29	1	2	4	7	10	13	26
65+	782	6.4	43	2	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	18	6.2	23	1	1	5	11	12	15	16
20-34	52	7.5	67	1	2	4	10	17	23	98
35-49	135	10.1	96	1	2	7	14	22	31	47
50-64	308	7.3	65	1	2	5	10	16	22	41
65+	327	6.9	47	1	2	5	9	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.6	147	1	1	5	9	13	23	99
20-34	178	5.8	24	1	1	4	8	13	16	22
35-49	787	6.9	46	2	2	5	8	12	17	31
50-64	2388	8.3	73	2	2	6	10	15	22	56
65+	12063	9.8	84	2	3	7	12	19	27	59
B. *Operated*										
0-19 YRS	27	9.4	37	2	2	8	13	20	35	99+
20-34	108	14.1	245	1	2	11	17	33	53	92
35-49	294	12.9	164	2	2	9	16	29	39	86
50-64	1091	11.8	168	2	2	8	14	25	38	93
65+	2592	13.7	185	2	3	10	16	29	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	5.8	36	1	2	4	7	11	15	28
B. *Operated*	840	7.6	63	1	2	5	10	17	23	41
2. MULTIPLE DX										
A. *Not Operated*	15473	9.4	81	2	3	7	11	18	26	58
B. *Operated*	4112	13.1	180	2	3	9	16	28	43	92
1. SINGLE DX	2165	6.5	47	1	2	4	8	13	18	35
2. MULTIPLE DX	19585	10.2	104	2	3	7	12	20	29	67
A. NOT OPERATED	16798	9.1	78	2	3	7	11	18	25	56
B. OPERATED	4952	12.2	165	2	2	9	15	26	40	86
TOTAL 0-19 YRS	115	7.4	88	1	1	5	10	14	20	99+
20-34	390	8.1	104	1	1	5	11	17	25	75
35-49	1374	8.2	81	1	2	5	9	17	26	47
50-64	4107	8.9	98	2	2	6	11	18	26	64
65+	15764	10.2	101	2	3	7	12	21	29	66
GRAND TOTAL	**21750**	**9.8**	**100**	**2**	**3**	**7**	**12**	**20**	**28**	**65**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	4.0	15	<1	1	2	5	11	13	13
50-64	46	3.3	6	1	1	3	4	8	8	11
65+	116	5.5	33	1	1	4	7	10	16	32
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	5.8	18	2	2	5	7	13	15	15
35-49	116	6.6	23	1	2	6	10	13	15	22
50-64	531	6.6	42	1	2	4	10	14	16	25
65+	621	7.2	50	1	1	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	9	1	1	4	8	9	9	9
20-34	3	10.0	19	5	5	12	13	13	13	13
35-49	76	5.0	15	1	1	4	7	10	13	17
50-64	478	6.5	50	1	2	5	8	12	19	41
65+	2485	9.2	81	2	2	7	11	18	25	52
B. *Operated*										
0-19 YRS	11	10.2	67	2	2	9	16	22	27	27
20-34	38	10.3	195	1	2	5	11	27	39	72
35-49	457	10.8	120	2	2	9	14	21	34	58
50-64	3100	11.9	132	2	2	10	15	25	34	66
65+	5992	16.3	228	2	2	12	21	35	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	4.8	25	1	1	3	6	9	13	29
B. *Operated*	1279	6.9	44	1	2	5	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	3052	8.7	75	2	2	6	10	17	24	49
B. *Operated*	9598	14.6	197	2	2	11	19	32	45	81
1. SINGLE DX	1457	6.6	42	1	1	4	10	14	17	28
2. MULTIPLE DX	12650	13.2	174	2	2	10	17	29	40	76
A. NOT OPERATED	3230	8.4	73	2	2	6	10	17	23	49
B. OPERATED	10877	13.7	185	2	2	10	17	30	42	78
TOTAL 0-19 YRS	24	7.3	41	1	2	6	9	18	21	27
20-34	51	9.3	152	1	2	5	11	20	32	72
35-49	663	9.3	94	1	2	7	12	19	26	51
50-64	4155	10.5	116	1	2	8	13	22	30	61
65+	9214	13.6	188	2	2	10	17	30	43	80
GRAND TOTAL	**14107**	**12.5**	**164**	**2**	**2**	**9**	**16**	**27**	**38**	**74**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	38	3.9	16	<1	1	2	5	10	13	18
65+	142	4.3	17	<1	1	3	5	9	11	21
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	12	7.4	32	2	2	6	12	15	17	17
35-45	29	8.2	29	1	2	9	12	15	16	21
50-64	453	10.5	30	2	3	10	12	16	18	26
65+	933	11.5	36	2	2	11	14	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	43	6	6	11	17	19	19	19
20-34	6	2.2	1	<1	<1	2	3	3	3	3
35-49	19	3.9	9	<1	1	3	5	7	11	14
50-64	215	5.8	31	1	1	4	7	12	15	33
65+	1329	7.3	52	1	2	5	9	15	19	39
B. *Operated*										
0-19 YRS	13	14.5	189	2	2	11	15	33	50	54
20-34	33	14.1	108	1	2	12	18	30	51	99+
35-49	103	10.5	57	1	2	10	14	19	23	40
50-64	2037	14.6	135	2	5	12	17	25	35	73
65+	5527	16.6	145	3	5	14	20	30	40	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	4.1	16	<1	1	3	5	9	11	19
B. *Operated*	1430	11.0	34	2	2	11	14	18	21	29
2. MULTIPLE DX										
A. *Not Operated*	1572	7.1	49	1	2	5	9	14	19	39
B. *Operated*	7713	16.0	142	3	5	13	19	29	39	77
1. SINGLE DX	1616	10.2	37	1	2	10	13	17	20	29
2. MULTIPLE DX	9285	14.5	137	2	3	12	18	28	37	73
A. NOT OPERATED	1758	6.8	46	1	1	5	9	14	18	37
B. OPERATED	9143	15.2	129	2	5	13	18	28	36	73
TOTAL 0-19 YRS	19	12.4	148	1	2	10	15	24	42	54
20-34	53	10.8	95	1	2	10	14	21	33	98
35-49	155	9.0	51	1	2	9	13	17	21	29
50-64	2743	13.1	116	2	3	11	15	22	31	67
65+	7931	14.2	129	2	3	12	17	27	35	71
GRAND TOTAL	**10901**	**13.8**	**125**	**2**	**3**	**12**	**17**	**26**	**34**	**69**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	5.8	4	4	4	6	7	8	8	8
50-64	13	5.5	25	1	2	3	6	16	16	16
65+	11	4.4	21	<1	1	2	7	12	15	15
B. *Operated*										
0-19 YRS	23	5.3	65	1	2	2	4	12	23	39
20-34	50	7.7	101	1	1	3	10	18	25	54
35-49	104	9.3	139	1	1	5	12	19	30	71
50-64	233	9.1	64	1	2	8	12	18	23	40
65+	247	8.5	44	1	2	7	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.8	13	<1	<1	2	6	9	9	9
35-49	10	5.7	25	2	2	4	7	14	15	15
50-54	43	4.5	15	<1	1	3	6	10	12	18
65+	74	6.7	32	1	1	4	9	16	18	22
B. *Operated*										
0-19 YRS	12	6.2	16	1	2	5	9	12	13	13
20-34	49	13.0	151	2	2	9	19	31	36	56
35-49	139	14.2	172	1	2	11	19	31	39	77
50-64	550	13.7	160	2	2	10	17	28	40	85
65+	938	15.0	174	2	3	11	18	30	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	18	<1	1	3	6	11	16	16
B. *Operated*	657	8.6	71	1	2	7	11	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	132	5.8	26	1	1	4	8	14	17	21
B. *Operated*	1688	14.4	168	2	3	11	18	29	39	75
1. SINGLE DX	689	8.5	69	1	2	7	11	17	22	40
2. MULTIPLE DX	1820	13.8	163	2	2	11	17	28	38	73
A. NOT OPERATED	164	5.6	24	<1	1	4	8	14	16	20
B. OPERATED	2345	12.8	147	2	2	10	16	27	36	69
TOTAL 0-19 YRS	38	5.4	44	1	2	3	7	12	14	39
20-34	105	9.9	127	1	1	6	13	28	33	55
35-49	257	11.8	158	1	2	9	15	27	37	74
50-64	839	11.6	131	2	2	9	15	25	34	63
65+	1270	13.2	149	2	2	10	16	26	36	70
GRAND TOTAL	**2509**	**12.3**	**143**	**2**	**2**	**9**	**15**	**25**	**35**	**69**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	8	5.8	6	2	3	5	7	9	10	10
20-34	22	6.7	18	2	2	6	9	14	15	16
35-49	44	5.0	23	1	1	3	7	12	16	20
50-64	102	4.3	13	1	1	3	6	9	11	18
65+	126	5.6	21	<1	1	4	9	12	14	18
B. *Operated*										
0-19 YRS.	18	7.4	25	1	1	6	11	15	16	17
20-34	75	6.3	26	1	1	5	10	13	16	22
35-49	423	7.1	32	1	2	7	10	13	15	31
50-64	1573	8.0	37	1	2	8	11	15	17	25
65+	1609	8.6	45	1	2	8	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	7	7.7	9	4	4	7	11	11	11	11
20-34	49	7.9	23	1	1	7	11	14	18	19
35-49	114	7.0	30	1	1	6	10	14	17	26
50-64	403	7.0	37	1	1	6	10	14	17	27
65+	964	8.9	64	1	2	7	11	17	21	42
B. *Operated*										
0-19 YRS.	30	12.0	139	2	3	9	15	23	36	58
20-34	145	11.6	94	2	3	10	14	23	29	53
35-49	1110	11.5	97	2	2	10	14	22	29	53
50-64	5299	12.5	112	2	2	10	15	23	32	63
65+	9219	14.7	156	2	3	12	18	29	40	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	5.2	18	1	1	4	8	11	14	19
B. *Operated*	3698	8.1	40	1	2	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	1537	8.2	54	1	2	7	11	16	20	35
B. *Operated*	15803	13.7	138	2	3	11	17	27	37	71
1. SINGLE DX	4000	7.9	39	1	2	8	11	15	18	27
2. MULTIPLE DX	17340	13.2	133	2	2	11	16	26	36	69
A. NOT OPERATED	1839	7.7	49	1	2	6	10	15	19	34
B. OPERATED	19501	12.7	124	2	2	10	16	24	35	66
TOTAL 0-19 YRS.	63	9.4	80	2	2	7	12	18	23	55
20-34	291	9.2	64	1	2	8	12	18	23	47
35-49	1691	9.9	79	1	2	9	12	18	26	46
50-64	7377	11.1	96	2	2	9	14	21	28	57
65+	11918	13.3	139	2	2	11	17	26	37	72
GRAND TOTAL	**21340**	**12.2**	**120**	**2**	**2**	**10**	**15**	**24**	**33**	**65**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	420	6.7	24	2	2	5	9	13	16	23
20-34	99	5.1	22	1	1	3	6	10	15	26
35-49	116	5.2	78	1	1	3	5	9	14	68
50-64	212	4.8	29	1	1	3	6	10	15	25
65+	318	6.2	48	1	1	4	8	12	20	32
B. *Operated*										
0-19 YRS.	90	4.2	17	<1	1	2	6	10	13	21
20-34	158	5.8	35	<1	1	4	9	14	18	32
35-49	395	5.5	31	1	1	4	7	11	16	29
50-64	985	5.9	34	1	1	4	8	13	16	27
65+	1221	7.4	61	1	1	5	10	16	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	327	7.7	37	1	2	6	10	16	19	31
20-34	220	6.3	46	1	2	4	8	13	17	34
35-49	439	6.7	56	1	2	5	8	12	18	37
50-64	1126	6.9	56	1	2	5	8	13	17	60
65+	2750	8.9	76	2	2	7	11	18	24	50
B. *Operated*										
0-19 YRS.	86	10.5	162	1	1	7	13	28	43	86
20-34	286	10.9	142	1	2	7	14	26	38	64
35-49	942	10.3	118	1	2	8	13	23	33	70
50-64	3769	11.8	144	2	2	9	15	26	37	73
65+	6440	14.8	206	2	2	11	19	33	47	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	5.9	37	1	1	4	7	12	16	28
B. *Operated*	2849	6.4	45	1	1	4	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	4862	8.0	67	1	2	6	10	16	22	43
B. *Operated*	11523	13.3	180	2	2	10	17	30	42	80
1. SINGLE DX	4014	6.3	43	1	1	4	8	14	18	32
2. MULTIPLE DX	16385	11.7	153	2	2	8	15	26	37	76
A. NOT OPERATED	6027	7.6	62	1	2	5	9	15	20	41
B. OPERATED	14372	11.9	161	1	2	8	15	27	39	74
TOTAL 0-19 YRS.	923	7.1	43	1	2	5	9	14	19	35
20-34	763	7.8	82	1	2	5	9	17	26	49
35-49	1892	8.1	88	1	2	5	10	18	26	56
50-64	6092	9.7	114	1	2	7	12	21	30	62
65+	10729	12.2	163	2	2	8	16	27	39	75
GRAND TOTAL	**20399**	**10.7**	**136**	**1**	**2**	**7**	**14**	**23**	**34**	**69**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	7.2	17	2	2	7	10	12	14	20
20-34	1372	7.4	16	2	3	7	9	12	14	21
35-49	1857	7.8	19	2	3	7	10	13	15	22
50-64	1955	8.1	19	2	4	8	10	14	16	21
65+	1735	8.5	22	3	4	8	11	13	16	23
B. *Operated*										
0-19 YRS	79	6.8	17	1	2	6	9	12	14	19
20-34	641	7.3	23	1	2	6	10	13	16	21
35-49	810	7.8	27	2	2	7	10	14	17	27
50-64	717	8.1	24	2	2	7	10	14	18	23
65+	557	9.1	25	2	3	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	8.6	32	2	2	8	11	14	19	32
20-34	1434	8.7	25	2	3	8	11	15	18	23
35-49	2911	9.2	34	3	4	8	11	15	19	32
50-64	5215	9.6	29	3	4	9	12	16	19	28
65+	8123	10.5	39	4	5	9	13	17	21	35
B. *Operated*										
0-19 YRS	71	9.8	36	1	3	9	12	17	20	34
20-34	806	10.7	78	2	3	9	13	20	24	42
35-49	1441	10.5	63	2	3	9	13	19	25	41
50-64	2454	11.1	56	3	4	10	14	19	23	42
65+	3576	12.8	77	3	5	11	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7062	8.0	19	2	3	7	10	13	15	21
B. *Operated*	2804	8.0	25	2	2	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	17813	9.8	35	3	4	9	12	16	20	31
B. *Operated*	8348	11.7	69	3	4	10	14	21	26	46
1. SINGLE DX	9866	8.0	21	2	3	7	10	13	16	22
2. MULTIPLE DX	26161	10.4	46	3	4	9	13	18	22	37
A. NOT OPERATED	24875	9.3	31	3	4	8	11	15	19	29
B. OPERATED	11152	10.8	61	2	3	9	13	19	24	41
TOTAL 0-19 YRS	423	8.0	26	2	2	7	11	14	17	26
20-34	4253	8.5	33	2	3	8	11	15	18	29
35-49	7019	8.9	36	2	3	8	11	15	19	31
50-64	10341	9.6	34	3	4	9	12	16	19	31
65+	13991	10.8	48	3	4	9	13	18	23	38
GRAND TOTAL	**36027**	**9.8**	**41**	**3**	**4**	**9**	**12**	**16**	**20**	**34**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	30	7.0	59	<1	<1	5	8	17	21	36
35-49	83	7.8	45	<1	1	6	10	16	21	37
50-64	149	8.8	66	1	2	6	12	17	24	49
65+	287	10.9	58	2	3	9	14	20	26	38
B. *Operated*										
0-19 YRS	93	3.4	3	2	2	3	4	5	7	11
20-34	2265	3.8	6	1	2	3	4	6	7	14
35-49	3320	4.2	10	1	2	4	5	7	8	17
50-64	2553	5.2	31	2	2	4	5	8	13	27
65+	974	9.9	102	2	3	6	13	24	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	116	1	1	4	17	21	21	21
20-34	83	6.5	49	<1	1	5	8	13	18	40
35-49	294	9.2	52	1	2	7	12	19	25	34
50-64	650	10.9	78	2	3	8	14	22	29	46
65+	2241	12.9	100	3	4	10	16	24	31	58
B. *Operated*										
0-19 YRS	21	6.0	26	1	1	5	7	14	18	20
20-34	627	5.9	54	2	2	4	6	10	16	39
35-49	1577	6.7	41	2	2	5	7	13	19	36
50-64	2042	8.9	92	2	3	6	10	19	28	56
65+	1978	17.2	232	3	4	13	24	37	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	9.7	60	1	2	8	13	19	24	38
B. *Operated*	9205	5.0	28	2	2	4	5	8	13	29
2. MULTIPLE DX										
A. *Not Operated*	3271	12.0	92	2	3	9	15	23	30	53
B. *Operated*	6245	10.6	140	2	3	6	13	25	35	63
1. SINGLE DX	9755	5.2	31	2	2	4	5	9	15	30
2. MULTIPLE DX	9516	11.1	124	2	3	7	14	24	33	59
A. NOT OPERATED	3821	11.7	88	2	3	9	15	23	29	50
B. OPERATED	15450	7.3	81	2	2	4	7	16	25	48
TOTAL 0-19 YRS	118	4.0	11	1	2	3	5	7	10	20
20-34	3005	4.3	19	1	2	4	5	7	9	22
35-49	5274	5.3	24	1	2	4	6	9	14	28
50-64	5394	7.4	65	2	2	5	8	15	23	44
65+	5480	13.8	154	2	3	10	18	29	39	66
GRAND TOTAL	**19271**	**8.1**	**86**	**2**	**2**	**5**	**9**	**19**	**26**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.1	1	<1	1	2	3	4	5	5
20-34	271	2.6	3	<1	1	2	3	5	6	7
35-49	359	3.1	7	<1	1	3	4	6	7	10
50-64	258	2.8	6	<1	<1	2	4	5	7	9
65+	203	3.5	10	<1	1	3	4	6	9	15
B. *Operated*										
0-19 YRS	93	3.8	5	<1	1	3	5	6	8	12
20-34	1522	4.3	4	2	2	4	5	7	8	10
35-49	2077	4.6	4	2	2	4	5	7	8	12
50-64	1304	4.7	5	2	2	4	6	7	8	12
65+	536	4.8	7	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.1	2	1	1	3	4	5	6	9
20-34	548	3.6	9	1	1	3	5	7	8	14
35-49	859	3.9	12	1	1	3	5	7	9	16
50-64	1053	4.2	14	1	1	3	5	8	9	17
65+	1466	5.3	22	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	203	4.5	6	1	2	4	6	7	10	16
20-34	5583	4.9	6	2	3	5	6	8	9	13
35-49	9167	5.2	7	2	3	5	6	8	10	14
50-64	7498	5.7	11	2	3	5	7	9	11	19
65+	3716	7.0	24	3	3	6	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1139	2.9	6	<1	1	2	4	5	7	12
B. *Operated*	5532	4.5	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3987	4.4	16	1	1	3	6	8	11	18
B. *Operated*	26167	5.5	11	2	3	5	6	9	11	18
1. SINGLE DX	6671	4.3	5	1	2	4	5	7	8	12
2. MULTIPLE DX	30154	5.4	11	2	2	5	6	9	11	18
A. NOT OPERATED	5126	4.1	14	1	1	3	5	8	10	17
B. OPERATED	31699	5.3	10	2	3	5	6	8	10	17
TOTAL 0-19 YRS	405	3.9	5	1	1	4	5	7	9	13
20-34	7924	4.6	6	2	2	4	6	7	9	12
35-49	12462	4.9	7	2	2	5	6	8	9	14
50-64	10113	5.3	10	2	2	5	6	9	11	18
65+	5921	6.2	22	2	2	5	7	11	14	25
GRAND TOTAL	**36825**	**5.2**	**10**	**2**	**2**	**5**	**6**	**8**	**10**	**17**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	5.0	25	1	1	3	6	12	14	24
20-34	419	6.9	22	1	1	6	10	12	15	23
35-49	453	6.8	21	1	2	6	10	12	14	23
50-64	531	6.9	29	1	1	6	10	13	16	26
65+	785	7.0	24	1	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	526	2.9	9	1	1	2	3	4	8	18
20-34	1508	3.4	11	1	1	2	3	8	11	16
35-49	808	5.0	23	1	1	3	7	12	15	22
50-64	519	7.1	36	1	2	6	10	14	18	28
65+	540	8.8	57	1	2	8	12	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	4.9	32	1	1	3	6	12	15	26
20-34	862	6.8	42	1	1	5	9	14	17	26
35-49	1493	7.2	31	1	2	6	9	14	17	25
50-64	3267	7.6	39	1	2	6	10	14	19	29
65+	7552	8.3	43	2	3	7	11	15	20	35
B. *Operated*										
0-19 YRS	303	6.2	74	1	1	3	8	14	19	37
20-34	1503	5.8	54	1	1	3	7	13	19	35
35-49	1280	8.8	76	1	1	7	11	19	25	47
50-64	2196	11.2	102	2	2	9	14	21	29	61
65+	3500	13.5	126	2	3	11	17	26	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2344	6.8	24	1	1	6	10	13	15	24
B. *Operated*	3901	4.9	27	1	1	3	7	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	13452	7.9	40	1	2	6	10	15	19	32
B. *Operated*	8782	10.7	107	1	2	8	14	22	30	56
1. SINGLE DX	6245	5.6	27	1	1	4	8	12	15	23
2. MULTIPLE DX	22234	9.0	69	1	2	7	11	17	23	45
A. NOT OPERATED	15796	7.7	38	1	2	6	10	14	18	31
B. OPERATED	12683	8.9	89	1	2	6	12	19	25	51
TOTAL 0-19 YRS	1263	4.4	33	1	1	3	4	11	14	26
20-34	4292	5.3	35	1	1	3	7	12	15	27
35-49	4034	7.3	44	1	2	6	10	15	19	34
50-64	6513	8.7	62	1	2	7	11	17	22	42
65+	12377	9.7	71	2	3	8	12	18	25	46
GRAND TOTAL	**28479**	**8.2**	**61**	**1**	**2**	**6**	**11**	**16**	**22**	**41**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16582	2.6	3	1	1	2	3	5	6	8
20-34	1696	3.1	3	<1	1	3	4	5	6	8
35-49	663	3.4	4	<1	1	3	4	6	7	9
50-64	396	3.9	8	1	1	3	5	7	8	17
65+	326	4.6	9	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	2165	2.0	4	<1	1	2	2	3	4	11
20-34	831	2.3	3	1	1	2	2	4	5	9
35-49	173	3.4	11	<1	1	2	4	8	9	17
50-64	102	3.7	15	<1	1	2	4	9	10	21
65+	47	3.5	12	1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23154	3.4	5	1	1	3	4	6	7	11
20-34	3697	3.9	5	1	2	3	5	7	8	12
35-49	2217	4.7	9	1	2	4	6	8	10	16
50-64	2671	5.6	15	2	2	5	7	10	12	20
65+	4476	7.1	28	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	1771	3.2	18	1	1	2	3	7	10	20
20-34	592	4.4	22	1	1	3	5	9	12	22
35-49	350	6.2	41	1	1	4	8	12	16	27
50-64	386	7.7	77	1	2	5	10	14	21	50
65+	432	11.5	105	2	2	9	15	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19663	2.7	3	1	1	2	3	5	6	9
B. *Operated*	3318	2.2	5	<1	1	2	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	36215	4.1	10	1	1	3	5	7	10	16
B. *Operated*	3531	5.2	46	1	1	3	6	12	16	34
1. SINGLE DX	22981	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	39746	4.2	14	1	1	3	5	8	10	18
A. NOT OPERATED	55878	3.6	8	1	1	3	4	7	8	14
B. OPERATED	6849	3.8	28	1	1	2	4	9	13	26
TOTAL 0-19 YRS	43672	3.0	5	1	1	2	4	5	7	11
20-34	6816	3.5	6	1	1	3	4	6	8	12
35-49	3403	4.5	12	1	2	4	6	8	10	17
50-64	3555	5.6	22	1	2	5	7	10	13	23
65+	5281	7.3	35	2	2	6	9	14	17	30
GRAND TOTAL	**62727**	**3.7**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15612	3.5	4	1	1	3	4	6	7	10
20-34	987	3.9	4	1	2	4	5	6	8	10
35-49	994	4.6	6	2	2	4	5	8	9	14
50-64	1014	5.2	8	2	2	5	6	9	10	15
65+	1241	5.8	12	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	106	3.9	19	1	1	3	4	8	12	26
20-34	41	6.0	20	1	2	5	8	13	15	18
35-49	46	6.0	21	2	2	4	9	13	16	20
50-64	59	6.6	37	1	2	5	9	15	18	33
65+	48	6.4	27	1	2	5	8	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16212	4.3	7	1	2	4	5	7	9	14
20-34	2562	5.0	10	2	2	4	6	9	10	16
35-49	4055	5.9	17	2	2	5	7	10	13	21
50-64	10371	7.1	24	2	3	6	9	12	15	27
65+	22203	8.2	33	3	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	247	7.5	32	2	2	6	10	15	20	43
20-34	224	8.1	34	2	2	7	11	16	16	30
35-49	440	9.5	70	2	3	8	11	17	24	40
50-64	1022	10.9	82	2	3	8	13	21	29	45
65+	1725	13.2	118	3	4	10	16	25	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19848	3.8	5	1	2	3	5	7	8	12
B. *Operated*	300	5.5	25	1	1	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	55403	6.5	24	2	2	5	8	12	15	25
B. *Operated*	3658	11.4	95	2	3	9	14	23	30	54
1. SINGLE DX	20148	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX	59061	6.8	30	2	2	5	8	13	16	28
A. NOT OPERATED	75251	5.8	21	2	2	5	7	11	14	23
B. OPERATED	3958	10.9	92	2	3	8	14	22	29	53
TOTAL 0-19 YRS	32177	3.9	6	1	2	3	5	7	8	13
20-34	3814	4.9	11	2	2	4	6	9	11	17
35-49	5535	6.0	20	2	2	5	7	10	13	23
50-64	12466	7.2	29	2	3	6	9	13	16	29
65+	25217	8.4	40	3	3	7	10	15	19	33
GRAND TOTAL	**79209**	**6.1**	**26**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	12	1.4		<1	<1	1	2	3	3	3
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2248	2.2	1	1	1	2	3	3	4	5
20-34	4733	2.1	1	1	1	2	3	3	4	5
35-49	2235	2.2	1	1	1	2	3	3	4	5
50-64	1045	2.2	1	1	1	2	3	3	4	5
65+	246	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.2	1	<1	<1	1	1	2	3	6
20-34	118	1.9	9	<1	<1	1	2	4	5	16
35-49	102	1.8	3	<1	<1	1	2	3	6	9
50-64	46	2.0	5	<1	<1	1	2	3	4	15
65+	21	3.7	18	<1	<1	2	5	9	14	18
B. *Operated*										
0-19 YRS	3771	2.3	1	1	1	2	3	4	4	5
20-34	9277	2.4	2	1	1	2	3	4	4	7
35-49	5406	2.5	2	1	1	2	3	4	5	7
50-64	3050	2.7	3	1	1	2	3	4	5	9
65+	895	3.1	6	1	1	3	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	10507	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	340	1.9	6	<1	<1	1	2	3	5	10
B. *Operated*	22399	2.5	2	1	1	2	3	4	5	7
1. SINGLE DX	10531	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	22739	2.5	2	1	1	2	3	4	5	7
A. NOT OPERATED	364	1.9	6	<1	<1	1	2	3	5	10
B. OPERATED	32906	2.4	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	6076	2.2	1	1	1	2	3	3	4	5
20-34	14140	2.3	1	1	1	2	3	4	4	6
35-49	7748	2.4	2	1	1	2	3	4	4	7
50-64	4143	2.6	3	1	1	2	3	4	5	8
65+	1163	2.9	5	1	1	2	3	5	6	13
GRAND TOTAL	**33270**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	137	2.0	1	<1	1	2	2	3	4	6
20-34	218	2.1	3	<1	1	2	2	3	4	6
35-49	302	2.0	1	<1	<1	2	3	4	4	6
50-64	354	2.1	2	<1	1	2	2	3	4	8
65+	266	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
20-34	11	2.5	4	<1	<1	2	3	6	7	7
35-49	18	2.5	5	<1	<1	1	4	7	8	8
50-64	23	3.0	13	<1	<1	2	4	5	10	18
65+	20	3.2	5	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	252	2.7	7	1	1	2	3	4	5	15
20-34	535	2.5	3	1	1	2	3	4	5	8
35-49	805	2.8	9	1	1	2	3	5	5	11
50-64	1011	2.8	5	1	1	2	3	5	6	12
65+	634	3.1	6	1	1	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1277	2.1	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	77	2.8	7	<1	<1	2	4	6	8	15
B. *Operated*	3237	2.8	6	1	1	2	3	5	6	11
1. SINGLE DX	1288	2.1	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	3314	2.8	6	1	1	2	3	5	6	11
A. NOT OPERATED	88	2.6	7	<1	<1	2	4	5	8	14
B. OPERATED	4514	2.6	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	397	2.5	5	<1	1	2	3	4	5	9
20-34	766	2.4	3	1	1	2	3	4	5	8
35-49	1127	2.6	7	<1	1	2	3	4	5	9
50-64	1391	2.6	4	1	1	2	3	4	5	11
65+	921	2.8	5	1	1	2	3	5	7	11
GRAND TOTAL	**4602**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	2.0	2	<1	<1	2	2	4	5	6
20-34	86	2.2	2	<1	1	2	3	4	5	5
35-49	10	2.0	2	<1	<1	2	3	4	4	4
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	54515	1.6	1	<1	1	2	2	2	2	3
20-34	12688	1.9	1	1	1	2	2	3	3	4
35-49	1335	2.0	1	1	1	2	2	3	4	7
50-64	194	2.2	1	1	1	2	2	4	5	8
65+	87	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1187	1.6	2	<1	<1	1	2	3	4	7
20-34	138	2.1	2	<1	<1	1	3	5	5	7
35-49	35	2.5	3	<1	<1	2	4	5	6	9
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	9	5.2	7	<1	1	5	6	9	11	11
C. *Operated*										
0-19 YRS	34227	1.6	1	<1	1	2	2	2	3	4
20-34	2823	2.2	2	1	1	2	3	4	5	8
35-49	519	2.6	4	1	1	2	3	4	6	11
50-64	142	3.2	11	1	1	2	3	6	7	22
65+	82	3.6	14	1	1	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	68819	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1374	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	37793	1.7	1	<1	1	2	2	2	3	5
1. SINGLE DX	69168	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	39167	1.7	1	<1	1	2	2	2	3	5
A. NOT OPERATED	1723	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	106612	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	90175	1.6	1	<1	1	2	2	2	3	4
20-34	15735	1.5	1	1	1	2	2	3	3	5
35-49	1899	2.2	2	1	1	2	2	3	4	9
50-64	344	2.6	5	1	1	2	3	4	6	10
65+	182	2.9	8	1	1	2	3	5	8	16
GRAND TOTAL	**108335**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1909	2.9	3	1	1	3	4	5	6	9
20-34	1136	3.1	3	1	1	3	4	5	6	9
35-49	536	3.4	8	1	1	3	4	6	7	13
50-64	328	3.1	6	<1	1	2	4	6	7	13
65+	185	3.5	11	<1	1	2	4	7	12	16
B. *Operated*										
0-19 YRS	2239	2.5	6	<1	1	2	3	5	6	9
20-34	3187	2.4	4	<1	1	2	3	4	5	8
35-49	2803	2.2	3	<1	1	2	2	4	5	9
50-64	2597	2.3	4	<1	1	2	2	4	5	10
65+	1399	2.6	7	<1	1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1909	3.8	6	1	1	3	5	7	8	13
20-34	1110	4.0	8	1	1	3	5	7	9	14
35-49	991	4.6	11	1	2	4	6	8	10	19
50-54	1054	5.0	15	1	1	4	6	9	12	21
65+	940	6.3	31	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	2198	3.2	18	<1	1	2	3	6	9	23
20-34	3255	3.1	12	1	1	2	3	5	8	15
35-49	3150	3.2	12	1	1	2	4	6	9	17
50-64	3377	3.8	20	1	1	2	4	8	11	24
65+	2300	5.1	51	1	1	3	5	11	17	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4094	3.1	4	1	1	3	4	5	7	11
B. *Operated*	12225	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	6004	4.6	13	1	1	4	6	8	11	19
B. *Operated*	14280	3.6	22	1	1	2	4	7	11	24
1. SINGLE DX	16319	2.6	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	20284	3.9	19	1	1	3	4	8	11	22
A. NOT OPERATED	10098	4.0	10	1	1	3	5	7	9	16
B. OPERATED	26505	3.0	14	1	1	2	3	5	8	19
TOTAL 0-19 YRS	8255	3.1	9	1	1	2	4	6	7	13
20-34	8688	3.0	8	1	1	2	3	5	7	13
35-49	7480	3.0	9	1	1	2	4	6	8	15
50-64	7356	3.4	14	1	1	2	4	7	10	20
65+	4824	4.5	35	1	1	3	5	10	14	28
GRAND TOTAL	**36603**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28449	4.2	6	2	2	4	5	7	9	12
20-34	6076	5.2	10	2	2	5	6	9	10	15
35-49	4547	5.7	10	2	3	5	7	9	11	16
50-64	4270	6.4	12	2	3	6	8	11	13	18
65+	6391	7.7	21	3	3	7	10	13	16	23
B. *Operated*										
0-19 YRS	252	6.0	28	1	2	4	8	12	15	26
20-34	156	7.9	28	1	2	7	11	15	18	22
35-49	272	8.8	36	2	2	8	12	16	20	33
50-64	423	9.2	48	2	2	6	12	18	22	35
65+	460	11.3	76	2	2	9	15	22	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33209	4.9	12	2	2	4	6	9	11	17
20-34	7286	6.4	24	2	3	5	8	11	14	24
35-49	8789	7.3	23	2	3	6	9	13	16	26
50-64	18409	8.4	31	3	3	7	10	15	18	29
65+	60492	10.8	59	3	[illegible]	9	13	19	24	41
B. *Operated*										
0-19 YRS	964	11.7	125	2	3	8	15	24	32	62
20-34	829	13.8	130	3	4	11	17	26	36	65
35-49	1382	13.9	123	3	4	11	17	25	37	66
50-64	3302	15.8	157	4	5	12	19	31	41	73
65+	8042	18.8	184	5	7	15	24	36	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49733	5.1	11	2	2	4	6	9	11	16
B. *Operated*	1563	9.1	52	2	2	7	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	128185	8.5	44	2	3	7	11	16	20	34
B. *Operated*	14519	16.9	170	4	5	14	21	33	44	83
1. SINGLE DX	51296	5.2	12	2	2	4	6	9	11	18
2. MULTIPLE DX	142704	9.3	64	2	3	7	11	18	23	43
A. NOT OPERATED	177918	7.5	37	2	3	6	9	14	18	31
B. OPERATED	16082	16.1	164	3	5	13	20	32	43	81
TOTAL 0-19 YRS	62874	4.7	12	2	2	4	6	8	10	17
20-34	14347	6.3	28	2	2	5	7	11	14	27
35-49	14990	7.5	33	2	3	6	9	13	17	30
50-64	26404	9.0	51	3	3	7	11	16	21	38
65+	75385	11.4	76	3	4	9	14	21	27	49
GRAND TOTAL	**194000**	**8.2**	**53**	**2**	**3**	**6**	**10**	**16**	**21**	**38**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1011	3.0	3	1	1	3	4	5	6	9
20-34	652	3.2	3	1	1	3	4	5	7	9
35-49	437	3.8	4	1	2	3	5	6	8	10
50-64	400	4.1	5	1	2	4	5	7	8	12
65+	556	5.2	11	2	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	7	4.4	8	2	2	3	7	9	9	9
20-34	8	3.5	4	1	1	3	5	6	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	8	6.1	39	1	1	4	8	17	19	19
65+	12	9.8	108	3	3	6	8	25	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1821	3.5	5	1	1	3	4	6	7	12
20-34	1310	3.7	5	1	1	3	5	6	8	12
35-49	1205	4.6	10	2	2	4	6	8	10	16
50-64	1855	5.6	13	2	2	5	7	10	13	19
65+	4456	7.3	27	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	31	9.3	283	1	1	5	8	19	24	95
20-34	58	6.2	46	2	2	4	7	11	14	40
35-49	52	11.2	152	2	3	6	13	27	31	70
50-64	75	11.4	118	2	4	9	14	20	29	65
65+	232	13.6	122	3	4	11	18	26	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3056	3.7	6	1	1	3	5	7	8	12
B. *Operated*	37	6.2	50	1	2	4	7	11	19	40
2. MULTIPLE DX										
A. *Not Operated*	10647	5.6	19	2	2	4	7	11	14	23
B. *Operated*	448	11.8	131	2	3	9	15	24	29	58
1. SINGLE DX	3095	3.7	6	1	1	3	5	7	8	13
2. MULTIPLE DX	11095	5.8	25	2	2	4	7	11	14	25
A. NOT OPERATED	13705	5.1	16	1	2	4	6	10	13	21
B. OPERATED	485	11.4	127	2	3	8	14	24	29	57
TOTAL 0-19 YRS	2870	3.3	7	1	1	3	4	6	7	12
20-34	2028	3.6	6	1	1	3	4	6	8	12
35-49	1696	4.6	14	1	2	4	5	8	10	20
50-64	2338	5.5	17	2	2	5	7	10	13	20
65+	5258	7.3	32	2	3	6	9	14	17	29
GRAND TOTAL	**14190**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3912	3.2	4	1	1	3	4	6	7	10
20-34	450	3.6	4	<1	1	3	5	6	7	11
35-49	544	4.6	7	1	2	4	6	7	9	14
50-64	1028	5.8	16	2	2	5	7	10	12	20
65+	1402	6.3	16	2	3	5	8	11	14	21
B. *Operated*										
0-19 YRS	64	3.4	7	1	1	3	5	7	9	13
20-34	56	4.1	13	1	1	3	5	9	11	21
35-49	113	4.3	32	1	1	3	5	8	11	32
50-64	202	4.5	17	<1	1	3	6	10	11	22
65+	170	4.9	20	1	1	3	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4527	4.0	7	1	2	3	5	7	8	14
20-34	1178	4.9	17	1	2	4	6	8	11	17
35-49	2025	5.8	17	2	2	5	7	10	13	20
50-64	5344	7.4	32	2	3	6	9	13	17	29
65+	11130	8.3	41	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	124	6.7	39	1	2	5	9	13	15	36
20-34	158	6.9	50	1	2	5	9	14	18	38
35-49	468	7.5	44	1	2	6	9	15	19	34
50-64	1124	9.2	79	1	2	7	12	18	25	48
65+	1560	12.1	128	2	3	9	15	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7336	4.3	10	1	1	4	5	8	10	16
B. *Operated*	605	4.4	19	1	1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	24204	6.9	32	2	2	5	9	13	16	28
B. *Operated*	3434	10.1	98	2	2	7	13	21	28	57
1. SINGLE DX	7941	4.3	11	1	1	3	5	8	10	16
2. MULTIPLE DX	27638	7.3	41	2	2	6	9	14	18	33
A. NOT OPERATED	31540	6.3	28	2	2	5	8	12	15	27
B. OPERATED	4039	9.2	90	1	2	7	12	19	26	53
TOTAL 0-19 YRS	8627	3.7	6	1	1	3	5	6	8	13
20-34	1842	4.8	17	1	2	4	6	8	11	19
35-49	3150	5.8	21	2	2	5	7	10	14	21
50-64	7698	7.3	37	2	2	6	9	13	18	32
65+	14262	8.5	50	2	3	7	10	16	21	37
GRAND TOTAL	**35579**	**6.7**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	8	1	1	4	6	8	8	8
20-34	8	3.9	4	1	1	4	5	7	8	8
35-49	75	5.5	13	1	2	5	8	10	13	18
50-64	367	6.6	37	2	2	6	8	11	13	30
65+	581	7.8	46	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	9	5.9	31	1	1	4	6	15	20	20
20-34	17	11.5	30	3	4	11	14	20	23	24
35-49	30	8.3	25	2	3	8	10	15	16	24
50-64	24	8.9	34	1	2	9	12	20	20	21
65+	29	8.9	45	2	2	8	11	16	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	9.5	296	1	2	5	7	15	41	86
20-34	35	5.5	19	1	1	5	7	11	13	21
35-49	307	8.0	53	2	3	6	10	14	21	43
50-64	2529	9.0	56	2	3	7	11	16	22	42
65+	5506	10.1	71	3	3	8	12	19	25	46
B. *Operated*										
0-19 YRS	15	11.2	43	5	5	10	14	22	26	28
20-34	63	12.2	61	4	5	10	14	20	27	45
35-49	122	13.9	135	2	4	11	16	27	36	63
50-64	369	16.4	190	3	4	12	20	36	53	99+
65+	620	18.6	245	3	5	15	24	40	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	7.2	40	2	2	6	9	13	17	32
B. *Operated*	109	8.9	34	2	2	8	11	16	21	28
2. MULTIPLE DX										
A. *Not Operated*	8400	9.7	66	2	3	8	12	18	24	45
B. *Operated*	1189	17.0	208	3	5	13	22	36	54	99+
1. SINGLE DX	1146	7.3	40	2	2	6	9	13	18	32
2. MULTIPLE DX	9589	10.6	90	2	3	8	13	20	28	57
A. NOT OPERATED	9437	9.4	64	2	3	7	11	18	23	44
B. OPERATED	1298	16.3	199	3	4	12	21	35	51	99+
TOTAL 0-19 YRS	53	8.8	148	1	2	6	10	16	22	84
20-34	123	9.7	51	1	3	8	12	18	22	42
35-49	534	9.0	72	2	3	7	11	17	24	47
50-64	3289	9.6	75	2	3	7	11	18	26	52
65+	6736	10.7	91	2	3	8	13	21	28	58
GRAND TOTAL	**10735**	**10.2**	**86**	**2**	**3**	**8**	**12**	**20**	**27**	**55**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28834	3.3	4	1	1	3	4	6	7	9
20-34	6740	4.0	6	1	2	4	5	7	8	12
35-49	5605	4.8	9	1	2	4	6	8	10	15
50-64	5264	5.5	12	2	2	5	7	10	12	17
65+	3555	6.1	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	127	3.9	8	1	1	3	5	7	9	14
20-34	94	4.3	12	1	1	3	5	9	11	18
35-49	89	6.4	25	1	2	5	10	14	17	21
50-64	100	7.6	26	2	2	7	9	14	18	26
65+	59	7.9	39	1	2	6	11	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17691	4.0	7	1	2	3	5	7	8	13
20-34	6080	5.0	11	1	2	4	6	9	11	16
35-49	7975	6.3	19	2	2	5	8	11	14	22
50-64	13591	7.2	25	2	3	6	9	13	16	26
65+	16392	8.3	37	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	270	7.7	61	2	2	6	10	13	18	37
20-34	321	9.4	70	2	2	8	12	18	23	35
35-49	518	11.7	112	3	4	9	14	22	28	59
50-64	937	12.0	91	2	3	10	15	23	30	53
65+	1082	14.2	129	3	4	11	18	28	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49998	4.0	7	1	2	3	5	7	9	13
B. *Operated*	469	5.7	22	1	2	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	61729	6.2	24	2	2	5	8	11	15	24
B. *Operated*	3128	12.1	107	2	3	10	15	23	31	57
1. SINGLE DX	50467	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	64857	6.5	29	2	2	5	8	12	16	27
A. NOT OPERATED	111727	5.2	17	1	2	4	6	10	12	21
B. OPERATED	3597	11.3	100	2	3	9	14	22	30	55
TOTAL 0-19 YRS	46922	3.6	5	1	2	3	4	6	7	11
20-34	13235	4.6	10	1	2	4	6	8	10	15
35-49	14187	5.9	20	2	2	5	7	10	13	22
50-64	19892	7.0	26	2	3	6	9	12	16	27
65+	21088	8.2	41	2	3	7	10	15	19	33
GRAND TOTAL	**115324**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	[illegible]	10	1	2	4	5	9	13	15
20-34	74	4.4	11	1	1	3	6	8	11	15
35-49	470	6.1	24	1	2	5	7	12	14	21
50-64	2714	6.8	27	2	2	5	8	12	16	27
65+	4196	7.4	33	2	3	6	9	13	18	30
B. *Operated*										
0-19 YRS	24	6.3	64	1	1	3	8	14	30	31
20-34	19	4.8	24	<1	1	2	7	14	16	16
35-49	79	5.4	26	1	1	4	8	10	12	30
50-64	181	8.0	85	1	2	5	9	17	27	50
65+	225	9.4	75	2	2	7	12	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	7.6	63	2	2	5	10	15	22	35
20-34	279	7.1	35	1	2	6	9	14	17	34
35-49	2156	7.5	42	2	3	6	9	14	18	30
50-64	14986	8.7	49	2	3	7	11	16	21	37
65+	32947	9.5	57	2	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	49	8.9	81	1	1	7	12	19	27	45
20-34	84	11.1	74	2	3	9	13	22	28	47
35-49	371	11.9	136	2	3	9	14	27	37	88
50-64	2002	13.9	173	2	3	10	17	30	43	99
65+	3934	16.1	203	3	4	12	20	34	[illegible]	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7521	7.0	30	2	2	6	9	13	17	29
B. *Operated*	528	8.0	71	1	2	5	10	16	24	42
2. MULTIPLE DX										
A. *Not Operated*	50544	9.2	54	2	3	7	11	17	22	38
B. *Operated*	6440	15.0	189	3	4	11	19	32	47	99+
1. SINGLE DX	8049	7.1	33	2	2	6	9	13	17	30
2. MULTIPLE DX	56984	9.8	73	2	3	8	12	18	25	49
A. NOT OPERATED	58065	8.9	52	2	3	7	11	16	22	37
B. OPERATED	6968	14.5	184	2	3	10	18	31	45	99+
TOTAL 0-19 YRS	316	7.1	56	1	2	4	9	15	21	34
20-34	456	7.3	42	1	2	6	9	15	18	36
35-49	3076	7.8	53	2	2	6	9	15	20	38
50-64	19883	8.9	62	2	3	7	11	17	22	43
65+	41302	9.9	73	2	3	8	12	19	25	49
GRAND TOTAL	**65033**	**9.5**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**47**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	3.2	7	1	1	2	4	5	9	15
20-34	636	3.7	6	1	1	3	5	7	9	12
35-49	158	4.1	10	1	1	3	5	8	10	17
50-64	65	5.1	19	1	1	3	6	11	14	22
65+	51	6.3	22	1	2	5	8	12	18	21
B. *Operated*										
0-19 YRS	484	6.5	22	2	3	5	8	11	15	25
20-34	1932	6.1	15	2	3	5	7	11	14	20
35-49	608	6.7	21	2	3	5	8	12	16	26
50-64	279	7.4	38	2	3	5	9	15	19	32
65+	184	9.3	47	3	3	7	12	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.5	13	1	1	3	6	9	11	21
20-34	211	5.1	16	1	1	4	6	9	12	19
35-49	131	5.4	11	1	2	5	7	10	11	16
50-64	205	7.6	42	1	2	6	10	14	18	39
65+	308	9.8	59	2	3	7	13	20	27	37
B. *Operated*										
0-19 YRS	142	10.0	35	3	4	9	12	18	21	30
20-34	719	9.5	37	3	3	8	12	17	21	33
35-49	482	10.0	59	3	4	8	12	19	23	39
50-64	723	12.4	121	3	4	9	16	26	33	67
65+	1035	13.6	139	3	4	10	17	27	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1120	3.9	9	1	1	3	5	8	10	14
B. *Operated*	3487	6.5	21	2	3	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	924	7.2	40	1	2	5	9	15	19	34
B. *Operated*	3101	11.6	97	3	4	9	15	22	30	50
1. SINGLE DX	4607	5.9	19	1	2	5	7	11	14	23
2. MULTIPLE DX	4025	10.6	87	2	3	8	13	21	28	47
A. NOT OPERATED	2044	5.4	25	1	1	4	7	11	15	27
B. OPERATED	6588	8.9	63	2	3	6	11	18	23	42
TOTAL 0-19 YRS	905	6.1	24	1	2	5	8	12	16	25
20-34	3498	6.3	22	2	2	5	8	12	15	24
35-49	1379	7.5	36	2	3	6	9	14	19	29
50-64	1272	10.1	92	2	3	7	12	21	28	52
65+	1578	12.1	113	3	4	9	15	25	34	51
GRAND TOTAL	**8632**	**8.1**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

186: Miscellaneous lung and pleural diseases (500-511: 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1800	3.3	8	1	1	3	4	6	8	15
20-34	768	3.6	9	1	1	3	4	7	9	15
35-49	771	4.0	10	1	1	3	5	8	10	15
50-64	796	4.8	15	1	1	4	7	10	12	20
65+	1131	6.2	30	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	290	4.8	27	1	1	3	6	11	16	25
20-34	423	6.9	55	1	1	5	9	14	20	36
35-49	661	6.9	40	1	1	5	9	14	20	30
50-64	1071	7.5	48	1	1	6	10	15	21	31
65+	949	7.5	54	1	1	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3044	5.0	28	1	1	4	6	10	13	24
20-34	1561	5.4	22	1	1	4	7	11	14	24
35-49	2571	6.2	30	1	2	5	8	12	16	28
50-64	6637	7.6	42	2	2	6	9	14	19	32
65+	16926	9.5	58	2	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	656	10.9	185	1	1	6	14	28	41	91
20-34	902	11.4	136	1	2	8	15	24	36	67
35-49	1702	12.4	157	2	2	9	16	27	39	68
50-64	4169	11.9	127	2	2	9	15	25	33	62
65+	6574	14.1	162	2	3	11	18	30	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5266	4.3	15	1	1	3	5	8	11	19
B. *Operated*	3394	7.1	48	1	1	5	9	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	30739	8.2	50	2	2	6	10	16	21	36
B. *Operated*	14003	12.9	152	2	2	10	17	28	38	70
1. SINGLE DX	8660	5.4	30	1	1	4	7	11	15	27
2. MULTIPLE DX	44742	9.7	87	2	2	7	12	20	27	50
A. NOT OPERATED	36005	7.6	47	1	2	6	10	15	20	34
B. OPERATED	17397	11.8	137	1	2	9	15	25	35	65
TOTAL 0-19 YRS	5790	5.2	44	1	1	3	6	10	15	35
20-34	3654	6.7	59	1	1	4	8	14	20	42
35-49	5705	7.8	76	1	2	5	10	16	23	46
50-64	12673	8.8	74	1	2	7	11	18	24	46
65+	25580	10.5	88	2	3	8	13	21	28	50
GRAND TOTAL	**53402**	**9.0**	**80**	**1**	**2**	**6**	**11**	**18**	**25**	**47**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.2	6	<1	1	3	4	6	7	12
20-34	167	3.3	13	<1	<1	2	4	6	9	16
35-49	74	4.3	23	<1	<1	3	5	8	11	30
50-64	54	3.4	16	<1	<1	3	4	6	10	25
65+	33	4.2	7	1	1	4	5	8	11	12
B. *Operated*										
0-19 YRS	7271	1.9	2	<1	<1	2	2	4	4	6
20-34	6508	2.3	2	<1	<1	2	3	4	5	7
35-49	2335	2.6	4	<1	1	2	3	4	5	7
50-64	1338	2.5	3	<1	1	2	3	4	5	9
65+	571	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	539	2.9	5	<1	<1	2	4	6	7	10
20-34	451	3.1	9	<1	<1	2	4	6	7	15
35-49	279	4.1	27	<1	1	3	5	8	11	26
50-64	274	4.9	31	<1	1	3	6	10	13	29
65+	258	5.9	48	1	1	4	7	12	17	33
B. *Operated*										
0-19 YRS	4575	2.4	3	<1	<1	2	3	4	5	8
20-34	4866	2.9	7	<1	1	2	4	5	6	12
35-49	3182	3.0	10	1	1	2	3	5	7	15
50-64	3148	3.3	19	1	1	2	3	5	9	23
65+	2371	3.7	17	1	2	2	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	3.5	12	<1	<1	3	4	6	9	17
B. *Operated*	18023	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1801	3.9	21	<1	1	3	5	7	10	23
B. *Operated*	18142	3.0	10	<1	1	2	3	5	7	15
1. SINGLE DX	18498	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	19943	3.1	11	<1	1	2	4	5	7	16
A. NOT OPERATED	2276	3.8	19	<1	<1	3	5	7	10	22
B. OPERATED	36165	2.6	6	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	12532	2.1	2	<1	<1	2	3	4	5	7
20-34	11992	2.6	5	<1	1	2	3	5	6	9
35-49	5870	2.9	9	<1	1	2	3	5	7	13
50-64	4814	3.2	16	1	1	2	3	5	8	19
65+	3233	3.7	17	1	1	2	4	7	10	21
GRAND TOTAL	**38441**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	3.6	4	1	1	3	5	6	8	10
20-34	136	4.2	7	1	1	4	5	7	9	15
35-49	129	3.8	5	1	1	3	5	6	8	12
50-64	115	4.2	7	1	1	4	5	8	9	15
65+	98	4.2	8	<1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	575	2.6	6	<1	<1	2	3	5	6	10
20-34	535	3.0	6	<1	1	2	4	5	7	11
35-49	562	3.3	7	<1	1	3	4	6	7	12
50-64	608	3.1	5	1	1	3	4	5	7	12
65+	506	3.2	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	747	3.9	5	1	2	3	5	7	8	12
20-34	204	5.1	16	1	2	4	6	9	12	22
35-49	217	5.5	13	1	2	5	7	10	13	17
50-64	287	5.7	12	2	2	5	7	9	13	18
65+	620	8.3	38	2	3	7	11	15	19	34
B. *Operated*										
0-19 YRS	360	3.5	7	1	1	3	4	7	10	14
20-34	466	4.3	13	1	1	3	5	9	11	19
35-49	561	4.5	24	1	2	3	5	9	13	23
50-64	760	4.6	21	1	2	3	5	9	12	27
65+	895	6.3	48	1	2	4	7	13	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	886	3.9	6	1	1	3	5	7	8	12
B. *Operated*	2786	3.0	6	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	2075	5.7	21	1	2	5	7	11	14	24
B. *Operated*	3042	4.9	28	1	2	3	5	10	14	28
1. SINGLE DX	3672	3.2	6	<1	1	3	4	6	7	12
2. MULTIPLE DX	5117	5.2	25	1	2	4	6	10	14	27
A. NOT OPERATED	2961	5.2	17	1	2	4	6	10	13	20
B. OPERATED	5828	4.0	18	1	1	3	4	8	11	23
TOTAL 0-19 YRS	2090	3.4	6	1	1	3	4	6	8	12
20-34	1341	3.9	11	1	1	3	5	7	10	16
35-49	1469	4.1	15	1	1	3	5	7	10	19
50-64	1770	4.2	14	1	1	3	5	8	10	21
65+	2119	6.0	37	1	2	4	7	13	17	32
GRAND TOTAL	**8789**	**4.4**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1058	3.4	8	1	1	3	4	7	9	13
20-34	691	3.4	7	<1	1	3	4	6	8	13
35-49	995	3.4	6	1	1	3	4	7	8	12
50-64	888	3.6	7	1	1	3	5	7	8	12
65+	611	3.8	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	378	4.9	29	<1	<1	3	7	10	15	28
20-34	339	5.2	19	1	1	4	8	10	12	20
35-49	452	5.1	14	<1	1	4	8	10	12	17
50-64	577	5.3	19	<1	1	4	8	10	13	23
65+	765	6.1	51	<1	1	4	8	12	16	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1424	4.5	21	1	1	3	5	8	11	21
20-34	1970	4.4	16	1	1	4	6	8	10	16
35-49	3569	4.8	14	1	2	4	6	9	11	18
50-64	4994	5.0	15	1	2	4	6	9	11	19
65+	6979	6.3	29	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	717	10.2	128	<1	1	7	13	24	31	66
20-34	885	8.1	74	1	2	6	9	15	25	49
35-49	1908	8.0	60	1	2	6	10	15	20	42
50-64	3253	8.4	67	1	2	6	10	16	23	43
65+	5524	9.8	95	2	2	7	12	20	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4243	3.5	7	1	1	3	4	7	8	13
B. *Operated*	2511	5.5	29	<1	1	4	8	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	18936	5.4	21	1	2	4	7	10	13	23
B. *Operated*	12287	9.1	83	1	2	7	11	18	26	50
1. SINGLE DX	6754	4.2	16	<1	1	3	5	8	11	19
2. MULTIPLE DX	31223	6.8	49	1	2	5	8	13	18	37
A. NOT OPERATED	23179	5.0	19	1	2	4	6	9	12	21
B. OPERATED	14798	8.4	76	1	2	6	10	17	24	47
TOTAL 0-19 YRS	3577	5.3	45	1	1	3	6	11	17	35
20-34	3885	5.1	30	1	1	4	6	10	13	29
35-49	6924	5.5	28	1	2	4	7	10	13	25
50-64	9712	6.0	35	1	2	4	8	11	16	29
65+	13879	7.6	59	1	2	6	9	15	21	41
GRAND TOTAL	**37977**	**6.4**	**44**	**1**	**2**	**5**	**8**	**12**	**17**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.9	5	1	2	3	5	7	8	13
20-34	344	4.0	6	1	2	3	5	7	8	13
35-49	463	4.6	8	1	2	4	6	9	10	14
50-64	455	4.6	9	1	2	4	6	9	10	14
65+	423	5.5	18	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	21	6.1	13	2	2	5	8	12	13	14
20-34	143	6.7	21	<1	2	6	9	12	15	23
35-49	367	7.5	19	1	2	7	10	13	16	20
50-64	428	7.3	33	<1	1	7	10	14	17	27
65+	335	7.6	33	<1	1	6	11	16	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.3	6	1	2	4	6	8	9	11
20-34	544	5.5	11	1	2	5	7	9	12	16
35-49	1170	6.1	20	2	2	5	7	11	14	20
50-64	1834	6.2	16	2	2	5	8	11	13	20
65+	3114	7.6	27	2	3	7	9	14	17	28
B. *Operated*										
0-19 YRS	33	6.5	18	1	2	5	9	11	15	20
20-34	372	8.5	38	2	3	7	11	16	20	31
35-49	1042	9.0	40	2	3	7	11	17	21	34
50-64	1863	9.2	45	2	3	8	11	17	21	36
65+	2892	10.6	70	2	3	9	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	4.7	11	1	2	4	6	9	11	16
B. *Operated*	1294	7.4	27	<1	2	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	6769	6.7	22	2	2	6	8	12	15	23
B. *Operated*	6202	9.8	56	2	3	8	12	18	23	38
1. SINGLE DX	3050	5.8	19	1	2	5	8	11	14	22
2. MULTIPLE DX	12971	8.2	40	2	3	7	10	15	20	33
A. NOT OPERATED	8525	6.3	20	2	2	5	8	11	14	23
B. OPERATED	7496	9.4	52	2	3	8	12	18	22	37
TOTAL 0-19 YRS	232	4.7	9	1	2	4	6	9	11	14
20-34	1403	6.0	21	1	2	5	8	11	15	23
35-49	3042	7.0	27	2	2	6	9	13	17	25
50-64	4580	7.4	31	2	2	6	9	14	17	27
65+	6764	8.8	48	2	3	7	11	16	21	36
GRAND TOTAL	**16021**	**7.7**	**37**	**2**	**2**	**6**	**10**	**15**	**19**	**31**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	4.4	8	1	2	3	6	7	8	16
20-34	163	4.5	5	1	2	4	6	7	9	13
35-49	264	5.0	7	2	2	5	6	8	10	15
50-64	391	5.2	6	2	3	5	6	8	10	14
65+	498	6.3	14	2	3	5	8	10	13	22
B. *Operated*										
0-19 YRS	17	6.8	5	3	4	6	9	10	10	10
20-34	121	7.7	13	3	3	7	10	13	15	17
35-49	245	8.7	33	3	3	8	10	14	19	38
50-64	339	9.1	37	3	3	8	11	15	18	37
65+	393	9.8	37	3	3	9	13	18	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.3	10	2	2	4	7	10	12	15
20-34	232	5.3	10	2	2	5	6	9	12	15
35-49	606	5.7	16	2	2	5	7	10	12	20
50-64	1435	6.7	21	2	3	6	8	11	15	22
65+	3387	8.8	41	3	4	7	11	16	20	33
B. *Operated*										
0-19 YRS	23	11.9	150	2	3	7	13	28	38	53
20-34	172	9.3	52	2	3	7	11	17	25	41
35-49	558	10.8	72	3	4	9	13	20	29	62
50-64	1486	11.4	93	3	4	9	14	21	29	58
65+	3669	14.0	124	4	5	11	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	5.5	10	2	2	5	7	9	11	17
B. *Operated*	1115	9.1	34	3	3	8	11	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	5714	7.8	34	2	3	6	9	14	18	30
B. *Operated*	5908	12.9	112	3	4	10	16	25	34	59
1. SINGLE DX	2466	7.1	24	2	3	6	9	13	16	26
2. MULTIPLE DX	11622	10.4	80	3	4	8	12	20	27	50
A. NOT OPERATED	7065	7.3	30	2	3	6	9	13	17	28
B. OPERATED	7023	12.3	101	3	4	9	15	23	32	56
TOTAL 0-19 YRS	129	6.4	40	2	2	5	7	11	15	35
20-34	688	6.5	24	2	2	5	8	12	15	26
35-49	1673	7.7	42	2	3	6	9	14	19	39
50-64	3651	8.7	56	2	3	7	10	16	21	41
65+	7947	11.1	85	3	4	8	14	21	29	51
GRAND TOTAL	**14088**	**9.8**	**71**	**3**	**3**	**7**	**12**	**19**	**25**	**47**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	479	3.5	8	1	1	3	4	6	8	11
20-34	1864	3.7	5	1	1	3	5	6	8	12
35-49	1826	4.1	7	1	2	4	5	7	9	14
50-64	1258	4.3	6	1	2	4	5	8	9	12
65+	768	5.0	10	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	23	6.7	19	1	2	6	9	12	15	20
20-34	237	8.5	25	2	3	8	10	15	17	27
35-49	380	8.8	24	2	3	8	11	15	19	27
50-64	274	9.5	37	3	4	9	11	16	22	31
65+	147	9.6	40	2	3	8	12	20	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	447	4.6	9	1	2	4	6	8	10	14
20-34	2479	4.8	14	1	2	4	6	9	11	16
35-49	3728	5.3	13	2	2	4	7	10	12	19
50-64	4558	5.9	18	2	2	5	7	10	13	21
65+	5818	7.2	29	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	52	8.2	28	2	3	7	10	16	17	29
20-34	478	10.1	64	2	3	8	12	18	23	43
35-49	1071	9.9	45	2	3	9	13	18	23	34
50-64	1370	10.5	66	2	4	9	13	19	24	41
65+	1535	11.9	87	3	4	10	15	23	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6195	4.1	7	1	2	4	5	7	9	13
B. *Operated*	1061	9.0	30	2	3	8	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	17030	6.0	21	2	2	5	7	11	14	23
B. *Operated*	4506	10.8	68	3	4	9	13	20	26	44
1. SINGLE DX	7256	4.8	13	1	2	4	6	9	11	19
2. MULTIPLE DX	21536	7.0	35	2	2	5	9	13	17	29
A. NOT OPERATED	23225	5.5	18	2	2	4	7	10	13	21
B. OPERATED	5567	10.4	62	2	3	9	13	19	24	42
TOTAL 0-19 YRS	1001	4.3	11	1	2	4	5	8	10	16
20-34	5058	5.1	19	1	2	4	6	9	12	20
35-49	7005	5.9	21	2	2	5	7	11	14	23
50-64	7460	6.6	30	2	2	5	8	12	16	27
65+	8268	7.9	43	2	3	6	10	15	20	33
GRAND TOTAL	**28792**	**6.5**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	4.2	6	1	2	4	5	7	8	15
20-34	883	4.3	6	1	2	4	5	7	9	11
35-49	980	4.7	7	2	2	4	6	8	9	13
50-64	1100	5.2	7	2	2	5	6	9	10	14
65+	944	6.1	13	2	3	5	8	10	12	18
B. *Operated*										
0-19 YRS	47	7.3	7	3	4	7	8	11	12	13
20-34	309	8.6	25	3	5	8	10	13	15	34
35-49	421	8.7	18	4	5	8	10	13	16	23
50-64	460	9.4	19	4	5	8	11	14	18	25
65+	439	11.6	52	4	5	11	14	18	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	6	1	2	4	6	8	9	14
20-34	784	4.9	8	2	2	4	6	8	10	15
35-49	1397	5.7	13	2	3	5	7	10	12	18
50-64	2669	6.6	16	2	3	6	8	11	13	22
65+	5579	8.6	43	3	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	36	9.0	20	2	4	8	11	13	19	22
20-34	265	11.4	80	4	5	9	13	19	28	48
35-49	645	12.3	80	4	5	10	14	22	28	47
50-64	1393	13.8	109	4	5	11	16	27	36	64
65+	2806	17.0	168	5	6	13	21	33	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4036	5.1	9	2	2	4	6	8	10	15
B. *Operated*	1676	9.6	30	4	5	8	11	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	10550	7.6	31	2	3	6	9	13	17	29
B. *Operated*	5145	15.2	140	4	6	12	18	29	40	69
1. SINGLE DX	5712	6.4	19	2	2	5	8	11	14	22
2. MULTIPLE DX	15695	10.0	80	3	3	7	12	19	27	50
A. NOT OPERATED	14586	6.6	26	2	3	6	8	12	15	26
B. OPERATED	6821	13.8	119	4	5	11	16	26	35	66
TOTAL 0-19 YRS	333	5.3	10	2	2	4	7	9	12	17
20-34	2241	5.9	24	2	2	5	7	10	13	25
35-49	3443	7.0	32	2	3	6	8	12	16	30
50-64	5622	8.3	48	2	3	7	10	15	20	40
65+	9768	10.9	93	3	4	8	13	21	29	55
GRAND TOTAL	**21407**	**9.0**	**66**	**2**	**3**	**7**	**11**	**17**	**24**	**46**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	4	<1	1	5	6	7	7	7
20-34	32	5.8	17	2	2	4	7	11	16	19
35-49	73	5.8	11	1	3	5	7	10	12	17
50-64	67	6.5	15	2	3	6	8	11	13	21
65+	75	7.4	24	2	3	7	9	11	16	32
B. *Operated*										
0-19 YRS	6	6.3	19	<1	<1	5	11	12	12	12
20-34	41	10.2	29	1	5	10	12	15	20	32
35-49	122	11.9	43	6	6	10	14	19	25	37
50-64	155	12.6	50	3	5	11	16	21	27	38
65+	138	13.1	65	4	5	12	16	21	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.6	11	1	2	5	7	11	12	12
20-34	51	6.3	28	1	2	5	9	13	15	30
35-49	133	6.8	20	2	2	6	9	13	16	22
50-64	190	7.4	23	2	3	6	9	14	16	28
65+	475	9.5	65	3	3	8	11	18	22	42
B. *Operated*										
0-19 YRS	6	18.0	433	4	4	12	17	55	59	59
20-34	63	13.7	74	4	6	11	17	27	34	92
35-49	252	17.0	120	6	7	14	21	28	40	60
50-64	463	18.8	191	5	7	15	23	36	49	76
65+	837	19.9	176	6	8	16	25	39	48	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	6.4	17	2	3	6	8	11	15	19
B. *Operated*	462	12.2	51	4	5	11	15	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	858	8.4	47	2	3	7	10	15	20	34
B. *Operated*	1621	18.9	171	5	7	15	23	37	47	73
1. SINGLE DX	716	10.2	47	3	3	9	13	18	22	36
2. MULTIPLE DX	2479	15.3	153	3	4	12	19	31	42	67
A. NOT OPERATED	1112	8.0	41	2	3	7	10	15	19	31
B. OPERATED	2083	17.4	152	5	7	14	21	34	44	69
TOTAL 0-19 YRS	28	8.2	115	<1	2	5	9	14	21	59
20-34	187	9.6	52	2	3	6	12	18	27	39
35-49	580	12.2	89	3	3	9	15	23	29	49
50-64	875	14.3	142	3	4	11	18	28	38	64
65+	1525	15.4	150	3	4	12	19	31	41	67
GRAND TOTAL	**3195**	**14.1**	**134**	**3**	**4**	**11**	**18**	**28**	**38**	**63**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2377	2.7	3	1	1	2	3	5	5	9
20-34	3731	3.1	4	1	1	3	4	5	7	10
35-49	2650	3.6	7	1	1	3	4	6	8	12
50-64	1635	3.7	6	1	1	3	5	7	8	12
65+	1105	4.3	12	1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	77	4.8	12	1	2	4	6	11	13	15
20-34	269	5.1	20	<1	1	4	7	9	12	29
35-49	318	5.5	15	<1	1	5	8	11	13	18
50-64	280	5.4	25	<1	<1	4	8	11	13	24
65+	232	5.9	25	<1	<1	5	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4164	3.3	5	1	1	3	4	6	7	12
20-34	7867	4.3	10	1	2	4	5	8	10	16
35-49	9197	5.1	13	1	2	4	6	9	11	18
50-64	9805	5.5	16	2	2	5	7	10	12	19
65+	12701	6.7	28	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	204	5.7	14	1	2	5	7	11	13	17
20-34	1182	7.6	35	2	3	6	9	14	18	32
35-49	2060	8.2	42	2	3	7	10	15	19	35
50-64	2581	9.2	54	2	3	7	11	17	22	37
65+	3737	10.3	69	2	3	8	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11498	3.3	6	1	1	3	4	6	7	11
B. *Operated*	1176	5.4	20	<1	<1	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	43734	5.3	18	1	2	4	7	10	12	21
B. *Operated*	9764	9.1	55	2	3	7	11	17	22	38
1. SINGLE DX	12674	3.5	7	1	1	3	4	7	8	13
2. MULTIPLE DX	53498	6.0	27	1	2	5	7	11	15	26
A. NOT OPERATED	55232	4.9	16	1	2	4	6	9	12	19
B. OPERATED	10940	8.7	53	2	3	7	11	16	21	37
TOTAL 0-19 YRS	6822	3.2	5	1	1	3	4	6	7	12
20-34	13049	4.3	12	1	1	3	5	8	10	17
35-49	14225	5.2	18	1	2	4	6	10	12	21
50-64	14301	6.0	24	1	2	5	7	11	14	24
65+	17775	7.3	38	2	2	6	9	14	18	31
GRAND TOTAL	**66172**	**5.5**	**24**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	533	3.2	4	1	1	3	4	6	7	11
20-34	672	3.3	6	1	1	3	4	6	7	14
35-49	622	3.8	7	1	1	3	5	7	9	13
50-64	417	4.0	9	1	1	3	5	7	9	16
65+	275	4.5	13	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	305	4.0	7	2	2	3	4	7	9	15
20-34	76	9.8	90	1	2	8	12	19	27	51
35-49	106	10.0	44	2	3	9	12	17	21	39
50-64	115	10.1	65	1	2	9	13	17	25	41
65+	106	13.2	134	1	2	11	18	25	32	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	808	3.8	11	1	1	3	5	7	9	17
20-34	1474	4.7	16	1	2	4	6	9	10	23
35-49	1678	4.9	12	1	2	4	6	9	12	18
50-64	1883	5.6	22	1	2	4	7	11	14	22
65+	2538	7.0	39	2	2	5	9	14	18	31
B. *Operated*										
0-19 YRS	152	6.7	30	2	2	5	8	14	18	30
20-34	288	11.3	157	2	3	8	13	23	30	95
35-49	540	13.0	101	3	4	10	17	26	32	61
50-64	750	14.9	167	3	4	12	18	29	42	63
65+	1155	17.4	181	3	5	14	22	36	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2519	3.6	7	1	1	3	5	7	8	14
B. *Operated*	708	7.9	62	1	2	5	10	17	21	41
2. MULTIPLE DX										
A. *Not Operated*	8381	5.6	24	1	2	4	7	10	14	24
B. *Operated*	2885	14.8	160	3	4	11	19	30	42	77
1. SINGLE DX	3227	4.6	22	1	1	3	5	9	12	24
2. MULTIPLE DX	11266	7.9	75	1	2	5	9	17	24	47
A. NOT OPERATED	10900	5.1	21	1	2	4	6	10	13	22
B. OPERATED	3593	13.4	148	2	3	10	17	28	38	66
TOTAL 0-19 YRS	1798	3.9	11	1	1	3	5	7	9	17
20-34	2510	5.2	36	1	1	4	6	10	14	30
35-49	2946	6.4	40	1	2	4	8	13	18	32
50-64	3165	7.7	73	1	2	5	9	16	23	45
65+	4074	9.9	103	2	2	7	12	21	30	55
GRAND TOTAL	**14493**	**7.2**	**65**	**1**	**2**	**5**	**8**	**15**	**22**	**44**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.3	2	<1	1	2	3	4	5	8
20-34	129	2.7	3	<1	1	2	4	5	6	9
35-49	40	3.5	8	<1	1	3	5	7	8	14
50-64	17	4.5	5	1	1	5	7	7	8	8
65+	14	5.6	12	1	2	5	7	10	13	14
B. *Operated*										
0-19 YRS	17769	3.5	2	2	2	3	4	5	6	9
20-34	12170	3.7	3	2	2	3	4	6	7	9
35-49	3569	4.2	4	2	2	4	5	7	8	11
50-64	1424	5.0	6	2	3	4	6	8	9	13
65+	449	6.1	10	3	3	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.7	3	<1	1	2	3	5	7	8
20-34	64	3.0	7	<1	<1	2	4	6	9	13
35-49	26	4.4	6	1	2	4	6	9	9	9
50-64	29	5.6	29	1	1	4	7	10	13	29
65+	20	8.4	47	<1	1	6	11	21	23	23
B. *Operated*										
0-19 YRS	3014	4.9	9	2	2	4	6	8	11	17
20-34	2849	5.2	11	2	3	4	6	9	11	17
35-49	1241	6.3	18	3	3	5	8	11	14	23
50-64	893	7.8	33	3	4	6	9	13	17	31
65+	590	9.7	57	3	4	8	12	16	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.8	4	<1	1	2	4	6	7	9
B. *Operated*	35381	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	257	3.7	13	<1	1	3	5	7	9	23
B. *Operated*	8587	5.8	19	2	3	5	7	10	13	22
1. SINGLE DX	35718	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX	8844	5.8	19	2	3	5	7	10	13	22
A. NOT OPERATED	594	3.2	8	<1	1	2	4	7	8	14
B. OPERATED	43968	4.2	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	21038	3.7	4	2	2	3	4	6	7	11
20-34	15212	4.0	5	2	2	4	5	6	7	11
35-49	4876	4.8	8	2	2	4	6	8	10	15
50-64	2363	6.0	18	2	3	5	7	10	13	23
65+	1073	8.1	40	3	3	6	10	14	18	32
GRAND TOTAL	**44562**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.8	14	3	3	8	10	12	14	20
20-34	52	5.8	12	1	2	5	8	11	13	14
35-49	30	6.9	12	2	3	6	9	11	14	17
50-64	37	8.1	23	2	3	7	10	16	18	23
65+	22	12.0	214	5	5	9	12	15	39	76
B. *Operated*										
0-19 YRS	3777	7.0	12	3	3	7	9	11	13	18
20-34	2077	6.8	11	3	3	6	8	11	13	18
35-49	1126	7.5	12	3	4	7	9	12	13	19
50-64	903	8.7	14	4	5	8	10	13	16	21
65+	450	9.9	22	5	5	9	12	16	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	8.5	22	1	3	7	12	16	17	20
20-34	25	7.3	22	2	2	7	10	13	16	21
35-49	27	8.8	28	2	3	7	11	18	20	21
50-64	31	10.4	45	1	2	10	14	21	23	23
65+	39	10.3	36	2	3	9	15	17	21	30
B. *Operated*										
0-19 YRS	1941	10.0	37	4	5	8	12	17	22	32
20-34	1267	9.5	33	4	4	8	11	16	20	33
35-49	1081	10.7	38	4	5	9	12	17	21	34
50-64	1321	12.7	57	5	6	11	15	21	27	41
65+	1304	15.7	115	6	7	13	19	26	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	7.7	38	2	3	7	9	13	15	21
B. *Operated*	8333	7.3	13	3	3	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	157	9.2	32	2	3	8	13	17	21	23
B. *Operated*	6914	11.6	60	4	5	10	14	20	25	42
1. SINGLE DX	8535	7.4	14	3	3	7	9	12	14	19
2. MULTIPLE DX	7071	11.6	60	4	5	10	14	20	25	42
A. NOT OPERATED	359	8.3	36	2	3	7	11	15	18	23
B. OPERATED	15247	9.3	39	3	4	8	11	16	20	34
TOTAL 0-19 YRS	5814	8.0	22	3	4	7	9	13	16	26
20-34	3421	7.8	21	3	3	7	9	13	15	25
35-49	2264	9.0	27	3	4	8	11	15	17	27
50-64	2292	11.0	43	4	5	9	13	18	23	36
65+	1815	14.1	98	5	6	11	17	24	32	61
GRAND TOTAL	**15606**	**9.3**	**39**	**3**	**4**	**8**	**11**	**16**	**20**	**34**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	2.2	3	<1	1	2	2	4	6	10
20-34	199	2.4	3	1	1	2	3	4	6	9
35-49	60	3.1	6	1	1	2	4	6	8	13
50-64	24	3.3	6	<1	1	3	4	7	8	9
65+	10	4.4	15	1	1	3	6	11	13	13
B. *Operated*										
0-19 YRS	1585	4.0	4	2	2	4	5	6	8	12
20-34	1084	4.3	4	2	2	4	5	7	8	12
35-49	288	4.9	7	2	2	4	6	9	10	15
50-64	102	6.0	11	2	3	5	7	10	12	19
65+	39	6.7	15	2	3	6	9	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	2.8	4	1	1	2	4	5	7	8
20-34	157	2.9	5	<1	1	2	4	5	6	12
35-49	53	4.5	9	<1	1	4	7	8	10	12
50-64	48	4.8	20	2	2	4	6	8	17	23
65+	35	5.1	16	1	1	4	6	10	16	17
B. *Operated*										
0-19 YRS	880	5.2	10	2	3	4	6	8	10	17
20-34	808	5.7	10	2	3	5	7	10	11	18
35-49	256	7.0	14	3	3	6	9	12	14	19
50-64	132	9.1	40	3	4	7	11	17	21	34
65+	123	11.2	56	3	4	9	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	2.4	4	1	1	2	3	4	6	11
B. *Operated*	3098	4.3	5	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	450	3.4	8	1	1	3	4	7	8	17
B. *Operated*	2199	6.2	17	2	3	5	7	11	14	22
1. SINGLE DX	3689	4.0	6	1	2	4	5	7	8	12
2. MULTIPLE DX	2649	5.7	17	2	2	5	7	10	13	21
A. NOT OPERATED	1041	2.9	6	1	1	2	4	6	7	12
B. OPERATED	5297	5.1	11	2	2	4	6	8	11	18
TOTAL 0-19 YRS	2920	4.1	7	1	2	4	5	7	8	13
20-34	2248	4.6	7	1	2	4	5	8	10	15
35-49	657	5.5	12	2	2	5	7	10	12	17
50-64	306	7.0	29	2	2	6	8	13	18	26
65+	207	9.0	47	2	3	7	12	18	21	36
GRAND TOTAL	**6338**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	1.4	1	<1	<1	1	1	2	3	6
20-34	74	2.1	3	<1	<1	1	3	4	6	7
35-49	60	2.2	3	<1	<1	2	3	4	5	10
50-64	57	2.8	5	<1	<1	2	3	6	8	12
65+	58	3.7	13	<1	1	2	5	8	13	17
B. *Operated*										
0-19 YRS	12334	1.9	1	<1	<1	2	2	3	4	5
20-34	12445	3.1	2	1	1	3	4	5	5	7
35-49	11732	3.5	3	1	2	3	4	5	6	8
50-64	16160	3.7	3	1	2	3	5	6	7	9
65+	12021	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	578	1.6	3	<1	<1	1	1	3	4	10
20-34	146	2.1	4	<1	<1	1	3	5	6	12
35-49	138	2.9	9	<1	<1	2	4	7	9	16
50-64	298	3.3	15	<1	<1	2	4	7	9	21
65+	525	4.5	23	<1	1	3	6	9	13	24
B. *Operated*										
0-19 YRS	7164	2.1	5	<1	<1	2	2	4	5	9
20-34	4330	3.7	4	1	2	3	4	6	7	11
35-49	6570	4.2	6	2	2	4	5	7	8	14
50-64	13698	4.9	11	2	2	4	6	8	10	17
65+	17539	6.1	20	2	3	5	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	2.2	5	<1	<1	1	3	4	6	12
B. *Operated*	64692	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1685	2.9	13	<1	<1	1	3	7	9	18
B. *Operated*	49301	4.7	14	1	2	4	6	8	11	19
1. SINGLE DX	65056	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX	50986	4.6	14	1	1	4	6	8	11	19
A. NOT OPERATED	2049	2.8	12	<1	<1	1	3	6	9	17
B. OPERATED	113993	3.9	8	1	1	3	5	7	8	15
TOTAL 0-19 YRS	20191	1.9	2	<1	<1	2	2	3	4	7
20-34	16995	3.2	2	1	1	3	4	5	6	8
35-49	18500	3.7	4	1	2	3	4	6	7	11
50-64	30213	4.2	7	1	2	4	5	7	8	14
65+	30143	5.3	14	2	2	4	6	9	12	21
GRAND TOTAL	**116042**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.2		<1	<1	1	1	2	2	4
20-34	15	1.9	4	<1	<1	1	2	3	8	9
35-49	8	1.9	2	<1	<1	1	3	4	4	4
50-64	14	2.6	3	1	1	2	3	5	7	7
65+	36	1.9	2	<1	1	1	2	3	6	7
B. *Operated*										
0-19 YRS	1107	2.0	2	<1	1	2	2	3	4	7
20-34	486	3.5	3	1	2	3	4	6	7	8
35-49	364	3.9	3	1	2	4	5	6	7	10
50-64	567	4.4	4	2	2	4	5	7	8	11
65+	982	5.7	10	2	3	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.7	139	<1	<1	1	2	4	6	74
20-34	8	1.6	2	<1	<1	1	2	4	5	5
35-49	12	3.7	35	1	1	2	3	10	20	22
50-64	39	2.6	4	<1	<1	2	3	5	8	9
65+	153	5.3	22	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	752	2.8	20	<1	1	2	3	5	8	16
20-34	212	4.6	11	2	2	4	6	7	9	22
35-49	258	5.6	21	2	2	5	7	10	13	21
50-64	767	6.6	23	2	3	5	8	12	15	26
65+	2456	9.8	63	3	4	8	12	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	3506	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	250	4.5	37	<1	1	3	5	10	13	22
B. *Operated*	4445	7.6	51	1	2	6	9	15	20	38
1. SINGLE DX	3636	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	4695	7.4	51	1	2	6	9	14	20	37
A. NOT OPERATED	380	3.5	27	<1	<1	2	4	8	11	21
B. OPERATED	7951	5.9	35	1	1	4	7	12	16	31
TOTAL 0-19 YRS	1954	2.3	11	<1	1	2	3	4	5	12
20-34	721	3.8	5	1	2	3	4	6	7	11
35-49	642	4.6	12	1	2	4	5	8	10	16
50-64	1387	5.6	16	2	2	5	7	10	12	22
65+	3627	8.4	50	2	3	6	10	15	21	38
GRAND TOTAL	**8331**	**5.8**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.8	3	<1	<1	1	2	3	6	7
20-34	7	2.6	3	<1	<1	2	4	5	5	5
35-49	9	1.8	2	<1	<1	1	2	4	5	5
50-64	9	2.1	1	1	1	2	3	4	4	4
65+	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	1874	1.9	2	<1	<1	2	2	3	4	5
20-34	741	2.9	2	1	1	3	4	5	5	8
35-49	978	3.1	3	1	1	3	4	5	6	9
50-64	673	3.6	4	1	2	3	4	6	7	12
65+	281	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	1.7	2	<1	<1	1	2	3	5	8
20-34	23	2.0	2	<1	<1	1	2	4	5	6
35-49	30	3.3	9	<1	<1	2	4	8	9	12
50-64	60	4.1	12	<1	1	3	5	9	10	18
65+	57	6.2	35	<1	1	5	9	14	17	95
B. *Operated*										
0-19 YRS	466	3.0	28	<1	<1	2	3	5	6	20
20-34	387	4.1	6	1	2	4	5	7	8	15
35-49	796	4.8	20	1	2	4	6	8	11	20
50-64	962	5.7	29	2	2	5	7	10	13	24
65+	684	7.3	44	2	3	5	9	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.1	3	<1	<1	1	2	5	6	8
B. *Operated*	4547	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	268	3.4	15	<1	<1	2	5	8	10	19
B. *Operated*	3295	5.2	29	1	2	4	6	9	13	25
1. SINGLE DX	4599	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	3563	5.1	28	1	1	4	6	9	13	25
A. NOT OPERATED	320	3.2	13	<1	<1	2	4	8	10	18
B. OPERATED	7842	3.8	15	1	1	3	4	7	9	17
TOTAL 0-19 YRS	2460	2.1	7	<1	<1	2	2	3	4	8
20-34	1158	3.3	4	1	1	3	4	5	6	10
35-49	1813	3.9	11	1	1	3	5	7	8	13
50-64	1704	4.8	19	1	2	4	6	8	10	18
65+	1027	6.4	35	2	2	5	8	12	16	31
GRAND TOTAL	**8162**	**3.8**	**15**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	19	2.6	4	1	1	2	4	5	6	7
35-49	33	4.1	16	1	1	3	5	7	9	23
50-64	31	3.1	4	<1	1	2	5	6	7	8
65+	34	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	399	2.5	5	<1	<1	2	3	4	6	9
20-34	1283	3.8	5	1	2	3	5	6	8	11
35-49	2007	4.8	6	2	2	4	6	8	9	13
50-64	2329	5.5	8	2	2	5	7	9	10	15
65+	1608	6.2	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	11	<1	<1	1	4	8	11	12
20-34	53	3.1	16	<1	<1	1	4	7	9	23
35-49	120	3.4	13	<1	1	2	4	8	11	17
50-64	210	4.4	14	<1	1	3	6	9	11	18
65+	361	5.4	20	1	1	4	7	10	14	23
B. *Operated*										
0-19 YRS	169	4.3	17	<1	1	3	6	9	13	29
20-34	872	5.4	13	2	2	5	7	9	11	19
35-49	2171	7.0	24	2	3	6	8	12	15	25
50-64	3289	7.8	31	3	3	7	9	13	17	29
65+	3343	9.4	49	3	4	8	11	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.3	7	<1	1	3	4	6	7	14
B. *Operated*	7626	5.0	8	2	2	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	756	4.6	18	<1	1	3	6	9	12	21
B. *Operated*	9844	7.9	36	2	3	7	9	14	18	31
1. SINGLE DX	7750	5.0	8	1	2	5	6	8	10	15
2. MULTIPLE DX	10600	7.7	35	2	3	6	9	13	18	30
A. NOT OPERATED	880	4.4	16	<1	1	3	6	9	12	21
B. OPERATED	17470	6.6	26	2	2	6	8	11	15	27
TOTAL 0-19 YRS	587	3.0	9	<1	<1	2	3	6	8	16
20-34	2227	4.4	9	1	2	4	5	8	9	15
35-49	4331	5.8	17	2	2	5	7	10	12	21
50-64	5859	6.8	23	2	3	6	8	11	15	25
65+	5346	8.1	38	2	3	7	10	14	19	32
GRAND TOTAL	**18350**	**6.5**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	5	1	1	3	4	7	8	8
20-34	146	3.6	6	1	1	3	4	6	9	11
35-49	450	3.5	4	1	1	3	5	6	7	10
50-64	575	3.9	5	1	1	4	5	7	8	11
65+	448	4.3	7	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS	30	6.4	34	<1	1	6	8	11	15	31
20-34	43	7.1	18	2	3	7	9	11	13	24
35-49	130	7.2	15	2	2	7	9	11	14	20
50-64	168	7.6	17	2	2	7	10	12	14	23
65+	111	10.3	42	2	3	9	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.0	30	1	1	3	6	9	17	30
20-34	794	4.5	10	1	2	4	6	8	10	16
35-49	2529	4.6	8	1	2	4	6	8	10	15
50-64	4640	4.8	9	2	2	4	6	8	10	16
65+	7243	6.0	22	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	66	11.1	84	3	4	8	14	23	27	52
20-34	379	8.5	27	2	3	8	10	14	19	30
35-49	1136	8.8	40	2	3	8	10	15	20	31
50-64	1823	9.0	37	2	3	8	11	16	20	32
65+	1951	10.6	66	2	3	9	13	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1631	3.9	5	1	1	3	5	7	8	11
B. *Operated*	482	8.0	25	2	2	8	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	15286	5.3	16	2	2	4	7	9	12	20
B. *Operated*	5355	9.5	49	2	3	8	11	17	22	35
1. SINGLE DX	2113	4.8	13	1	2	4	6	9	11	18
2. MULTIPLE DX	20641	6.4	28	2	2	5	8	12	15	27
A. NOT OPERATED	16917	5.2	15	2	2	4	6	9	12	19
B. OPERATED	5837	9.4	47	2	3	8	11	17	22	34
TOTAL 0-19 YRS	188	7.3	56	1	2	5	9	15	23	36
20-34	1362	5.6	19	1	2	4	7	10	13	24
35-49	4245	5.7	20	1	2	5	7	10	13	22
50-64	7206	5.9	19	2	2	5	7	11	14	23
65+	9753	6.9	34	2	2	5	8	13	17	30
GRAND TOTAL	**22754**	**6.3**	**27**	**2**	**2**	**5**	**8**	**11**	**15**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	5	<1	<1	3	5	6	6	6
20-34	8	3.0	3	<1	<1	3	4	5	6	6
35-49	16	4.4	8	1	2	3	6	9	10	10
50-64	12	4.8	16	1	1	4	5	10	15	16
65+	8	4.9	24	<1	<1	3	7	13	15	15
B. *Operated*										
0-19 YRS	70	2.6	3	<1	1	2	3	4	5	10
20-34	269	3.6	4	1	2	3	4	5	6	10
35-49	355	3.7	7	1	2	3	4	6	7	16
50-64	401	4.1	5	2	2	4	5	7	8	13
65+	378	4.6	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	1	3	4	4	4
20-34	17	4.1	21	<1	1	2	5	10	15	18
35-49	29	5.6	34	<1	1	3	7	13	15	29
50-64	42	4.2	7	1	1	3	6	9	10	10
65+	91	6.5	39	1	2	5	7	14	15	37
B. *Operated*										
0-19 YRS	31	3.4	4	<1	1	3	4	6	7	10
20-34	145	5.0	20	2	2	4	5	9	11	17
35-49	253	5.7	15	2	2	5	7	10	13	20
50-54	375	6.3	21	2	3	5	7	11	15	28
65+	632	8.0	40	2	3	6	10	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.2	11	<1	1	3	5	8	10	16
B. *Operated*	1473	4.0	6	1	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	188	5.4	29	1	1	4	7	10	14	30
B. *Operated*	1436	6.7	29	2	3	5	8	13	17	29
1. SINGLE DX	1523	4.0	6	1	2	4	5	6	8	14
2. MULTIPLE DX	1624	6.6	29	2	2	5	8	13	17	29
A. NOT OPERATED	238	5.2	25	1	1	4	6	10	14	29
B. OPERATED	2909	5.3	19	2	2	4	6	10	13	23
TOTAL 0-19 YRS	116	2.8	3	<1	1	2	4	5	6	10
20-34	439	4.1	10	1	2	3	5	6	9	15
35-49	653	4.6	12	1	2	4	5	9	11	19
50-64	830	5.1	13	2	2	4	6	9	12	20
65+	1109	6.7	30	2	3	5	8	13	18	29
GRAND TOTAL	**3147**	**5.3**	**20**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	12	3.3	3	1	1	3	4	6	7	7
35-49	20	3.0	5	<1	<1	2	4	5	8	10
50-64	39	4.1	5	1	2	4	5	7	9	10
65+	70	5.4	80	<1	1	3	5	8	13	60
B. *Operated*										
0-19 YRS	188	2.8	7	<1	1	2	3	5	7	15
20-34	432	3.7	6	1	1	3	4	6	8	11
35-49	778	4.4	8	1	2	4	5	8	9	15
50-64	882	5.4	15	2	2	4	7	9	12	19
65+	924	7.4	34	2	3	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	3	5	7	7
20-34	13	4.2	17	1	1	3	4	12	14	14
35-49	58	4.5	10	1	1	4	6	8	11	18
50-64	134	4.8	14	1	2	4	6	9	11	21
65+	455	6.9	32	2	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	91	5.5	32	1	1	3	7	11	15	32
20-34	252	6.8	31	1	2	5	9	13	16	24
35-49	779	7.5	35	2	2	6	9	14	18	31
50-64	1506	9.3	51	3	3	8	11	17	22	40
65+	2957	12.3	91	3	4	10	15	22	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.4	41	<1	1	3	5	7	10	42
B. *Operated*	3204	5.4	19	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	672	6.2	27	1	2	5	8	12	16	28
B. *Operated*	5585	10.5	73	2	3	8	13	19	26	50
1. SINGLE DX	3352	5.3	20	1	2	4	7	10	13	22
2. MULTIPLE DX	6257	10.0	70	2	3	8	12	19	25	48
A. NOT OPERATED	820	5.8	30	1	2	4	7	11	16	29
B. OPERATED	8789	8.6	59	2	2	7	11	17	22	41
TOTAL 0-19 YRS	298	3.6	16	<1	1	2	4	8	11	22
20-34	709	4.8	17	1	2	4	6	9	12	21
35-49	1635	5.8	23	1	2	5	7	11	14	25
50-64	2561	7.7	40	2	3	6	9	14	18	33
65+	4406	10.6	79	2	3	8	13	20	27	52
GRAND TOTAL	**9609**	**8.4**	**58**	**2**	**2**	**6**	**10**	**16**	**22**	**41**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	590	2.7	4	1	1	2	4	5	7	9
20-34	786	4.2	10	1	1	4	5	8	9	17
35-49	1287	4.7	11	1	1	4	6	9	11	17
50-64	1538	4.8	8	1	2	4	6	8	10	15
65+	1962	5.6	17	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	601	6.8	16	3	3	6	8	11	13	22
20-34	580	9.0	19	4	5	8	11	14	18	25
35-49	808	10.4	34	5	6	9	12	17	21	35
50-64	896	11.1	30	5	6	10	13	18	22	31
65+	999	12.9	56	5	7	11	15	20	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	474	4.0	17	1	1	3	5	8	10	22
20-34	1117	5.3	16	1	2	4	7	10	13	22
35-49	1878	6.1	19	2	2	5	8	11	14	21
50-64	3599	6.6	26	2	2	5	8	12	15	26
65+	9215	8.4	46	2	3	7	10	16	20	36
B. *Operated*										
0-19 YRS	660	10.0	82	4	4	8	11	17	27	60
20-34	1046	13.0	86	4	5	10	16	23	31	53
35-49	1608	14.5	105	5	6	12	17	26	33	70
50-64	2892	16.8	145	6	7	13	20	31	41	77
65+	6396	19.0	156	7	8	16	23	35	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6163	4.7	12	1	1	4	6	9	11	17
B. *Operated*	3884	10.5	38	4	5	9	13	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	16283	7.4	37	2	2	6	9	14	18	31
B. *Operated*	12602	16.9	144	5	7	14	21	31	42	75
1. SINGLE DX	10047	7.0	30	1	2	6	9	13	17	26
2. MULTIPLE DX	28885	11.6	106	2	3	9	15	23	31	57
A. NOT OPERATED	22446	6.7	32	1	2	5	8	12	16	28
B. OPERATED	16486	15.4	127	5	6	12	19	28	38	68
TOTAL 0-19 YRS	2325	6.1	40	1	1	5	8	11	14	31
20-34	3529	8.0	49	1	2	6	10	16	21	34
35-49	5581	8.8	60	2	2	7	11	17	22	40
50-64	8925	10.0	87	2	3	8	12	20	27	50
65+	18572	12.0	109	2	3	9	15	24	32	59
GRAND TOTAL	**38932**	**10.4**	**91**	**2**	**3**	**8**	**13**	**21**	**28**	**52**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18346	2.6	3	1	1	2	4	5	6	9
20-34	7864	2.8	4	1	1	2	4	5	6	9
35-49	3650	3.2	5	1	1	3	4	6	7	11
50-64	2465	3.6	6	1	1	3	5	7	8	13
65+	2376	4.2	11	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	456	4.8	49	1	1	3	5	8	11	39
20-34	640	4.7	8	1	2	4	6	8	10	16
35-49	353	5.4	18	1	1	4	7	10	12	23
50-64	225	6.4	44	1	1	5	8	12	15	31
65+	169	7.3	45	1	1	6	10	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29769	3.6	7	1	2	3	4	6	7	13
20-34	10196	3.7	8	1	1	3	4	7	8	14
35-49	7174	4.5	12	1	2	4	6	8	10	17
50-64	9127	5.2	15	1	2	4	7	9	12	19
65+	18743	6.5	31	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	763	8.5	123	2	2	5	9	17	31	66
20-34	1056	7.1	41	1	2	5	9	13	17	32
35-49	998	8.9	54	2	3	7	11	16	20	43
50-64	1302	10.0	90	2	3	8	12	19	26	54
65+	2377	12.6	112	3	4	10	16	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34701	3.0	4	1	1	3	4	5	7	10
B. *Operated*	1843	5.3	29	1	1	4	6	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	75009	4.6	16	1	2	4	6	8	11	20
B. *Operated*	6496	10.1	92	2	3	7	12	20	28	52
1. SINGLE DX	36544	3.1	6	1	1	3	4	6	7	11
2. MULTIPLE DX	81505	5.1	24	1	2	4	6	9	13	25
A. NOT OPERATED	109710	4.1	13	1	1	3	5	8	10	18
B. OPERATED	8339	9.1	82	2	2	7	11	18	25	49
TOTAL 0-19 YRS	49334	3.4	8	1	1	3	4	6	7	12
20-34	19756	3.5	9	1	1	3	4	7	8	14
35-49	12175	4.5	15	1	1	4	6	8	11	19
50-64	13119	5.4	24	1	2	4	7	10	13	24
65+	23665	6.9	41	2	2	5	8	13	18	34
GRAND TOTAL	**118049**	**4.5**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	7	<1	1	5	6	8	9	9
20-34	242	4.7	7	1	2	4	6	8	10	13
35-49	1499	5.1	8	1	2	5	6	9	11	14
50-64	3095	5.1	9	1	2	5	7	9	10	14
65+	3806	5.1	12	1	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	7	7.0	4	4	4	7	9	9	9	9
20-34	115	8.2	18	2	4	7	10	13	16	25
35-49	478	9.9	23	4	5	9	11	15	19	27
50-64	883	11.0	33	3	5	10	13	17	21	29
65+	732	12.4	52	2	4	12	16	21	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.2	190	2	2	6	9	14	40	67
20-34	224	5.4	10	2	2	5	7	10	11	16
35-49	1907	5.7	12	2	2	5	7	10	12	18
50-64	7148	5.9	15	2	2	5	7	10	13	19
65+	21900	7.1	30	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	16	12.1	64	2	3	10	17	22	29	32
20-34	209	11.9	79	4	5	10	13	21	25	52
35-49	1314	12.2	50	4	5	11	15	21	26	42
50-64	3924	13.4	81	3	5	11	16	24	30	54
65+	7531	15.6	134	3	5	13	19	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8656	5.1	10	1	2	5	7	9	11	15
B. *Operated*	2215	11.1	37	3	5	10	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	31200	6.7	26	2	2	6	8	12	15	25
B. *Operated*	12994	14.6	110	3	5	12	18	26	34	61
1. SINGLE DX	10871	6.3	21	1	2	5	8	12	14	23
2. MULTIPLE DX	44194	9.0	63	2	3	7	11	17	23	42
A. NOT OPERATED	39856	6.4	23	2	2	5	8	11	14	23
B. OPERATED	15209	14.0	101	3	5	12	17	25	33	58
TOTAL 0-19 YRS	58	8.6	94	1	2	6	9	18	21	64
20-34	790	7.3	37	2	2	6	9	13	16	32
35-49	5198	7.6	30	2	3	6	10	14	18	29
50-64	15050	8.0	44	2	2	6	10	15	20	33
65+	33969	8.9	65	2	3	7	11	17	23	43
GRAND TOTAL	**55065**	**8.5**	**56**	**2**	**2**	**7**	**10**	**16**	**22**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.7	4	<1	1	2	4	5	6	13
20-34	203	2.9	3	<1	1	3	4	5	6	10
35-49	171	3.4	7	<1	1	3	4	7	9	15
50-64	95	3.2	7	<1	1	2	4	6	9	13
65+	65	4.4	10	1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	582	3.0	6	<1	1	2	4	5	7	14
20-34	3754	3.2	4	1	1	3	4	5	7	10
35-49	3425	3.3	4	1	1	3	4	5	7	11
50-64	1952	3.6	6	1	1	3	4	6	8	12
65+	698	4.3	10	1	2	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	4.0	13	1	1	3	5	7	11	17
20-34	249	3.9	11	<1	1	3	5	7	10	17
35-49	294	4.3	15	1	1	3	5	8	10	20
50-64	327	4.9	22	1	1	4	6	9	13	21
65+	370	8.1	86	1	2	5	10	17	23	62
B. *Operated*										
0-19 YRS	357	4.1	14	1	1	3	5	8	9	19
20-34	3277	4.3	11	1	2	4	5	7	9	17
35-49	4072	4.5	17	1	2	4	5	8	10	19
50-64	3415	5.4	26	2	2	4	6	9	14	28
65+	1905	7.5	65	2	2	5	8	15	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	10411	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1392	5.3	37	1	1	4	6	11	15	30
B. *Operated*	13026	5.1	26	1	2	4	6	9	13	27
1. SINGLE DX	11049	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	14418	5.2	27	1	2	4	6	9	13	27
A. NOT OPERATED	2030	4.7	28	1	1	3	6	9	12	24
B. OPERATED	23437	4.4	17	1	2	3	5	7	10	21
TOTAL 0-19 YRS	1195	3.4	10	1	1	3	4	6	8	16
20-34	7483	3.7	8	1	1	3	4	6	8	14
35-49	7962	4.0	11	1	1	3	5	7	8	16
50-64	5789	4.8	19	1	2	4	5	8	11	23
65+	3038	6.8	56	1	2	5	7	14	19	44
GRAND TOTAL	**25467**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2973	3.5	12	1	1	3	4	6	9	17
20-34	4224	4.7	13	1	1	4	6	9	11	19
35-49	3077	4.7	13	1	1	4	6	9	11	19
50-64	2028	4.6	15	1	1	4	6	9	11	19
65+	2238	4.6	17	1	1	3	6	9	12	21
B. *Operated*										
0-19 YRS	1006	6.2	43	1	1	4	8	14	18	36
20-34	2235	7.6	48	1	2	6	10	15	20	33
35-49	1787	7.6	47	1	1	6	10	16	20	34
50-64	1453	7.7	53	1	1	6	10	16	21	34
65+	1403	8.6	63	1	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2990	4.2	16	1	1	3	5	8	11	22
20-34	6428	5.5	22	1	2	4	7	10	13	25
35-49	6889	5.7	24	1	2	5	7	11	14	24
50-64	7899	5.9	23	1	2	5	7	11	14	24
65+	17179	7.0	42	1	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	1326	10.0	108	1	2	7	12	22	32	50
20-34	4799	10.8	108	2	3	8	13	22	32	56
35-49	4941	11.3	120	2	3	8	14	23	34	61
50-64	5930	12.3	136	2	3	9	15	26	36	66
65+	9197	14.7	169	2	3	11	19	31	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14540	4.4	14	1	1	3	6	8	11	19
B. *Operated*	7884	7.6	51	1	1	6	10	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	41385	6.1	31	1	2	5	8	12	15	28
B. *Operated*	26193	12.5	141	2	3	9	16	27	37	66
1. SINGLE DX	22424	5.5	29	1	1	4	7	11	15	28
2. MULTIPLE DX	67578	8.6	83	1	2	6	10	18	25	50
A. NOT OPERATED	55925	5.7	27	1	2	4	7	11	14	26
B. OPERATED	34077	11.4	124	2	2	8	14	24	34	61
TOTAL 0-19 YRS	8295	5.1	38	1	1	3	6	10	15	34
20-34	17686	7.0	52	1	2	5	8	14	20	39
35-49	16694	7.4	60	1	2	5	9	15	21	41
50-64	17310	8.1	73	1	2	5	10	16	24	46
65+	30017	9.2	93	1	2	6	11	19	27	53
GRAND TOTAL	**90002**	**7.9**	**71**	**1**	**2**	**5**	**9**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	89	8.2	83	2	2	5	9	18	21	55
35-49	184	7.7	59	1	2	5	9	15	25	39
50-64	238	8.7	58	2	2	7	11	18	21	42
65+	95	8.3	27	2	3	7	11	16	17	28
B. *Operated*										
0-19 YRS										
20-34	21	7.9	118	1	1	3	7	27	34	41
35-49	80	6.0	41	1	1	3	9	15	19	30
50-64	99	7.6	71	1	1	4	11	17	23	43
65+	36	5.4	28	1	1	3	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	14.3	141	2	3	9	28	31	33	34
20-34	715	10.8	94	2	3	7	13	28	30	43
35-49	2123	11.3	96	2	3	8	14	25	29	47
50-64	3067	12.1	97	3	3	9	16	24	31	49
65+	1548	12.3	103	3	4	9	15	24	32	52
B. *Operated*										
0-19 YRS	3	15.3	64	7	7	16	21	23	23	23
20-34	195	13.6	149	2	2	9	18	32	42	63
35-49	636	14.0	150	2	2	11	19	30	37	70
50-64	1074	15.4	189	2	3	12	20	32	43	73
65+	527	16.0	172	[illegible]	4	12	20	35	45	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	8.2	57	2	2	6	10	16	21	40
B. *Operated*	236	6.8	58	1	1	4	9	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	7473	11.8	98	2	3	9	15	25	31	48
B. *Operated*	2435	15.0	172	2	3	12	20	32	43	71
1. SINGLE DX	846	7.8	57	1	2	6	10	16	21	40
2. MULTIPLE DX	9908	12.6	118	2	3	9	16	27	34	55
A. NOT OPERATED	8083	11.5	96	2	3	8	15	24	30	48
B. OPERATED	2671	14.3	168	1	2	11	19	31	42	69
TOTAL 0-19 YRS	27	13.1	120	3	3	7	22	30	32	34
20-34	1020	11.1	106	2	3	7	14	28	32	53
35-49	3023	11.5	107	2	3	8	15	25	31	51
50-64	4478	12.6	120	2	3	9	16	26	34	54
65+	2206	12.9	119	2	4	10	16	26	34	58
GRAND TOTAL	**10754**	**12.2**	**115**	**2**	**3**	**9**	**16**	**26**	**33**	**53**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	9	1	1	3	5	8	9	12
20-34	83	4.4	15	1	1	3	5	9	13	19
35-49	116	6.3	25	1	2	5	8	13	17	26
50-64	213	6.7	33	1	1	5	9	14	17	27
65+	118	7.7	43	1	2	6	9	16	23	34
B. *Operated*										
0-19 YRS	72	4.4	56	1	1	2	4	8	13	42
20-34	400	2.6	7	1	1	2	3	5	7	15
35-49	386	3.0	23	<1	1	2	3	6	10	22
50-64	466	3.7	23	1	1	2	4	9	14	21
65+	243	4.4	25	1	1	2	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	6.3	35	1	2	4	9	12	16	35
20-34	262	7.4	46	1	2	6	9	13	20	35
35-49	705	9.3	66	2	2	7	11	18	24	44
50-64	1636	10.1	67	2	3	8	12	20	26	43
65+	1849	11.8	95	3	4	9	15	23	31	54
B. *Operated*										
0-19 YRS	96	8.3	139	1	1	4	10	20	29	67
20-34	361	6.4	57	1	1	4	8	15	19	43
35-49	704	8.0	77	1	1	5	11	19	26	50
50-64	1437	9.9	104	1	1	7	13	23	31	47
65+	1306	12.3	123	1	2	10	17	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	6.3	31	1	1	5	8	13	17	27
B. *Operated*	1567	3.4	21	1	1	2	3	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	4537	10.5	78	2	3	8	13	21	28	45
B. *Operated*	3904	10.0	106	1	1	7	14	23	30	49
1. SINGLE DX	2133	4.2	25	1	1	2	5	9	14	25
2. MULTIPLE DX	8441	10.2	91	1	2	8	13	22	29	47
A. NOT OPERATED	5103	10.0	75	2	3	8	12	20	27	45
B. OPERATED	5471	8.1	90	1	1	4	11	20	27	46
TOTAL 0-19 YRS	289	6.2	74	1	1	3	8	12	19	41
20-34	1106	5.1	37	1	1	3	6	11	16	30
35-49	1911	7.4	64	1	1	5	10	16	22	44
50-64	3752	9.0	79	1	1	7	12	20	27	44
65+	3516	11.4	103	1	2	9	15	24	31	52
GRAND TOTAL	**10574**	**9.0**	**84**	**1**	**1**	**6**	**12**	**20**	**27**	**45**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	4.9	12	1	2	4	6	8	12	20
20-34	593	5.6	16	1	2	5	7	10	12	18
35-49	281	6.1	19	1	2	5	7	11	15	26
50-64	262	6.4	28	1	2	5	8	11	16	28
65+	189	7.6	39	2	2	5	9	15	19	34
B. *Operated*										
0-19 YRS	37	6.2	50	1	1	3	7	18	23	28
20-34	127	6.5	73	1	1	4	8	16	21	42
35-49	141	6.6	74	1	1	3	8	14	23	44
50-64	161	6.1	39	1	1	3	9	15	21	28
65+	103	7.5	50	1	1	5	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	5.8	19	1	2	5	8	11	15	21
20-34	693	7.0	39	2	2	5	8	13	18	33
35-49	897	8.7	58	2	3	7	11	17	22	38
50-64	1743	9.6	72	2	3	7	11	19	25	46
65+	1955	10.6	76	3	3	7	13	20	27	50
B. *Operated*										
0-19 YRS	78	11.4	146	1	2	8	15	27	36	63
20-34	221	9.8	84	1	2	8	13	20	30	44
35-49	409	12.2	138	1	2	9	17	27	35	61
50-64	723	13.4	131	1	2	11	19	30	37	64
65+	767	16.8	183	2	3	13	23	34	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1562	5.9	21	1	2	5	7	11	14	26
B. *Operated*	569	6.6	58	1	1	4	9	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	5548	9.3	66	2	3	7	11	18	24	44
B. *Operated*	2198	13.9	151	1	2	11	19	30	39	64
1. SINGLE DX	2131	6.1	31	1	2	5	8	12	16	28
2. MULTIPLE DX	7746	10.6	95	2	3	8	13	22	30	52
A. NOT OPERATED	7110	8.6	58	2	3	7	10	17	22	41
B. OPERATED	2767	12.4	141	1	2	9	17	28	36	61
TOTAL 0-19 YRS	612	6.2	38	1	2	5	7	12	18	29
20-34	1634	6.8	41	1	2	5	8	13	18	34
35-49	1728	9.0	76	1	2	6	11	18	25	45
50-64	2889	10.1	86	2	2	7	13	21	28	47
65+	3014	11.9	109	2	3	9	15	25	33	59
GRAND TOTAL	**9877**	**9.6**	**84**	**2**	**2**	**7**	**12**	**20**	**28**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.9	4	<1	1	2	4	6	7	9
20-34	1354	2.9	4	<1	1	2	4	5	7	9
35-49	1294	3.1	5	1	1	3	4	6	7	10
50-64	1316	3.6	6	1	1	3	5	7	8	12
65+	1231	4.8	12	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	1065	6.4	6	4	4	6	7	10	11	16
20-34	12241	6.5	6	4	4	6	7	9	11	15
35-49	11016	6.9	6	4	5	6	8	10	12	16
50-64	10047	7.5	9	4	5	7	8	11	13	18
65+	5679	9.1	17	5	5	8	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	4.0	8	1	1	3	5	7	9	16
20-34	1360	3.9	7	1	1	3	5	7	9	13
35-49	1850	4.4	10	1	1	4	5	8	10	14
50-64	3629	5.1	13	1	2	4	7	9	12	18
65+	7847	7.0	34	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS	740	8.7	19	4	5	8	10	14	17	24
20-34	9068	8.1	17	4	5	7	9	13	15	23
35-49	12084	8.7	22	4	5	8	10	14	17	26
50-64	18158	10.1	33	5	5	9	12	16	20	32
65+	21208	13.5	73	6	6	11	16	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5367	3.5	7	1	1	3	5	7	8	12
B. *Operated*	40048	7.2	9	4	5	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	14887	5.9	25	1	2	5	7	11	14	24
B. *Operated*	61258	10.7	47	5	5	9	13	18	22	38
1. SINGLE DX	45415	6.8	10	2	4	6	8	10	12	18
2. MULTIPLE DX	76145	9.8	46	3	4	8	12	17	21	36
A. NOT OPERATED	20254	5.3	21	1	1	4	7	10	13	22
B. OPERATED	101306	9.3	35	4	5	8	11	15	19	32
TOTAL 0-19 YRS	2178	6.7	14	2	3	6	8	11	13	21
20-34	24023	6.8	12	2	4	6	8	11	13	18
35-49	26244	7.4	16	3	4	7	9	12	14	21
50-64	33150	8.5	27	3	4	7	10	14	17	27
65+	35965	11.1	62	3	4	9	14	20	25	43
GRAND TOTAL	**121560**	**8.6**	**35**	**3**	**4**	**7**	**10**	**15**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.7	9	1	1	3	5	7	8	13
20-34	969	3.4	5	1	1	3	4	6	7	11
35-49	822	3.7	6	1	1	3	5	7	8	11
50-64	643	4.1	8	1	1	3	5	8	9	14
65+	543	5.2	11	1	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	105	7.1	9	3	4	7	9	10	12	17
20-34	1197	7.3	11	4	4	6	8	11	14	19
35-49	1191	7.5	11	4	5	7	9	12	14	19
50-64	793	8.2	16	4	5	7	10	13	15	22
65+	567	10.4	29	5	5	9	12	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	4.3	8	1	2	3	5	8	9	18
20-34	1023	4.5	10	1	2	4	6	8	10	16
35-49	1146	5.1	11	1	2	4	7	9	11	16
50-64	1560	5.8	17	1	2	5	7	10	13	20
65+	2746	7.7	28	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	115	8.9	26	4	4	7	11	15	18	28
20-34	1634	8.7	28	4	5	7	10	15	18	30
35-49	2300	9.5	31	4	5	8	11	16	20	30
50-64	2375	11.4	53	5	6	9	14	19	24	42
65+	2852	15.0	90	6	7	12	18	27	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3122	3.9	7	1	1	3	5	7	9	13
B. *Operated*	3853	8.0	16	4	5	7	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	6627	6.2	21	1	2	5	8	11	14	22
B. *Operated*	9276	11.5	60	5	5	9	14	20	26	43
1. SINGLE DX	6975	6.2	16	1	2	6	8	11	13	20
2. MULTIPLE DX	15903	9.3	51	2	3	8	11	17	22	37
A. NOT OPERATED	9749	5.5	17	1	2	4	7	10	13	21
B. OPERATED	13129	10.5	50	4	5	8	12	18	23	39
TOTAL 0-19 YRS	517	5.7	17	1	2	5	7	10	13	21
20-34	4823	6.4	20	1	2	6	8	11	14	23
35-49	5459	7.3	24	2	2	6	9	13	16	25
50-64	5371	8.4	40	2	3	7	10	15	19	34
65+	6708	10.8	67	3	3	9	13	20	26	43
GRAND TOTAL	**22878**	**8.4**	**42**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	4	2	2	2	5	7	8	8
20-34	81	3.3	6	1	1	3	4	7	9	11
35-49	99	3.7	9	1	1	3	5	8	10	16
50-64	129	3.4	4	1	1	3	5	6	7	9
65+	188	4.9	13	1	1	4	7	10	11	20
B. *Operated*										
0-19 YRS	48	8.1	17	3	4	8	10	12	13	28
20-34	439	7.5	14	2	3	7	10	12	14	18
35-49	373	8.2	18	2	3	8	10	14	16	21
50-64	458	8.7	29	2	3	8	12	15	18	28
65+	664	11.0	47	2	3	10	15	20	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	7	1	1	3	6	8	9	9
20-34	88	4.5	7	1	2	4	6	9	9	11
35-49	150	5.0	14	1	1	4	6	10	13	19
50-64	243	6.3	22	1	2	5	8	11	15	27
65+	808	7.5	32	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	38	10.1	31	5	6	8	12	16	24	29
20-34	396	10.5	34	4	5	9	13	17	21	37
35-49	452	10.4	49	3	5	9	12	18	23	42
50-64	1011	12.8	69	3	5	11	16	21	27	52
65+	2710	16.5	117	4	6	14	20	29	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	4.0	9	1	1	3	5	8	10	15
B. *Operated*	1982	9.1	31	2	3	8	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	1304	6.8	27	1	2	6	9	12	16	27
B. *Operated*	4607	14.5	98	4	6	12	18	26	32	57
1. SINGLE DX	2491	8.1	31	1	2	7	11	15	18	28
2. MULTIPLE DX	5911	12.8	93	2	4	11	16	24	30	52
A. NOT OPERATED	1813	6.0	23	1	2	5	8	11	14	26
B. OPERATED	6589	12.9	84	3	4	11	16	23	30	51
TOTAL 0-19 YRS	113	7.7	25	2	2	7	10	12	16	28
20-34	1004	8.1	26	2	3	7	10	14	16	30
35-49	1074	8.3	35	1	2	7	10	15	19	30
50-64	1841	10.3	58	2	3	9	13	19	24	39
65+	4370	13.5	103	2	3	12	17	25	32	54
GRAND TOTAL	**8402**	**11.4**	**79**	**2**	**3**	**9**	**15**	**21**	**28**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	6.0	10	1	1	6	8	10	11	14
20-34	85	3.9	8	1	1	3	5	7	9	16
35-49	100	4.7	13	1	1	4	6	10	11	18
50-64	136	5.0	16	1	2	4	7	10	12	18
65+	219	6.4	19	1	2	6	9	13	15	24
B. *Operated*										
0-19 YRS	18	10.7	64	1	1	10	13	17	28	36
20-34	84	8.1	36	1	2	7	11	16	20	31
35-49	117	7.5	39	1	2	5	11	16	19	31
50-64	153	8.7	47	1	1	8	12	18	22	31
65+	117	10.6	79	1	2	9	16	22	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	9.7	45	2	2	9	12	19	22	37
20-34	153	5.6	15	1	2	5	7	10	13	19
35-49	253	6.7	35	1	2	5	8	13	17	34
50-64	431	7.2	28	2	2	6	9	13	18	25
65+	1175	9.2	54	2	3	8	11	17	22	41
B. *Operated*										
0-19 YRS	41	18.6	145	2	4	18	27	35	38	49
20-34	170	12.2	192	2	2	8	16	24	34	89
35-49	319	13.0	106	2	3	11	18	26	34	78
50-64	603	15.6	167	2	3	13	20	29	36	73
65+	1133	17.4	162	3	5	15	22	32	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	5.4	16	1	2	4	7	10	13	18
B. *Operated*	489	8.9	52	1	2	7	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	2094	8.3	45	2	2	7	10	15	20	36
B. *Operated*	2266	16.0	161	2	3	13	21	30	40	76
1. SINGLE DX	1059	7.0	36	1	2	5	9	14	18	31
2. MULTIPLE DX	4360	12.3	120	2	3	9	16	24	32	57
A. NOT OPERATED	2664	7.7	40	2	2	6	10	14	19	34
B. OPERATED	2755	14.7	149	2	3	12	19	28	37	71
TOTAL 0-19 YRS	171	11.3	83	1	2	9	14	23	33	42
20-34	492	8.0	89	1	2	5	10	17	22	50
35-49	789	9.1	72	1	2	7	12	20	26	45
50-64	1323	11.0	111	1	2	8	14	22	29	55
65+	2644	12.6	117	2	3	10	16	25	33	56
GRAND TOTAL	**5419**	**11.2**	**108**	**2**	**2**	**8**	**15**	**23**	**30**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	5.0	10	1	2	4	6	9	11	17
20-34	1869	5.6	13	2	2	5	7	10	12	19
35-49	1978	6.1	17	2	2	5	8	11	13	21
50-64	1220	6.5	22	2	3	6	8	11	14	24
65+	774	6.9	23	2	3	6	8	12	14	28
B. *Operated*										
0-19 YRS	44	11.7	113	1	2	9	15	27	33	51
20-34	219	10.3	96	2	2	8	12	20	29	52
35-49	248	10.9	101	1	2	9	14	24	33	50
50-64	228	10.7	104	1	2	9	14	24	30	57
65+	137	10.4	105	1	2	9	13	19	39	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	6.0	19	1	2	5	8	11	13	24
20-34	3780	7.0	28	2	3	6	9	12	16	28
35-49	5693	7.7	33	2	3	6	9	14	18	30
50-64	4542	8.0	33	2	3	7	10	14	18	32
65+	4696	9.1	47	3	3	7	11	16	21	37
B. *Operated*										
0-19 YRS	90	15.7	241	2	3	11	17	35	53	86
20-34	794	17.3	228	3	5	13	21	37	51	93
35-49	1444	17.6	233	3	4	13	22	38	53	96
50-64	1563	17.4	221	3	5	14	21	35	53	91
65+	1543	18.2	197	4	6	14	22	36	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6158	6.1	18	2	2	5	8	11	13	22
B. *Operated*	876	10.7	102	1	2	9	13	23	32	54
2. MULTIPLE DX										
A. *Not Operated*	19031	8.0	36	2	3	7	10	14	18	32
B. *Operated*	5434	17.7	219	3	5	14	22	37	52	93
1. SINGLE DX	7034	6.6	30	2	2	5	8	12	16	30
2. MULTIPLE DX	24465	10.1	93	2	3	7	12	19	27	56
A. NOT OPERATED	25189	7.5	32	2	3	6	9	13	17	30
B. OPERATED	6310	16.7	208	2	4	13	21	35	50	92
TOTAL 0-19 YRS	771	7.0	58	1	2	5	8	13	18	40
20-34	6662	7.9	63	2	2	6	9	15	20	44
35-49	9363	9.0	77	2	3	7	11	17	24	51
50-64	7553	9.8	88	2	3	7	12	19	25	55
65+	7150	10.9	93	3	3	8	13	21	29	57
GRAND TOTAL	**31499**	**9.3**	**81**	**2**	**3**	**7**	**11**	**18**	**25**	**52**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	2.7	3	<1	1	2	4	5	6	9
20-34	488	3.4	5	1	1	3	4	6	7	12
35-49	468	4.0	9	1	1	3	5	7	9	15
50-64	690	4.4	12	1	1	4	5	8	10	18
65+	1183	5.3	16	1	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	33	6.0	23	1	2	5	8	12	18	21
20-34	47	4.9	3	1	2	5	7	9	10	11
35-49	69	5.9	32	1	1	5	7	10	15	35
50-64	105	7.2	34	1	2	6	9	13	16	36
65+	145	9.8	82	2	3	8	12	16	23	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	678	3.5	5	1	1	3	4	7	8	12
20-34	1497	4.3	13	1	1	3	5	8	10	18
35-49	2316	5.5	19	1	2	4	7	10	13	23
50-64	4511	6.2	24	2	2	5	8	11	14	25
65+	13443	7.9	40	2	3	6	9	14	19	32
B. *Operated*										
0-19 YRS	87	8.3	90	2	2	5	10	16	29	53
20-34	314	8.0	54	2	2	6	10	15	23	44
35-49	573	9.5	77	2	3	8	11	17	24	52
50-64	1470	11.1	108	2	3	8	13	22	30	56
65+	3602	12.9	116	3	4	10	16	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3209	4.3	12	1	1	4	6	8	10	18
B. *Operated*	399	7.5	50	1	2	6	9	14	17	35
2. MULTIPLE DX										
A. *Not Operated*	22445	6.9	33	2	2	6	8	13	17	29
B. *Operated*	6046	11.8	109	3	3	9	15	24	32	60
1. SINGLE DX	3608	4.7	17	1	1	4	6	9	11	19
2. MULTIPLE DX	28491	8.0	53	2	2	6	10	15	21	39
A. NOT OPERATED	25654	6.6	31	1	2	5	8	12	16	28
B. OPERATED	6445	11.6	106	2	3	9	14	23	31	58
TOTAL 0-19 YRS	1178	3.7	13	1	1	3	4	7	9	16
20-34	2346	4.6	18	1	1	4	6	9	11	20
35-49	3426	6.0	31	1	2	5	7	11	14	27
50-64	6776	7.1	46	2	2	5	8	13	18	36
65+	18373	8.7	58	2	3	7	10	17	22	41
GRAND TOTAL	**32099**	**7.6**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	4.0	12	1	1	3	5	8	10	19
20-34	38	6.6	39	1	2	5	7	11	24	30
35-49	35	6.8	39	1	2	4	8	16	22	29
50-64	37	7.4	24	1	2	7	11	13	17	22
65+	36	7.4	31	1	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	46	6.0	58	<1	1	4	7	14	21	44
20-34	31	6.7	20	<1	1	6	11	13	14	15
35-49	31	8.3	42	1	2	6	12	17	25	27
50-64	34	10.1	105	1	2	6	14	24	36	40
65+	22	9.9	92	1	3	8	12	16	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	5.8	49	1	2	4	6	12	17	45
20-34	113	9.9	93	1	2	6	14	25	31	41
35-49	153	9.0	71	2	3	6	11	17	26	54
50-64	256	10.0	83	2	3	8	12	22	29	40
65+	350	10.9	93	2	3	9	13	20	29	55
B. *Operated*										
0-19 YRS	52	16.8	418	1	3	11	24	91	99+	99+
20-34	81	13.8	203	3	4	10	14	26	45	81
35-49	156	17.3	285	4	5	12	20	40	58	92
50-64	204	15.9	159	3	4	12	21	33	45	65
65+	239	18.4	211	3	5	14	22	40	50	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	5.1	22	1	1	4	6	10	14	25
B. *Operated*	164	8.0	63	1	1	6	11	16	23	43
2. MULTIPLE DX										
A. *Not Operated*	1273	8.8	79	2	2	6	11	18	26	49
B. *Operated*	732	16.8	227	3	4	12	21	37	56	99+
1. SINGLE DX	563	5.9	35	1	1	4	7	13	17	29
2. MULTIPLE DX	2005	11.7	147	2	3	8	15	26	37	80
A. NOT OPERATED	1672	7.9	67	1	2	5	10	16	24	41
B. OPERATED	896	15.2	206	2	3	11	19	34	50	93
TOTAL 0-19 YRS	752	6.0	71	1	1	4	6	13	19	94
20-34	263	10.2	117	1	2	6	13	23	30	58
35-49	375	12.2	173	2	3	8	14	26	39	76
50-64	531	12.1	118	2	3	9	15	26	35	56
65+	647	13.5	147	2	3	10	16	28	41	62
GRAND TOTAL	**2568**	**10.5**	**129**	**1**	**2**	**7**	**13**	**23**	**33**	**69**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	484	5.1	15	1	1	4	7	10	13	19
20-34	74	4.8	10	1	2	4	7	11	12	12
35-49	44	4.8	9	1	1	4	6	10	10	13
50-64	35	4.8	17	1	2	4	6	8	11	23
65+	35	9.4	62	2	3	7	12	23	30	32
B. *Operated*										
0-19 YRS	253	4.1	18	1	2	2	4	8	12	21
20-34	165	3.9	13	1	1	3	5	8	11	21
35-49	91	4.0	14	1	1	3	4	9	11	20
50-64	83	4.1	15	1	1	3	5	10	11	22
65+	48	6.9	100	1	1	4	9	11	25	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	5.6	19	1	1	4	7	11	14	20
20-34	205	5.8	19	1	2	5	8	11	14	22
35-49	184	7.5	35	1	2	6	10	15	20	32
50-64	309	8.3	40	1	2	7	11	16	20	29
65+	541	11.2	108	3	3	8	14	22	29	59
B. *Operated*										
0-19 YRS	106	8.8	125	2	2	5	11	19	32	72
20-34	343	7.8	51	1	2	6	10	17	21	33
35-49	327	8.7	102	2	2	5	10	20	28	56
50-64	437	9.4	95	2	2	7	11	19	29	42
65+	402	14.5	156	2	3	12	18	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	5.3	18	1	1	4	7	10	13	21
B. *Operated*	640	4.2	22	1	2	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	1712	8.1	58	1	2	6	10	15	21	36
B. *Operated*	1695	10.1	111	2	2	7	13	22	30	58
1. SINGLE DX	1312	4.8	20	1	1	3	6	10	13	23
2. MULTIPLE DX	3407	9.1	85	1	2	7	11	19	26	47
A. NOT OPERATED	2384	7.3	48	1	2	5	9	14	19	33
B. OPERATED	2335	8.5	94	1	2	5	11	19	26	49
TOTAL 0-19 YRS	1396	5.6	33	1	2	4	7	11	15	28
20-34	787	6.2	33	1	2	4	8	13	17	28
35-49	646	7.4	67	1	2	5	3	16	22	39
50-64	864	8.3	67	1	2	6	11	17	23	39
65+	1026	12.2	128	2	3	9	15	25	34	60
GRAND TOTAL	**4719**	**7.9**	**71**	**1**	**2**	**5**	**10**	**16**	**23**	**41**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	5.3	11	2	2	5	7	9	11	18
20-34	21	3.6	3	1	1	3	5	6	7	7
35-49	8	3.3	2	1	1	3	4	5	5	5
50-64	6	8.3	38	2	2	7	13	17	18	18
65+	5	4.8	5	3	3	4	6	8	8	8
B. *Operated*										
0-19 YRS	18	4.7	18	<1	1	3	6	13	14	14
20-34	10	4.6	14	1	1	3	6	11	13	13
35-49	9	8.2	111	<1	<1	8	8	24	35	35
50-64	9	3.2	27	1	1	2	2	11	17	17
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	6.1	13	2	3	5	8	11	14	18
20-34	43	5.1	12	1	1	4	7	10	12	16
35-49	37	8.9	115	2	2	6	8	18	31	58
50-64	33	8.2	36	2	3	7	10	16	24	26
65+	72	13.8	179	3	4	10	16	28	47	74
B. *Operated*										
0-19 YRS	39	8.2	95	1	1	5	10	23	31	44
20-34	46	9.5	104	2	2	7	10	20	30	58
35-49	40	10.2	74	2	2	8	14	19	27	43
50-64	48	12.8	61	3	3	12	16	25	28	32
65+	67	16.3	264	2	4	11	19	38	56	74
SUSTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	5.1	11	2	2	4	7	9	11	18
B. *Operated*	49	4.9	35	1	1	3	7	12	14	35
2. MULTIPLE DX										
A. *Not Operated*	370	8.0	66	2	3	6	9	15	20	48
B. *Operated*	240	12.0	141	2	2	9	15	26	33	64
1. SINGLE DX	261	5.1	16	1	2	4	6	9	13	19
2. MULTIPLE DX	610	9.5	99	2	2	7	11	19	28	58
A. NOT OPERATED	582	6.9	48	2	2	5	8	13	17	38
B. OPERATED	289	10.8	130	1	2	8	14	24	32	62
TOTAL 0-19 YRS	414	5.9	21	1	2	5	7	11	15	23
20-34	120	6.5	51	1	2	4	8	12	16	43
35-49	94	8.9	89	2	2	6	11	18	31	51
50-64	96	10.0	56	1	2	8	14	22	26	31
65+	147	14.4	214	3	3	10	17	29	50	75
GRAND TOTAL	**871**	**8.2**	**78**	**2**	**2**	**6**	**9**	**16**	**24**	**51**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	20	<1	1	3	6	9	15	22
20-34	29	6.3	141	<1	<1	2	6	13	19	64
35-49	40	3.0	10	<1	1	2	4	7	10	14
50-64	83	4.7	45	<1	1	2	4	10	18	37
65+	56	6.1	34	1	1	4	9	13	18	30
B. *Operated*										
0-19 YRS	125	7.0	57	<1	<1	4	9	18	25	34
20-34	182	8.3	88	<1	1	4	12	20	26	46
35-49	183	7.9	142	<1	1	3	9	19	32	60
50-64	271	6.3	61	1	1	3	7	16	22	40
65+	205	6.2	47	1	2	4	7	16	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	5.5	39	<1	<1	3	6	14	21	29
20-34	211	4.8	26	<1	1	3	6	11	13	28
35-49	380	6.2	64	1	1	4	7	14	17	40
50-64	794	7.1	62	1	1	5	9	16	20	37
65+	1830	9.9	76	1	2	8	13	21	27	46
B. *Operated*										
0-19 YRS	302	14.6	187	1	2	11	21	29	44	81
20-34	1144	12.5	205	<1	<1	7	17	32	44	66
35-49	1267	13.6	211	1	2	8	19	33	43	74
50-64	1923	12.5	165	2	2	8	17	29	41	70
65+	2156	15.3	214	2	3	11	21	35	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	4.8	42	<1	1	2	6	10	15	35
B. *Operated*	966	7.1	78	<1	1	4	9	18	24	46
2. MULTIPLE DX										
A. *Not Operated*	3457	8.2	69	1	1	6	11	18	24	43
B. *Operated*	6792	13.7	198	1	2	9	19	33	44	73
1. SINGLE DX	1236	6.6	71	<1	1	3	8	16	23	43
2. MULTIPLE DX	10249	11.9	161	1	2	8	15	28	38	67
A. NOT OPERATED	3727	8.0	68	1	1	6	10	18	24	42
B. OPERATED	7758	12.9	188	1	2	8	17	31	43	72
TOTAL 0-19 YRS	731	9.4	120	<1	<1	5	13	24	29	60
20-34	1566	10.9	174	<1	<1	5	15	27	39	62
35-49	1870	11.4	181	1	2	6	15	28	38	72
50-64	3071	10.3	134	1	2	6	13	24	35	59
65+	4247	12.4	153	1	2	9	16	28	38	67
GRAND TOTAL	**11485**	**11.3**	**154**	**1**	**2**	**7**	**15**	**26**	**37**	**64**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	15	1	1	3	5	7	14	16
20-34	21	5.6	12	1	2	5	9	11	11	12
35-49	18	5.9	25	<1	1	4	7	14	17	19
50-64	31	8.1	160	<1	2	6	8	13	18	73
65+	77	8.4	62	1	1	6	11	19	23	42
B. *Operated*										
0-19 YRS	13	8.1	57	<1	1	5	11	22	23	23
20-34	24	7.6	55	<1	1	4	12	20	23	24
35-49	27	6.0	31	1	2	3	9	15	16	22
50-64	42	9.2	154	1	1	4	12	18	44	55
65+	48	11.8	241	1	1	6	14	37	50	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	7.0	28	1	1	6	9	15	18	21
20-34	109	7.0	37	1	1	6	9	13	17	36
35-49	158	8.6	66	1	1	7	11	17	23	43
50-64	483	10.7	101	2	3	9	13	20	27	50
65+	2294	12.3	97	2	3	10	16	24	30	54
B. *Operated*										
0-19 YRS	42	15.5	167	2	3	13	21	36	54	99+
20-34	143	13.9	169	1	2	11	18	31	38	88
35-49	216	16.7	232	2	3	12	22	34	48	76
50-64	521	17.7	202	3	4	14	24	36	45	71
65+	1040	20.4	234	4	5	16	27	42	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	7.3	67	1	1	5	9	15	20	45
B. *Operated*	154	9.1	138	1	1	5	12	22	37	55
2. MULTIPLE DX										
A. *Not Operated*	3089	11.6	94	2	3	9	15	22	29	53
B. *Operated*	1962	18.7	222	3	4	15	25	39	51	89
1. SINGLE DX	315	8.2	102	1	1	5	10	19	24	53
2. MULTIPLE DX	5051	14.4	156	2	3	11	19	30	40	69
A. NOT OPERATED	3250	11.4	94	2	3	9	15	22	29	53
B. OPERATED	2116	18.0	222	2	3	14	24	38	51	87
TOTAL 0-19 YRS	114	9.9	99	1	1	7	14	22	30	73
20-34	297	10.3	112	1	1	7	14	23	33	59
35-49	419	12.5	167	1	2	8	17	27	38	61
50-64	1077	14.0	166	2	3	10	18	30	39	67
65+	3459	14.7	153	2	4	11	19	30	40	69
GRAND TOTAL	**5366**	**14.0**	**155**	**2**	**3**	**10**	**18**	**29**	**39**	**68**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1153	4.1	4	2	2	4	5	6	7	10
20-34	1523	4.2	4	2	2	4	5	7	8	10
35-49	432	4.5	5	2	2	4	6	7	8	11
50-64	259	5.0	5	2	2	5	6	8	9	12
65+	211	6.0	13	2	3	5	7	11	13	19
B. *Operated*										
0-19 YRS	61	5.1	6	1	2	5	6	8	9	15
20-34	91	5.8	9	2	3	5	7	10	11	17
35-49	38	7.0	14	3	4	6	8	12	16	19
50-64	24	8.8	39	2	3	7	9	20	25	26
65+	11	9.2	50	2	2	8	10	18	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1333	4.6	5	2	2	4	6	7	9	13
20-34	2389	5.1	8	2	2	5	6	8	10	15
35-49	1187	6.1	13	2	3	5	7	10	13	18
50-64	1385	6.9	14	3	3	6	9	11	14	20
65+	2713	8.8	36	3	4	7	11	15	19	31
B. *Operated*										
0-19 YRS	177	6.9	32	2	3	6	8	11	15	22
20-34	393	8.4	28	3	4	7	10	14	16	32
35-49	256	11.2	71	3	4	9	14	22	26	51
50-64	330	12.1	63	4	6	10	14	20	26	55
65+	483	15.2	120	5	6	12	19	27	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3578	4.4	5	2	2	4	5	7	8	12
B. *Operated*	225	6.3	15	2	3	5	8	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	9007	6.6	20	2	3	5	8	11	14	23
B. *Operated*	1639	11.4	78	3	4	9	14	21	27	50
1. SINGLE DX	3803	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX	10646	7.3	32	2	3	6	9	13	17	29
A. NOT OPERATED	12585	5.9	17	2	2	5	7	10	13	21
B. OPERATED	1864	10.8	73	3	4	8	13	20	26	46
TOTAL 0-19 YRS	2724	4.6	7	2	2	4	5	7	8	13
20-34	4396	5.1	9	2	2	4	6	8	10	16
35-49	1913	6.4	23	2	3	5	8	11	15	26
50-64	1998	7.5	26	3	3	6	9	13	16	27
65+	3418	9.6	52	3	4	8	12	17	22	38
GRAND TOTAL	**14449**	**6.6**	**27**	**2**	**3**	**5**	**8**	**12**	**15**	**27**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1192	4.0	5	1	2	4	5	6	8	12
20-34	1665	4.1	5	2	2	4	5	7	8	12
35-49	472	4.7	7	2	2	4	6	8	9	15
50-64	290	5.3	11	2	2	5	7	9	11	19
65+	270	6.5	25	2	3	5	7	11	13	29
B. *Operated*										
0-19 YRS	115	5.0	17	1	1	4	6	9	11	25
20-34	184	6.0	19	2	2	5	7	10	13	20
35-49	100	6.2	13	2	2	6	7	11	13	17
50-64	78	8.4	34	1	2	7	12	17	20	26
65+	61	10.5	60	2	3	8	13	25	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1349	4.7	10	2	2	4	6	8	10	14
20-34	2261	5.0	9	2	2	4	6	8	10	16
35-49	1077	5.9	15	2	2	5	7	10	12	19
50-64	1255	7.3	26	3	3	6	9	13	15	27
65+	2403	8.8	37	3	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	297	6.8	33	1	2	5	9	13	16	34
20-34	581	8.7	55	2	3	7	10	16	20	39
35-49	516	10.2	55	2	3	8	12	19	24	42
50-64	644	12.8	101	2	3	10	16	24	31	56
65+	857	15.1	140	3	5	12	19	29	40	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3889	4.4	8	2	2	4	5	7	9	14
B. *Operated*	538	6.7	27	1	2	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	8345	6.5	23	2	3	5	8	12	15	25
B. *Operated*	2895	11.6	96	2	3	9	15	23	31	60
1. SINGLE DX	4427	4.7	11	2	2	4	6	8	10	17
2. MULTIPLE DX	11240	7.8	47	2	3	6	9	15	20	38
A. NOT OPERATED	12234	5.8	19	2	2	5	7	10	14	23
B. OPERATED	3433	10.8	89	2	3	8	14	21	29	54
TOTAL 0-19 YRS	2953	4.7	11	1	2	4	6	8	10	16
20-34	4691	5.2	16	2	2	4	6	9	11	20
35-49	2165	6.7	27	2	2	5	8	12	16	29
50-64	2267	8.6	53	2	3	7	10	16	22	38
65+	3591	10.2	69	3	3	8	12	19	25	47
GRAND TOTAL	**15667**	**6.9**	**39**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	2.4	3	1	1	2	3	5	6	9
20-34	1788	2.2	3	<1	1	2	3	4	5	8
35-49	2071	2.2	3	<1	1	2	3	4	5	9
50-64	1187	2.4	3	1	1	2	3	5	6	8
65+	435	3.0	5	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	84	7.3	20	2	3	7	10	11	13	28
20-34	905	7.2	18	2	2	7	9	12	15	23
35-49	1227	7.5	18	2	2	7	9	12	14	23
50-64	1163	8.2	19	2	3	8	10	13	16	23
65+	464	8.5	34	2	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.1	4	1	1	3	4	6	7	10
20-34	1252	3.0	6	1	1	2	4	6	8	11
35-49	1851	3.2	6	1	1	3	4	6	8	13
50-64	1826	3.7	9	1	1	3	5	7	10	15
65+	1403	5.1	16	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	111	9.0	54	1	2	8	11	17	20	41
20-34	958	9.1	39	2	3	8	11	16	20	34
35-49	1535	9.1	43	2	3	8	11	17	21	31
50-64	2206	9.9	52	2	3	9	12	18	22	37
65+	1866	11.0	72	2	3	9	14	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5718	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	3843	7.8	21	2	2	8	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	6520	3.7	10	1	1	3	5	7	9	15
B. *Operated*	6676	9.9	54	2	3	9	12	18	23	38
1. SINGLE DX	9561	4.5	17	1	1	3	7	10	12	19
2. MULTIPLE DX	13196	6.8	42	1	1	5	9	14	18	31
A. NOT OPERATED	12238	3.1	7	1	1	2	4	6	8	14
B. OPERATED	10519	9.1	43	2	3	8	11	16	20	34
TOTAL 0-19 YRS	620	4.5	22	1	1	3	6	10	12	21
20-34	4903	4.7	22	1	1	3	7	10	13	22
35-49	6684	5.0	24	1	1	3	7	11	14	23
50-64	6382	6.4	34	1	1	5	9	13	17	28
65+	4168	7.9	51	1	2	6	10	16	20	35
GRAND TOTAL	**22757**	**5.9**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	677	2.2	2	1	1	2	3	4	5	6
20-34	6715	2.0	2	<1	1	2	2	3	4	6
35-49	7884	2.0	2	<1	1	2	2	4	4	7
50-64	4656	2.2	2	1	1	2	3	4	5	7
65+	1305	2.5	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	413	5.1	9	1	2	4	7	10	11	15
20-34	4116	5.2	11	1	2	5	7	10	11	16
35-49	5231	5.6	13	1	2	5	7	10	12	17
50-64	3707	6.1	16	2	2	5	8	11	13	19
65+	1463	7.0	20	2	2	6	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	2.6	2	1	1	2	3	4	6	8
20-34	2329	2.6	3	1	1	2	3	5	6	10
35-49	3420	2.7	4	1	1	2	3	5	6	10
50-64	3320	3.0	5	1	1	2	4	6	7	11
65+	1915	3.7	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	193	6.3	18	2	2	5	8	12	14	21
20-34	1856	6.6	19	2	2	6	9	12	14	22
35-49	3182	7.2	25	2	2	6	9	13	17	26
50-64	3892	8.2	31	2	3	7	10	15	18	27
65+	2872	10.0	59	2	3	8	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21237	2.1	2	1	1	2	3	4	5	7
B. *Operated*	14930	5.7	14	1	2	5	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	11229	2.9	5	1	1	2	4	5	7	11
B. *Operated*	11995	8.1	35	2	2	7	10	15	19	28
1. SINGLE DX	36167	3.6	10	1	1	2	5	8	10	15
2. MULTIPLE DX	23224	5.6	27	1	1	4	8	12	15	24
A. NOT OPERATED	32466	2.4	3	1	1	2	3	4	6	9
B. OPERATED	26925	6.8	25	2	2	6	9	12	16	24
TOTAL 0-19 YRS	1528	3.6	8	1	1	3	4	7	9	14
20-34	15016	3.5	10	1	1	2	5	8	10	15
35-49	19717	3.9	13	1	1	3	5	8	11	17
50-64	15575	4.8	19	1	1	3	6	10	13	20
65+	7555	6.5	38	1	1	5	9	14	17	28
GRAND TOTAL	**59391**	**4.4**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	2.9	6	<1	1	2	3	6	8	14
20-34	189	2.6	8	<1	1	2	3	4	6	12
35-49	162	3.0	6	<1	1	2	4	6	8	13
50-64	166	3.0	6	1	1	2	4	6	8	11
65+	131	4.6	11	1	1	3	6	9	13	14
B. *Operated*										
0-19 YRS	1326	6.4	16	<1	1	6	9	11	13	18
20-34	657	6.8	20	1	2	6	9	12	15	21
35-49	510	6.7	28	1	1	6	9	13	17	25
50-64	620	6.0	31	1	1	4	9	13	17	27
65+	417	5.8	32	1	1	4	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	4.0	13	<1	1	3	5	9	12	17
20-34	415	3.9	12	1	1	3	5	8	10	17
35-49	402	5.0	19	1	1	4	6	11	13	23
50-64	734	6.1	23	1	2	5	8	12	15	23
55+	1745	8.5	53	2	2	7	10	16	22	40
B. *Operated*										
0-19 YRS	1714	7.3	38	<1	1	7	10	14	17	27
20-34	1183	8.6	41	1	2	8	11	16	21	32
35-49	1337	9.2	63	2	2	8	12	18	23	38
50-64	2005	10.0	74	2	2	8	13	21	26	41
65+	2789	11.9	116	2	2	9	16	24	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	3.1	8	<1	1	2	4	6	9	14
B. *Operated*	3530	6.4	23	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	3628	6.7	38	1	2	5	8	14	18	31
B. *Operated*	9028	9.8	77	1	2	8	13	20	25	44
1. SINGLE DX	4368	5.8	22	1	1	5	8	11	14	21
2. MULTIPLE DX	12656	8.9	68	1	2	7	11	18	24	41
A. NOT OPERATED	4466	6.0	35	1	1	4	8	13	16	30
B. OPERATED	12558	8.8	64	1	2	7	11	18	23	40
TOTAL 0-19 YRS	3562	6.4	27	<1	1	6	9	12	15	23
20-34	2444	6.8	32	1	1	6	9	13	17	27
35-49	2411	7.6	49	1	2	6	10	16	20	33
50-64	3525	8.1	57	1	2	6	11	17	23	36
65+	5082	10.1	90	1	2	8	13	21	28	50
GRAND TOTAL	**17024**	**8.1**	**58**	**1**	**2**	**6**	**10**	**16**	**22**	**38**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.6	3	<1	1	2	3	5	7	9
20-34	417	2.1	2	<1	1	2	3	4	4	6
35-49	427	2.2	3	<1	1	2	3	4	6	8
50-64	256	2.4	3	<1	1	2	3	4	5	9
65+	77	2.5	3	1	1	2	3	5	5	8
B. *Operated*										
0-19 YRS	27	4.7	21	1	1	4	6	9	12	24
20-34	189	5.4	13	1	2	5	8	10	12	18
35-49	259	5.3	21	1	1	4	7	10	13	25
50-64	282	5.7	19	1	2	5	8	11	14	19
65+	258	5.7	21	1	2	4	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	6	<1	1	4	6	8	8	9
20-34	223	3.0	5	1	1	2	4	6	8	11
35-49	279	3.0	7	1	1	2	4	6	7	12
50-64	266	3.5	8	1	1	3	4	7	8	14
65+	230	5.4	41	1	1	4	5	12	16	26
B. *Operated*										
0-19 YRS	44	4.6	13	1	1	3	7	9	12	17
20-34	256	6.7	43	1	2	5	8	13	17	39
35-49	330	7.0	50	1	2	5	9	14	18	42
50-64	652	7.0	33	1	2	6	10	13	18	30
65+	1416	9.5	83	2	2	7	12	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1236	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	1015	5.5	19	1	2	4	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	1039	3.7	15	1	1	3	4	7	9	17
B. *Operated*	2698	8.3	64	2	2	6	10	16	22	41
1. SINGLE DX	2251	3.7	13	1	1	2	5	8	10	17
2. MULTIPLE DX	3737	7.0	54	1	2	5	9	14	19	36
A. NOT OPERATED	2275	2.9	9	1	1	2	4	5	7	14
B. OPERATED	3713	7.5	53	1	2	6	10	15	20	36
TOTAL 0-19 YRS	171	3.8	10	1	1	3	5	8	9	16
20-34	1085	3.9	18	1	1	3	5	8	11	20
35-49	1295	4.2	23	1	1	3	5	9	12	25
50-64	1456	5.3	24	1	1	4	7	11	14	23
65+	1981	8.3	71	1	2	6	10	17	22	43
GRAND TOTAL	**5988**	**5.8**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	2.8	3	1	1	2	4	5	6	8
20-34	286	3.1	16	<1	1	2	4	5	6	11
35-49	141	3.3	5	<1	1	3	4	6	7	11
50-64	114	3.3	5	1	1	3	4	6	8	10
65+	173	4.5	14	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	379	2.3	4	<1	<1	2	3	5	6	11
20-34	638	2.9	6	<1	1	2	4	6	8	12
35-49	640	3.0	7	<1	1	2	4	6	8	11
50-64	780	3.0	7	1	1	2	3	6	7	14
65+	924	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	474	3.7	7	1	1	3	5	7	8	10
20-34	639	4.1	22	1	1	3	5	7	9	18
35-49	504	5.0	15	1	2	4	6	9	12	18
50-64	659	5.9	18	1	2	5	7	10	14	24
65+	2152	7.8	40	2	3	6	9	14	18	36
B. *Operated*										
0-19 YRS	689	3.3	8	<1	1	2	4	7	9	13
20-34	1456	4.7	24	<1	1	3	6	9	12	23
35-49	1706	5.1	24	1	1	4	6	11	14	25
50-64	2366	5.8	40	1	1	4	7	12	16	34
65+	4902	7.4	59	1	2	5	9	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1043	3.3	9	<1	1	3	4	6	7	11
B. *Operated*	3361	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	4428	6.2	30	1	2	5	8	11	15	28
B. *Operated*	11119	6.1	43	1	1	4	8	13	17	32
1. SINGLE DX	4404	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	15547	6.1	40	1	2	4	8	12	16	31
A. NOT OPERATED	5471	5.7	27	1	2	4	7	11	14	26
B. OPERATED	14480	5.4	37	1	1	4	7	11	15	29
TOTAL 0-19 YRS	1871	3.1	6	<1	1	2	4	6	8	12
20-34	3019	4.1	19	<1	1	3	5	8	10	18
35-49	2991	4.5	19	1	1	3	6	9	12	21
50-64	3919	5.2	30	1	1	4	6	10	14	27
65+	8151	7.0	49	1	2	5	9	14	18	36
GRAND TOTAL	**19951**	**5.5**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	2	<1	<1	1	3	4	5	7
20-34	25	2.3	3	<1	<1	1	3	5	6	7
35-49	16	2.4	5	<1	<1	2	3	4	8	10
50-64	20	2.6	2	<1	1	2	3	4	5	6
65+	37	3.3	6	<1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	1909	1.7	3	<1	<1	1	2	3	4	8
20-34	1007	2.8	4	<1	1	2	4	5	7	11
35-49	783	3.0	6	<1	<1	2	4	6	8	13
50-64	798	3.3	6	<1	1	3	4	6	8	13
65+	1074	4.0	11	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.7	1	<1	<1	1	2	3	4	6
20-34	45	4.0	10	<1	1	3	6	8	9	15
35-49	33	3.4	5	<1	1	3	4	6	9	10
50-64	82	5.2	26	<1	1	4	6	11	15	28
65+	317	6.3	35	1	2	4	8	13	17	31
B. *Operated*										
0-19 YRS	1906	2.2	5	<1	<1	2	2	4	6	11
20-34	1425	3.7	13	<1	1	3	4	8	10	17
35-49	1477	4.1	14	1	1	3	5	8	11	19
50-64	2256	4.8	23	1	1	3	6	10	13	23
65+	4265	6.5	42	1	2	5	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	2.6	4	<1	<1	2	4	5	6	10
B. *Operated*	5571	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	524	5.3	28	<1	1	4	7	11	15	28
B. *Operated*	11329	4.8	27	1	1	3	6	10	14	26
1. SINGLE DX	5695	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	11853	4.8	27	1	1	3	6	10	14	26
A. NOT OPERATED	648	4.8	25	<1	1	3	6	10	14	26
B. OPERATED	16900	4.1	21	<1	1	3	5	9	12	23
TOTAL 0-19 YRS	3888	1.9	4	<1	<1	1	2	4	5	10
20-34	2502	3.3	10	<1	1	2	4	7	9	15
35-49	2309	3.7	11	<1	1	3	4	7	10	17
50-64	3156	4.4	19	1	1	3	5	9	12	20
65+	5693	6.0	37	1	2	4	7	12	16	31
GRAND TOTAL	**17548**	**4.1**	**21**	**<1**	**1**	**3**	**5**	**9**	**12**	**23**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2305	3.1	4	1	1	3	4	5	7	9
20-34	1293	3.2	6	<1	1	3	4	6	7	11
35-49	651	3.6	7	1	1	3	5	7	8	14
50-64	648	4.0	6	1	1	3	5	7	8	13
65+	1258	5.5	17	1	2	4	7	11	13	20
B. *Operated*										
0-19 YRS	1610	2.5	7	<1	<1	2	3	5	8	12
20-34	1349	3.0	6	<1	1	2	4	6	8	12
35-49	1332	3.1	8	<1	<1	2	4	6	9	15
50-64	1610	3.3	8	<1	1	3	4	6	9	14
65+	2066	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4581	4.1	8	1	1	3	5	7	9	14
20-34	3976	4.7	13	1	2	4	6	8	11	19
35-49	3100	5.7	17	1	2	5	7	10	13	21
50-64	5278	6.7	25	2	2	6	8	12	15	24
65+	23241	8.9	54	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	2551	3.7	18	<1	<1	2	5	8	11	19
20-34	2694	5.3	40	1	1	4	7	11	15	32
35-49	3331	5.9	47	1	1	4	7	12	17	34
50-64	5804	6.9	55	1	2	5	9	14	19	38
65+	12783	9.5	88	2	2	7	12	19	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6155	3.8	8	1	1	3	5	7	9	14
B. *Operated*	7967	3.3	10	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	40176	7.4	41	2	2	6	9	14	18	33
B. *Operated*	27163	7.6	69	1	2	5	9	16	22	43
1. SINGLE DX	14122	3.5	9	<1	1	3	4	7	9	15
2. MULTIPLE DX	67339	7.5	52	1	2	6	9	15	19	37
A. NOT OPERATED	46331	6.9	39	1	2	5	9	13	17	31
B. OPERATED	35130	6.6	59	1	1	4	8	14	20	39
TOTAL 0-19 YRS	11047	3.6	10	<1	1	3	5	7	9	14
20-34	9312	4.4	19	1	1	3	5	8	11	21
35-49	8414	5.2	28	1	1	4	7	10	14	25
50-64	13340	6.3	37	1	2	5	8	12	16	30
65+	39348	8.8	63	2	2	7	11	17	22	43
GRAND TOTAL	**81461**	**6.8**	**47**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.1	1	<1	<1	4	4	4	4	4
35-49	7	4.3	3	2	2	4	6	7	7	7
50-64	90	2.8	6	<1	<1	2	4	6	7	14
65+	142	3.6	11	<1	1	2	4	8	10	16
B. *Operated*										
0-19 YRS	21	5.1	12	<1	1	5	7	10	12	14
20-34	35	2.8	9	<1	<1	2	3	5	7	17
35-49	478	3.9	8	<1	1	3	6	8	9	13
50-64	7182	5.4	9	1	2	5	7	9	10	15
65+	12801	6.3	12	2	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.0	14	2	2	4	5	11	14	14
35-49	51	4.9	14	1	1	4	7	9	12	20
50-64	558	4.4	28	1	1	3	6	8	10	23
65+	1966	6.1	43	1	1	4	7	12	17	36
B. *Operated*										
0-19 YRS	36	7.5	26	2	2	7	9	16	20	23
20-34	62	4.4	15	<1	1	3	8	10	12	20
35-49	752	5.6	20	1	2	5	7	10	14	22
50-64	13597	7.1	23	2	2	6	9	12	15	23
65+	37944	9.0	43	3	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.3	9	<1	1	2	4	7	8	16
B. *Operated*	20517	5.9	11	2	2	6	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2583	5.7	39	1	1	4	7	11	15	34
B. *Operated*	52391	8.5	38	2	3	7	10	15	19	32
1. SINGLE DX	20763	5.9	11	1	2	5	7	10	12	17
2. MULTIPLE DX	54974	8.3	39	2	3	7	10	15	19	32
A. NOT OPERATED	2829	5.5	37	1	1	4	7	11	15	31
B. OPERATED	72908	7.7	32	2	3	6	9	14	17	29
TOTAL 0-19 YRS	57	6.6	22	1	2	6	8	12	17	23
20-34	112	3.9	13	<1	1	3	5	8	11	18
35-49	1288	5.0	16	1	1	4	7	9	12	19
50-64	21427	6.4	19	1	2	6	8	11	14	21
65+	52853	8.2	37	2	3	7	10	15	19	32
GRAND TOTAL	**75737**	**7.7**	**32**	**2**	**3**	**6**	**9**	**14**	**17**	**29**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	1	1	1	3	3	4	4	5
20-34	224	3.8	5	1	2	3	5	7	8	10
35-49	252	4.2	4	1	2	4	5	7	8	11
50-64	257	4.2	5	1	2	4	5	7	8	11
65+	135	4.5	5	1	2	4	6	8	8	10
B. *Operated*										
0-19 YRS	48	2.4	15	<1	<1	2	4	6	9	24
20-34	360	2.3	3	<1	<1	2	3	5	6	9
35-49	462	2.5	4	<1	<1	2	3	5	7	11
50-64	430	2.9	6	<1	1	2	3	6	7	15
65+	247	3.9	10	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	2	2	2	3	4	6	7	8
20-34	359	4.3	8	1	2	3	5	8	10	15
35-49	478	4.8	8	2	2	4	6	8	9	15
50-64	788	5.3	11	2	2	5	6	9	11	15
65+	777	6.0	18	2	3	5	7	10	13	19
B. *Operated*										
0-19 YRS	71	3.0	6	<1	1	2	4	7	9	10
20-34	487	3.7	18	<1	1	2	5	7	10	21
35-49	937	3.9	11	1	1	3	5	8	10	17
50-64	1383	5.2	19	1	1	4	7	11	13	21
65+	1412	7.0	39	2	2	5	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	899	4.1	5	1	2	4	5	7	8	11
B. *Operated*	1547	2.8	6	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	2435	5.3	13	2	2	5	7	9	11	16
B. *Operated*	4290	5.3	25	1	1	4	7	11	14	22
1. SINGLE DX	2446	3.3	6	<1	1	3	4	6	8	11
2. MULTIPLE DX	6725	5.3	21	1	2	4	7	10	13	21
A. NOT OPERATED	3334	4.9	11	1	2	4	6	8	10	15
B. OPERATED	5837	4.6	21	1	1	3	6	10	13	21
TOTAL 0-19 YRS	183	3.1	7	<1	1	2	4	6	8	12
20-34	1430	3.5	10	<1	1	3	4	7	9	14
35-49	2129	3.8	9	<1	1	3	5	7	9	14
50-64	2858	4.8	14	1	1	4	6	9	11	18
65+	2571	6.3	29	1	2	5	8	12	15	26
GRAND TOTAL	**9171**	**4.7**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.4	1	<1	<1	1	1	2	3	5
20-34	7	2.0	1	<1	<1	2	3	4	4	4
35-49	6	3.5	4	1	1	3	4	7	7	7
50-64	6	1.5	1	<1	<1	1	2	3	3	3
65+	5	3.2	5	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1110	2.0	4	<1	<1	2	2	3	4	7
20-34	463	2.7	2	1	1	2	3	4	5	7
35-49	556	2.8	2	1	1	3	4	4	5	7
50-64	964	3.1	3	1	1	3	4	5	6	8
65+	592	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.6	2	<1	<1	1	2	3	4	9
20-34	10	2.5	2	<1	<1	2	4	5	5	5
35-49	11	3.4	8	<1	<1	2	6	8	8	8
50-64	32	4.0	14	<1	<1	2	6	10	12	15
65+	35	4.3	6	1	1	4	5	8	9	10
B. *Operated*										
0-19 YRS	1075	2.1	1	<1	<1	2	3	3	4	6
20-34	310	3.6	8	1	1	3	4	6	8	14
35-49	385	3.8	9	1	2	3	4	7	9	18
50-64	914	4.2	9	1	2	3	5	8	10	16
65+	982	5.1	17	2	2	4	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	3685	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	185	2.7	6	<1	<1	1	4	6	8	12
B. *Operated*	3666	3.7	10	1	1	3	4	7	9	18
1. SINGLE DX	3743	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	3851	3.7	10	<1	1	3	4	7	9	17
A. NOT OPERATED	243	2.5	5	<1	<1	1	3	5	8	11
B. OPERATED	7351	3.2	7	1	1	3	4	5	7	14
TOTAL 0-19 YRS	2316	2.0	3	<1	<1	2	2	3	4	6
20-34	790	3.0	4	1	1	3	4	5	6	10
35-49	958	3.2	5	1	1	3	4	5	7	12
50-64	1916	3.6	6	1	2	3	4	6	8	14
65+	1614	4.4	12	1	2	3	5	8	11	19
GRAND TOTAL	**7594**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	450	4.0	7	1	1	4	5	7	9	12
20-34	807	4.1	5	1	2	4	5	7	8	12
35-49	429	4.8	6	1	2	4	6	8	9	13
50-64	308	5.4	6	2	3	5	7	9	10	13
65+	218	5.5	7	2	2	5	7	9	10	13
B. *Operated*										
0-19 YRS	177	3.5	7	1	1	3	4	7	10	13
20-34	309	3.9	10	1	1	3	5	7	9	16
35-49	236	4.0	11	1	1	3	5	8	11	17
50-64	190	4.6	13	1	1	4	5	9	12	20
65+	140	5.3	15	2	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.2	7	1	1	4	5	7	10	14
20-34	390	5.2	10	1	2	5	7	9	11	15
35-49	395	5.4	9	2	2	5	7	9	11	14
50-64	554	6.2	12	2	3	6	8	10	12	17
65+	749	7.3	22	3	3	6	9	12	15	28
B. *Operated*										
0-19 YRS	102	4.9	14	1	1	4	6	11	13	16
20-34	230	5.1	23	1	1	4	6	10	13	26
35-49	296	5.9	32	1	2	5	7	11	14	24
50-64	414	7.8	39	2	2	6	10	15	20	32
65+	565	9.3	52	2	3	7	12	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2212	4.5	6	1	2	4	6	8	9	12
B. *Operated*	1052	4.2	11	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	2250	6.1	15	2	2	5	8	11	13	18
B. *Operated*	1607	7.4	42	1	2	6	10	15	19	31
1. SINGLE DX	3264	4.4	8	1	2	4	6	8	9	14
2. MULTIPLE DX	3857	6.7	26	2	2	5	8	12	15	27
A. NOT OPERATED	4462	5.3	11	1	2	5	7	9	11	16
B. OPERATED	2659	6.1	32	1	2	4	8	13	17	28
TOTAL 0-19 YRS	891	4.0	8	1	1	3	5	8	10	14
20-34	1736	4.4	10	1	1	4	6	8	10	15
35-49	1356	5.1	14	1	2	4	6	9	11	17
50-64	1466	6.3	20	2	2	5	8	11	14	22
65+	1672	7.6	32	2	3	6	9	14	18	29
GRAND TOTAL	**7121**	**5.6**	**19**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1404	1.5	1	<1	<1	1	2	2	2	4
20-34	345	1.9	1	<1	1	2	2	3	3	4
35-49	150	2.0	2	<1	<1	2	2	3	3	10
50-64	132	2.3	8	<1	1	2	2	3	4	11
65+	72	2.0	1	1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	1671	1.5		<1	<1	1	2	2	2	3
20-34	493	1.7	1	<1	<1	2	2	3	3	4
35-49	367	1.7		<1	<1	2	2	3	3	4
50-64	212	1.9	1	<1	<1	2	2	3	3	6
65+	140	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	1.5	1	<1	<1	1	2	2	3	5
20-34	140	2.2	2	<1	1	2	2	3	5	10
35-49	135	2.5	3	<1	1	2	3	5	6	11
50-64	147	2.7	5	<1	1	2	3	5	8	13
65+	154	3.5	10	1	1	2	4	7	10	16
B. *Operated*										
0-19 YRS	594	1.8	2	<1	<1	2	2	3	4	7
20-34	404	2.4	3	<1	1	2	3	4	5	10
35-49	444	2.6	5	<1	1	2	3	5	6	13
50-64	535	3.0	9	1	1	2	3	5	8	14
65+	543	4.6	26	1	1	3	5	10	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2103	1.6	1	<1	<1	2	2	2	3	4
B. *Operated*	2883	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	916	2.3	4	<1	<1	2	2	4	6	12
B. *Operated*	2520	2.9	10	<1	1	2	3	5	8	16
1. SINGLE DX	4986	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	3436	2.7	9	<1	1	2	3	5	7	14
A. NOT OPERATED	3019	1.8	2	<1	<1	2	2	3	4	8
B. OPERATED	5403	2.2	5	<1	<1	2	2	4	5	12
TOTAL 0-19 YRS	4009	1.5	1	<1	<1	1	2	2	3	4
20-34	1382	2.0	2	<1	<1	2	2	3	4	8
35-49	1096	2.2	3	<1	<1	2	2	3	5	10
50-64	1026	2.6	7	<1	1	2	3	5	6	13
65+	909	3.8	19	1	1	2	4	8	11	22
GRAND TOTAL	**8422**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	2.1	3	<1	1	2	2	4	5	10
20-34	189	2.5	5	<1	1	2	3	5	5	14
35-49	132	2.6	6	<1	1	2	3	5	8	15
50-64	158	2.1	5	<1	<1	1	2	5	6	12
65+	55	2.7	5	<1	1	2	3	5	8	10
B. *Operated*										
0-19 YRS	2433	2.0	2	<1	1	2	2	4	5	7
20-34	1623	2.4	3	<1	1	2	3	4	5	11
35-49	1036	2.9	5	<1	1	2	3	5	7	11
50-64	1139	3.4	5	1	1	3	4	6	8	11
65+	505	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	2.9	7	<1	1	2	3	6	8	12
20-34	178	3.7	10	1	1	3	5	8	10	16
35-49	194	4.1	22	1	1	2	5	8	10	27
50-64	302	4.2	21	<1	1	3	5	9	12	22
65+	232	7.6	54	1	2	6	10	15	20	46
B. *Operated*										
0-19 YRS	1030	2.6	4	1	1	2	3	5	6	12
20-34	1224	3.5	16	1	1	2	4	6	9	22
35-49	1213	4.1	18	1	1	3	5	8	10	22
50-64	1800	5.2	35	1	2	4	6	9	12	26
65+	1215	6.4	51	1	2	4	7	13	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	800	2.3	4	<1	1	2	3	5	6	12
B. *Operated*	6736	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1109	4.6	26	1	1	3	6	10	13	28
B. *Operated*	6482	4.5	28	1	1	3	5	8	12	25
1. SINGLE DX	7536	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	7591	4.5	28	1	1	3	5	9	12	25
A. NOT OPERATED	1909	3.6	18	<1	1	2	4	8	11	20
B. OPERATED	13218	3.5	17	1	1	3	4	7	9	20
TOTAL 0-19 YRS	3932	2.2	3	<1	1	2	3	4	5	9
20-34	3214	2.9	9	<1	1	2	3	5	7	15
35-49	2575	3.5	13	1	1	3	4	7	9	17
50-64	3399	4.4	23	1	1	3	5	8	10	21
65+	2007	5.8	41	1	2	4	7	12	16	38
GRAND TOTAL	**15127**	**3.6**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	21	1.9	1	<1	<1	1	2	4	4	5
35-49	53	1.8	1	<1	<1	1	2	3	4	6
50-64	27	2.4	2	<1	1	2	4	5	5	5
65+	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	299	1.9	2	<1	<1	2	2	3	4	6
20-34	2716	2.2	2	<1	<1	2	2	4	5	7
35-49	7246	2.2	2	<1	1	2	3	4	5	7
50-64	3684	2.2	2	<1	1	2	3	3	4	7
65+	1490	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
20-34	58	3.3	7	<1	1	3	4	7	9	14
35-49	105	3.4	8	<1	1	2	5	7	9	13
50-64	78	3.8	15	1	1	3	5	7	11	22
65+	38	5.3	46	1	1	3	7	10	13	41
B. *Operated*										
0-19 YRS	95	2.9	4	<1	1	2	3	6	7	11
20-34	1492	3.0	5	<1	1	2	4	5	7	11
35-49	4548	3.2	7	<1	1	2	4	6	7	12
50-64	3187	3.3	8	1	1	2	4	6	8	15
65+	1933	3.8	10	1	2	3	4	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	15435	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	287	3.7	15	<1	1	3	5	7	10	19
B. *Operated*	11255	3.3	7	1	1	2	4	6	8	14
1. SINGLE DX	15550	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	11542	3.3	7	1	1	2	4	6	8	14
A. NOT OPERATED	402	3.2	12	<1	1	2	4	6	9	15
B. OPERATED	26690	2.7	4	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	408	2.1	3	<1	<1	2	2	3	4	9
20-34	4287	2.5	3	<1	<1	2	3	4	6	9
35-49	11952	2.6	4	<1	1	2	3	5	6	10
50-64	6976	2.8	5	<1	1	2	3	5	7	12
65+	3469	3.2	7	1	1	2	3	6	8	15
GRAND TOTAL	**27092**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.8	7	1	1	3	5	7	10	13
20-34	179	3.3	8	<1	1	3	4	6	7	9
35-49	97	3.1	5	<1	<1	2	5	6	8	9
50-64	40	3.2	9	<1	<1	2	4	7	10	13
65+	26	4.1	14	<1	1	3	6	10	12	15
B. *Operated*										
0-19 YRS	1467	2.7	2	1	1	3	4	4	5	7
20-34	2397	3.0	4	<1	1	3	4	5	6	8
35-49	1767	2.9	3	<1	1	2	4	5	6	10
50-64	1262	2.9	3	<1	1	2	4	5	6	11
65+	665	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.9	4	<1	<1	2	4	5	7	11
20-34	188	3.3	8	<1	1	2	5	7	9	13
35-49	198	4.1	19	<1	<1	3	5	9	11	24
50-64	168	4.5	17	<1	<1	3	6	9	13	21
65+	179	5.2	40	<1	1	4	6	10	15	27
B. *Operated*										
0-19 YRS	378	3.3	4	1	1	3	4	5	7	11
20-34	1331	3.8	7	1	2	3	4	6	8	14
35-49	1716	3.9	8	1	1	3	5	7	9	15
50-64	1468	4.4	15	1	2	3	5	8	11	19
65+	917	4.7	29	1	2	3	5	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.4	7	<1	1	3	4	6	8	11
B. *Operated*	7558	2.9	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	813	4.1	20	<1	1	3	5	8	11	21
B. *Operated*	5810	4.1	13	1	2	3	5	7	10	17
1. SINGLE DX	8013	2.9	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	6623	4.1	14	1	1	3	5	7	10	18
A. NOT OPERATED	1268	3.9	15	<1	1	3	5	8	10	19
B. OPERATED	13368	3.4	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	2038	2.9	3	1	1	3	4	5	6	9
20-34	4095	3.3	5	<1	1	3	4	5	7	11
35-49	3778	3.4	7	<1	1	3	4	6	8	13
50-64	2938	3.7	11	1	1	3	4	7	9	17
65+	1787	4.0	21	1	1	3	4	8	11	22
GRAND TOTAL	**14636**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1351	2.5	3	1	1	2	3	4	5	8
20-34	2377	2.3	2	1	1	2	3	4	5	8
35-49	532	2.6	3	1	1	2	3	5	6	9
50-64	24	3.6	11	<1	<1	3	4	6	11	16
65+	9	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	1663	4.2	6	1	1	4	5	7	8	11
20-34	5632	4.3	6	1	1	4	6	7	8	12
35-49	1452	5.5	7	1	2	6	7	8	10	14
50-64	226	6.4	7	2	3	6	7	9	11	14
65+	107	8.6	18	3	5	8	10	12	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	919	3.1	5	1	1	3	4	5	7	11
20-34	1916	3.1	5	1	1	3	4	6	7	12
35-49	597	3.6	7	1	1	3	5	7	8	13
50-64	66	4.3	9	1	1	4	6	8	10	16
65+	54	7.3	48	1	2	5	9	15	19	37
B. *Operated*										
0-19 YRS	1653	5.0	8	1	2	5	6	8	10	14
20-34	10550	5.6	10	1	2	5	7	9	11	16
35-49	5095	6.9	15	2	4	6	8	10	13	21
50-64	655	8.3	21	3	5	7	9	13	16	26
65+	413	10.8	37	5	6	9	12	19	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4293	2.4	3	1	1	2	3	4	5	8
B. *Operated*	9080	4.6	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	3552	3.3	7	1	1	3	4	6	8	13
B. *Operated*	18366	6.1	13	1	2	6	7	10	12	19
1. SINGLE DX	13373	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX	21918	5.6	13	1	2	5	7	9	11	18
A. NOT OPERATED	7845	2.8	5	1	1	2	4	5	7	11
B. OPERATED	27446	5.6	12	1	2	5	7	9	11	17
TOTAL 0-19 YRS	5586	3.8	7	1	1	3	5	7	8	12
20-34	20475	4.6	9	1	1	4	6	8	9	14
35-49	7676	6.1	14	1	2	6	7	10	12	19
50-64	971	7.5	19	2	3	7	9	12	14	24
65+	583	9.9	36	3	5	8	11	18	22	33
GRAND TOTAL	**35291**	**5.0**	**11**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3108	4.2	5	1	2	4	5	7	8	11
20-34	7762	4.4	5	2	2	4	5	7	9	12
35-49	1025	5.0	8	2	2	4	6	8	10	15
50-64	73	5.0	7	2	2	4	6	8	9	14
65+	18	5.4	7	3	3	5	7	10	11	11
B. *Operated*										
0-19 YRS	746	5.2	14	1	1	5	7	9	11	19
20-34	4196	4.6	10	<1	1	4	6	8	10	15
35-49	1130	5.5	13	1	1	5	7	9	12	18
50-64	157	6.8	28	1	2	6	8	14	18	28
65+	47	8.4	80	1	2	6	10	17	24	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2084	4.9	7	2	2	4	6	8	10	14
20-34	6086	5.1	9	2	2	5	6	9	10	15
35-49	1286	6.1	13	2	3	5	8	11	12	18
50-64	166	7.7	21	3	3	7	10	14	16	24
65+	90	9.6	81	2	3	7	12	16	30	51
B. *Operated*										
0-19 YRS	1475	6.4	17	1	2	6	8	11	13	21
20-34	14163	5.8	14	1	2	6	7	10	12	19
35-49	4869	7.3	24	2	2	6	9	12	16	26
50-64	614	9.3	48	2	3	8	11	16	23	40
65+	220	14.2	167	3	4	11	18	26	37	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11986	4.4	5	2	2	4	5	7	9	12
B. *Operated*	6276	4.9	12	<1	1	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	9712	5.3	10	2	2	5	7	9	11	16
B. *Operated*	21341	6.4	21	1	2	6	8	11	14	23
1. SINGLE DX	18262	4.6	8	1	2	4	6	8	9	14
2. MULTIPLE DX	31053	6.0	18	1	2	5	7	10	13	21
A. NOT OPERATED	21698	4.8	8	2	2	4	6	8	10	14
B. OPERATED	27617	6.1	19	1	2	6	7	10	13	22
TOTAL 0-19 YRS	7413	4.9	9	1	2	4	6	8	10	15
20-34	32207	5.2	11	1	2	5	7	9	11	16
35-49	8310	6.6	20	1	2	6	8	11	14	23
50-64	1010	8.3	39	2	2	7	10	15	20	33
65+	375	11.9	135	2	3	9	15	23	34	83
GRAND TOTAL	**49315**	**5.5**	**15**	**1**	**2**	**5**	**7**	**9**	**12**	**19**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.3	3	1	1	3	4	6	6	7
20-34	240	3.3	6	<1	1	3	4	6	8	16
35-49	66	2.5	2	<1	1	2	3	5	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	201	3.1	5	<1	1	2	4	6	8	9
20-34	3873	4.2	7	<1	1	4	6	7	8	11
35-49	1939	5.6	6	1	2	6	7	8	9	13
50-64	121	5.4	7	1	2	6	7	8	10	12
65+	11	4.8	11	1	1	5	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.9	10	1	1	3	5	9	11	13
20-34	351	3.6	8	<1	1	3	5	7	9	12
35-49	156	3.6	8	<1	<1	3	5	7	8	15
50-64	15	5.5	38	<1	<1	4	8	10	21	25
65+	3	12.3	69	3	3	15	18	19	19	19
B. *Operated*										
0-19 YRS	263	4.3	9	1	1	4	6	8	10	15
20-34	12605	5.5	8	1	2	6	7	8	10	14
35-49	13228	6.6	7	2	4	6	8	9	11	16
50-64	1413	7.3	12	4	5	7	8	10	11	22
65+	173	8.3	19	3	5	7	9	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	3.1	5	1	1	3	4	6	7	11
B. *Operated*	6145	4.6	7	<1	1	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	556	3.7	9	<1	1	3	5	7	9	15
B. *Operated*	27682	6.2	8	1	2	6	7	9	10	16
1. SINGLE DX	6478	4.6	7	<1	1	5	6	7	8	12
2. MULTIPLE DX	28238	6.1	8	1	2	6	7	9	10	16
A. NOT OPERATED	889	3.5	8	<1	1	3	5	7	8	15
B. OPERATED	33827	5.9	8	1	2	6	7	9	10	15
TOTAL 0-19 YRS	522	3.8	7	<1	1	3	5	7	9	13
20-34	17069	5.2	8	1	1	5	7	8	9	14
35-49	15389	6.5	7	2	4	6	7	9	10	16
50-64	1549	7.1	12	2	5	7	8	9	11	22
65+	187	8.1	19	2	4	7	9	13	16	22
GRAND TOTAL	**34716**	**5.8**	**8**	**1**	**2**	**6**	**7**	**9**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	3	3	3
20-34	10	2.7	4	<1	<1	2	4	6	7	7
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	29	2.0	1	<1	<1	2	2	3	4	5
20-34	361	2.6	4	<1	1	2	3	6	7	8
35-49	301	2.4	3	<1	<1	2	3	5	7	9
50-64	160	2.2	1	<1	1	2	3	3	4	7
65+	58	2.8	9	1	1	2	3	4	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	6	1	2	4	6	8	9	10
20-34	58	3.3	3	<1	2	3	4	6	7	8
35-49	18	3.5	6	1	1	3	5	7	9	9
50-64	5	3.4	2	2	2	4	4	5	5	5
65+	7	7.1	23	3	3	6	8	15	17	17
B. *Operated*										
0-19 YRS	75	2.8	6	<1	1	2	3	5	8	12
20-34	2018	4.5	14	1	1	4	6	8	10	15
35-49	1983	5.0	12	<1	1	5	7	9	10	16
50-64	644	4.2	15	1	1	3	6	8	9	18
65+	242	5.1	20	1	1	3	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.5	2	<1	<1	2	3	4	5	7
B. *Operated*	909	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	108	3.8	6	1	2	3	5	7	8	13
B. *Operated*	4962	4.7	13	<1	1	4	7	8	10	16
1. SINGLE DX	932	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	5070	4.6	13	1	1	4	7	8	10	16
A. NOT OPERATED	131	3.6	5	<1	1	3	4	7	8	11
B. OPERATED	5871	4.3	13	<1	1	3	6	8	10	16
TOTAL 0-19 YRS	131	2.8	5	<1	1	2	3	6	8	11
20-34	2447	4.2	12	<1	1	3	6	8	9	14
35-49	2305	4.6	11	<1	1	4	7	8	10	15
50-64	811	3.8	13	1	1	2	6	8	9	15
65+	308	4.7	19	1	1	3	7	10	14	22
GRAND TOTAL	**6002**	**4.3**	**12**	**<1**	**1**	**3**	**6**	**8**	**10**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.2	4	<1	1	3	4	6	7	11
20-34	504	3.3	4	1	1	3	4	5	6	9
35-49	111	3.8	6	<1	1	4	5	7	8	12
50-64	17	5.6	30	2	2	4	5	13	20	23
65+	15	5.5	7	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	307	2.3	2	<1	1	2	3	4	6	7
20-34	2032	2.1	2	<1	1	2	3	4	5	7
35-49	1016	2.2	3	<1	<1	2	3	4	5	9
50-64	314	2.6	5	<1	1	2	3	5	7	10
65+	88	3.5	13	<1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	4.0	6	1	2	4	5	7	7	14
20-34	703	4.6	7	1	2	4	6	8	9	13
35-49	214	5.4	16	1	2	5	7	9	11	19
50-64	107	6.5	19	2	3	6	8	10	15	24
65+	182	7.6	33	2	3	6	9	15	19	28
B. *Operated*										
0-19 YRS	240	3.6	10	<1	1	2	5	8	10	15
20-34	1484	3.9	13	<1	1	3	5	7	9	16
35-49	968	4.0	15	<1	1	3	6	8	10	19
50-64	376	4.7	20	1	1	3	6	10	13	23
65+	248	7.0	55	1	2	5	9	15	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	3.5	5	1	1	3	4	6	7	10
B. *Operated*	3757	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1476	5.1	14	1	2	4	6	9	11	19
B. *Operated*	3316	4.2	18	<1	1	3	6	8	11	20
1. SINGLE DX	4593	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	4792	4.5	17	1	1	3	6	9	11	20
A. NOT OPERATED	2312	4.5	11	1	2	4	6	8	10	17
B. OPERATED	7073	3.2	11	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	1006	3.2	6	<1	1	3	4	6	7	14
20-34	4723	3.2	7	<1	1	2	4	6	8	12
35-49	2309	3.3	11	<1	1	2	4	7	9	14
50-64	814	4.2	16	<1	1	3	5	9	11	20
65+	533	6.6	41	1	2	5	8	14	19	34
GRAND TOTAL	**9385**	**3.5**	**11**	**<1**	**1**	**3**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	8	2.9	5	<1	<1	2	4	6	7	7
35-49	19	4.6	10	<1	<1	5	8	8	9	9
50-64	22	3.3	9	<1	<1	2	5	8	10	12
65+	40	3.5	7	<1	<1	3	5	7	8	12
B. *Operated*										
0-19 YRS	17	3.8	7	<1	1	3	6	8	9	9
20-34	1169	5.6	4	2	3	6	7	8	9	12
35-49	2045	6.4	5	3	4	6	7	9	11	13
50-64	3066	7.0	6	4	4	7	8	10	11	15
65+	2615	7.4	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	72	2.0	3	<1	<1	1	2	5	7	7
35-49	136	3.4	12	<1	<1	2	5	8	10	15
50-64	186	3.4	8	<1	1	3	4	7	8	13
65+	371	4.9	21	1	1	4	6	10	14	28
B. *Operated*										
0-19 YRS	31	7.1	13	2	4	6	8	12	16	18
20-34	5015	6.3	6	3	4	6	7	9	10	14
35-49	9874	7.1	8	4	5	7	8	10	12	17
50-64	8558	8.0	11	4	5	7	9	12	14	19
65+	8238	8.8	21	4	5	8	10	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.6	8	<1	<1	2	6	8	9	12
B. *Operated*	8912	6.8	7	3	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	766	4.0	15	<1	1	3	5	9	12	20
B. *Operated*	31716	7.7	12	4	5	7	9	11	14	20
1. SINGLE DX	9005	6.7	7	3	4	6	8	10	11	15
2. MULTIPLE DX	32482	7.6	13	4	4	7	9	11	14	20
A. NOT OPERATED	859	4.0	15	<1	1	3	5	8	11	20
B. OPERATED	40628	7.5	11	4	4	7	9	11	13	19
TOTAL 0-19 YRS	53	5.7	13	1	1	6	7	9	13	18
20-34	6264	6.1	6	2	4	6	7	9	10	14
35-49	12074	6.9	8	4	4	7	8	10	12	17
50-64	11832	7.7	10	4	5	7	9	11	13	19
65+	11264	8.3	18	4	5	8	9	13	15	24
GRAND TOTAL	**41487**	**7.4**	**12**	**3**	**4**	**7**	**9**	**11**	**13**	**19**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	3	4	4	4
20-34	34	1.6	1	<1	1	1	2	2	3	6
35-49	12	1.6	1	1	1	1	2	3	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.6	1	<1	<1	1	2	3	3	4
20-34	364	1.8	2	<1	<1	1	2	3	5	8
35-49	515	1.7	2	<1	<1	1	2	2	5	7
50-64	63	1.6	1	<1	<1	1	2	2	3	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	1	2	2	3	4	5	5	5
20-34	49	3.0	4	1	1	3	4	6	7	9
35-49	32	3.5	9	<1	<1	3	5	8	11	12
50-64	4	3.3	15	1	1	2	5	9	9	9
65+										
B. *Operated*										
0-19 YRS	34	3.1	7	<1	1	2	4	8	10	11
20-34	573	3.3	7	<1	1	2	5	7	8	11
35-49	870	3.6	10	<1	1	2	6	8	9	13
50-64	125	3.0	8	<1	<1	2	4	7	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	965	1.7	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	96	3.3	6	<1	1	3	4	6	9	12
B. *Operated*	1602	3.4	9	<1	1	2	5	7	9	13
1. SINGLE DX	1020	1.7	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	1698	3.4	9	<1	1	2	5	7	9	13
A. NOT OPERATED	151	2.6	5	<1	1	2	3	5	6	11
B. OPERATED	2567	2.8	7	<1	<1	2	3	7	8	11
TOTAL 0-19 YRS	77	2.5	4	<1	<1	2	3	5	7	11
20-34	1020	2.7	5	<1	<1	2	3	6	7	10
35-49	1429	2.9	8	<1	<1	2	4	7	8	12
50-64	192	2.5	6	<1	<1	2	2	6	8	12
65+										
GRAND TOTAL	**2718**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**7**	**8**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	355	2.1	2	<1	1	2	3	4	5	7
20-34	870	1.8	1	<1	<1	1	2	3	4	6
35-49	236	2.0	3	<1	<1	1	2	3	5	8
50-64	23	1.4		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	782	1.8	1	<1	<1	2	2	3	4	6
20-34	8237	2.0	3	<1	<1	1	2	4	6	8
35-49	9606	2.0	3	<1	<1	1	2	4	6	8
50-64	1247	1.8	2	<1	<1	1	2	3	5	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	2.8	4	1	1	2	3	5	6	9
20-34	1044	2.8	5	<1	1	2	3	5	7	11
35-49	716	2.9	13	<1	<1	2	4	6	8	14
50-64	87	2.1	2	<1	1	2	2	4	6	8
65+										
B. *Operated*										
0-19 YRS	815	2.9	4	<1	1	2	4	5	7	11
20-34	14120	4.0	8	<1	1	3	6	8	9	13
35-49	21754	4.3	10	<1	1	4	6	8	9	13
50-64	2610	3.8	10	<1	1	2	6	8	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1484	1.9	2	<1	<1	1	2	3	4	7
B. *Operated*	19872	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2257	2.8	7	<1	1	2	3	6	7	11
B. *Operated*	39299	4.1	9	<1	1	3	6	8	9	13
1. SINGLE DX	21356	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	41556	4.1	9	<1	1	3	6	8	9	13
A. NOT OPERATED	3741	2.4	5	<1	1	2	3	5	6	10
B. OPERATED	59171	3.4	8	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	2362	2.4	3	<1	1	2	3	5	6	9
20-34	24271	3.2	7	<1	<1	2	5	7	8	11
35-49	32312	3.6	9	<1	<1	2	6	7	9	12
50-64	3967	3.1	8	<1	<1	2	5	7	9	13
65+										
GRAND TOTAL	**62912**	**3.3**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	34	2.7	4	<1	1	2	3	6	7	8
50-64	40	2.8	7	<1	<1	2	3	6	8	14
65+	29	3.0	4	<1	1	2	4	6	6	10
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	28	2.2	4	<1	<1	2	2	5	7	10
35-49	945	1.7	2	<1	<1	1	2	2	3	7
50-64	3499	1.7	1	<1	<1	2	2	2	3	7
65+	1124	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	1	4	4	5	5	6	6	6
20-34	6	4.3	9	<1	<1	3	7	9	9	9
35-49	114	3.7	5	1	1	3	5	7	9	11
50-64	188	3.5	15	<1	1	2	4	8	9	20
65+	223	4.8	17	1	1	3	7	10	12	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	53	3.5	6	<1	1	3	5	6	7	10
35-49	1029	3.2	9	<1	<1	2	4	7	9	15
50-64	4907	3.1	12	<1	1	2	3	7	9	16
65+	2706	3.8	17	1	1	2	4	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.8	5	<1	1	2	3	6	7	12
B. *Operated*	5598	1.8	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	535	4.1	14	1	1	3	5	9	10	20
B. *Operated*	8696	3.3	13	<1	1	2	4	8	10	17
1. SINGLE DX	5703	1.8	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX	9231	3.4	13	<1	1	2	4	8	10	17
A. NOT OPERATED	640	3.9	12	<1	1	3	5	8	10	18
B. OPERATED	14294	2.7	9	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	7	3.4	3	<1	<1	4	5	6	6	6
20-34	89	3.2	6	<1	<1	2	5	6	7	10
35-49	2122	2.6	6	<1	<1	2	3	6	8	13
50-64	8634	2.5	8	<1	<1	2	2	5	8	14
65+	4082	3.4	13	<1	1	2	3	7	10	17
GRAND TOTAL	**14934**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.3	3	<1	<1	2	3	5	7	9
20-34	426	2.4	5	<1	<1	2	3	4	6	10
35-49	114	2.6	5	<1	1	2	3	5	7	13
50-64	39	3.7	13	<1	<1	2	5	8	12	15
65+	39	4.3	17	<1	1	3	6	11	15	16
B. *Operated*										
0-19 YRS	450	2.7	4	<1	1	2	3	5	6	9
20-34	5418	2.8	5	<1	<1	2	4	6	7	10
35-49	3842	3.0	7	<1	<1	2	4	7	8	12
50-64	2080	2.8	8	<1	<1	2	3	7	8	13
65+	790	3.2	13	<1	1	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	3.1	7	<1	1	2	4	7	9	13
20-34	510	2.7	5	<1	<1	2	4	5	7	11
35-49	285	3.7	11	<1	1	2	5	8	10	15
50-64	194	4.7	27	<1	1	3	6	9	14	28
65+	309	7.0	39	1	2	5	9	14	17	36
B. *Operated*										
0-19 YRS	540	4.0	12	<1	1	3	5	7	9	22
20-34	7597	4.4	10	<1	1	4	6	8	9	15
35-49	10294	4.7	13	<1	1	5	7	8	10	16
50-64	6121	4.9	22	<1	1	4	7	9	12	21
65+	2976	6.9	73	1	1	4	8	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	2.5	6	<1	<1	2	3	5	7	13
B. *Operated*	12580	2.9	7	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1456	4.1	19	<1	1	3	5	9	12	22
B. *Operated*	27528	4.9	21	<1	1	4	7	9	11	22
1. SINGLE DX	13365	2.9	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	28984	4.8	21	<1	1	4	7	9	11	22
A. NOT OPERATED	2241	3.6	15	<1	1	2	4	8	10	19
B. OPERATED	40108	4.3	17	<1	1	3	6	8	10	19
TOTAL 0-19 YRS	1315	3.2	8	<1	1	2	4	6	8	13
20-34	13951	3.6	8	<1	1	3	5	7	8	12
35-49	14535	4.2	12	<1	1	3	6	8	9	15
50-64	8434	4.4	19	<1	1	3	6	9	11	19
65+	4114	6.2	61	1	1	3	8	13	19	43
GRAND TOTAL	**42349**	**4.2**	**17**	**<1**	**1**	**3**	**6**	**8**	**10**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	780	2.0	2	<1	1	2	2	3	4	7
20-34	1105	2.3	4	<1	1	2	3	4	5	10
35-49	238	2.7	4	<1	1	2	3	5	7	10
50-64	43	3.8	16	<1	1	2	4	7	11	23
65+	20	5.9	32	<1	1	3	9	11	18	25
B. *Operated*										
0-19 YRS	493	2.5	4	<1	<1	2	3	5	6	9
20-34	4189	3.1	6	<1	<1	2	5	7	8	10
35-49	2253	5.7	10	<1	1	6	8	9	10	14
50-64	1346	7.3	9	2	4	7	9	11	13	16
65+	660	8.2	14	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	592	2.5	3	<1	1	2	3	5	6	9
20-34	1447	2.8	6	<1	1	2	4	5	7	12
35-49	450	3.0	6	<1	<1	2	4	6	8	14
50-64	143	3.6	7	1	1	3	4	7	8	15
65+	149	7.7	117	1	1	5	8	15	23	53
B. *Operated*										
0-19 YRS	494	3.5	8	<1	1	2	5	7	9	13
20-34	11244	4.5	7	<1	1	5	6	8	9	13
35-49	6547	6.5	11	1	2	6	8	10	12	17
50-64	2356	8.3	16	3	4	8	10	13	15	23
65+	1401	9.7	41	2	4	9	11	16	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2186	2.3	4	<1	1	2	3	4	5	10
B. *Operated*	8941	[illegible]	11	<1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	2781	3.1	13	<1	1	2	4	6	8	15
B. *Operated*	22042	5.8	14	1	1	6	7	10	12	18
1. SINGLE DX	11127	4.3	11	<1	1	3	7	9	10	14
2. MULTIPLE DX	24823	5.5	15	1	1	5	7	10	12	18
A. NOT OPERATED	4967	2.7	9	<1	1	2	3	5	7	13
B. OPERATED	30983	5.5	14	<1	1	5	7	9	11	17
TOTAL 0-19 YRS	2359	2.5	4	<1	1	2	3	5	6	10
20-34	17985	3.9	7	<1	1	3	6	7	8	12
35-49	9488	6.0	11	1	2	6	8	10	11	16
50-64	3888	7.7	14	2	3	7	9	12	14	20
65+	2230	9.1	39	2	3	8	11	15	19	30
GRAND TOTAL	**35950**	**5.1**	**14**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	2	<1	<1	2	2	5	6	6
20-34	139	2.1	2	<1	<1	1	3	4	5	7
35-49	9	2.3	4	<1	<1	2	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	416	4.9	2	2	3	5	6	7	8	9
20-34	6241	4.9	3	3	3	5	6	7	8	10
35-49	633	5.2	4	3	3	5	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	2	<1	1	2	3	5	6	6
20-34	70	2.7	3	<1	<1	2	4	5	7	8
35-49	8	3.4	9	<1	<1	2	4	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	394	5.4	5	3	3	5	6	8	9	13
20-34	5950	5.3	4	3	3	5	6	7	9	12
35-49	892	5.8	7	3	3	5	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	7290	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	99	2.7	4	<1	<1	2	4	5	7	9
B. *Operated*	7236	5.3	5	3	3	5	6	7	9	12
1. SINGLE DX	7456	4.8	3	2	3	5	6	7	8	10
2. MULTIPLE DX	7335	5.3	5	3	3	5	6	7	9	12
A. NOT OPERATED	265	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	14526	5.1	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	849	5.0	4	2	3	5	6	7	8	11
20-34	12400	5.0	4	3	3	5	6	7	8	11
35-49	1542	5.5	6	3	3	5	6	8	9	13
50-64										
65+										
GRAND TOTAL	**14791**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	1.4	1	<1	1	1	1	2	3	7
20-34	233	1.6	4	<1	<1	1	2	3	4	6
35-49	45	1.4	1	1	1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5875	1.3		<1	<1	1	1	2	2	4
20-34	13152	1.2	1	<1	<1	<1	1	2	2	4
35-49	1489	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	1.5	1	<1	<1	1	2	3	4	7
20-34	189	1.8	3	<1	<1	1	2	3	5	11
35-49	42	1.4		<1	<1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1524	1.7	3	<1	<1	<1	2	3	4	8
20-34	5051	2.0	6	<1	<1	1	2	4	6	11
35-49	1326	2.2	4	<1	<1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	1.5	3	<1	1	1	2	2	3	6
B. *Operated*	20516	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	303	1.7	3	<1	<1	1	2	3	4	9
B. *Operated*	7901	2.0	5	<1	<1	1	2	4	6	10
1. SINGLE DX	20954	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	8204	1.9	5	<1	<1	1	2	4	6	10
A. NOT OPERATED	741	1.5	3	<1	<1	1	2	2	4	7
B. OPERATED	28417	1.4	2	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	7631	1.4	1	<1	<1	1	1	2	3	5
20-34	18625	1.4	2	<1	<1	<1	1	2	3	7
35-49	2902	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**29158**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	11	2.9	11	<1	<1	2	3	8	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.2	2	1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	17	2.5	7	<1	<1	2	3	5	10	12
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	7	3.0	2	1	1	3	4	5	5	5
1. SINGLE DX	19	2.4	7	<1	<1	2	3	4	9	12
2. MULTIPLE DX	8	3.9	8	1	1	3	5	8	10	10
A. NOT OPERATED	3	4.7	22	1	1	3	8	10	10	10
B. OPERATED	24	2.6	6	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	18	3.4	10	<1	1	3	4	9	11	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**27**	**2.9**	**7**	**<1**	**<1**	**2**	**3**	**5**	**10**	**12**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	855	1.6	1	<1	<1	1	2	3	3	5
20-34	2904	1.6	3	<1	<1	1	2	3	3	6
35-49	273	1.5	1	<1	<1	1	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5681	1.5	1	<1	<1	1	2	2	3	5
20-34	33003	1.4	1	<1	<1	1	2	2	3	5
35-49	4498	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	2.1	3	<1	1	2	2	4	6	10
20-34	670	2.4	4	<1	1	2	3	5	6	11
35-49	74	2.3	6	<1	1	1	2	5	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	995	2.2	3	<1	1	2	3	4	6	11
20-34	5820	2.3	5	<1	1	2	3	5	6	11
35-49	1242	2.2	5	<1	1	2	3	4	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4032	1.6	2	<1	<1	1	2	3	3	6
B. *Operated*	43182	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	919	2.3	4	<1	1	2	3	5	6	11
B. *Operated*	8057	2.3	5	<1	1	2	3	4	6	11
1. SINGLE DX	47214	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	8976	2.3	5	<1	1	2	3	4	6	11
A. NOT OPERATED	4951	1.7	3	<1	<1	1	2	3	4	7
B. OPERATED	51239	1.5	2	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	7706	1.6	2	<1	<1	1	2	3	4	6
20-34	42397	1.5	2	<1	<1	1	2	3	4	7
35-49	6087	1.5	2	<1	<1	1	2	3	3	7
50-64										
65+										
GRAND TOTAL	**56190**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	2.9	4	1	1	3	4	5	7	10
20-34	899	2.4	4	<1	1	2	3	5	7	9
35-49	96	2.2	6	<1	1	1	2	4	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	616	2.0	2	<1	<1	2	2	3	5	8
20-34	5885	1.6	1	<1	<1	1	2	3	3	6
35-49	779	1.6	1	<1	<1	1	2	3	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.5	5	1	1	3	5	6	7	13
20-34	308	3.2	8	1	1	2	4	6	8	13
35-49	47	3.9	12	1	1	3	4	10	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	240	3.3	15	<1	1	2	4	6	9	15
20-34	1751	2.7	9	<1	1	2	3	5	7	12
35-49	318	3.0	8	<1	1	2	4	6	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	7280	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	441	3.3	8	1	1	2	4	6	8	14
B. *Operated*	2309	2.8	9	<1	1	2	3	6	7	13
1. SINGLE DX	8519	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2750	2.9	9	<1	1	2	3	6	8	13
A. NOT OPERATED	1680	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	9589	1.9	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	1186	2.5	6	<1	1	2	3	5	6	11
20-34	8843	1.9	4	<1	<1	1	2	4	5	9
35-49	1240	2.1	4	<1	<1	1	2	4	6	11
50-64										
65+										
GRAND TOTAL	**11269**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	801	2.1	2	<1	1	2	3	4	5	7
20-34	4508	2.3	2	<1	1	2	3	4	5	8
35-49	308	2.2	2	<1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.1	2	<1	<1	2	3	4	6	6
20-34	124	2.4	5	<1	<1	2	3	4	5	13
35-49	9	2.2	2	1	1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.0	5	<1	1	3	4	5	7	13
20-34	1055	3.2	6	1	1	3	4	6	7	12
35-49	100	3.3	6	<1	1	3	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.3	6	<1	1	3	5	7	9	9
20-34	97	3.7	13	1	1	2	4	9	11	19
35-49	7	6.4	18	1	1	7	8	12	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5617	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	161	2.3	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1374	3.2	6	1	1	3	4	6	7	12
B. *Operated*	117	3.8	13	1	1	3	5	9	11	17
1. SINGLE DX	5778	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1491	3.2	6	1	1	3	4	6	8	13
A. NOT OPERATED	6991	2.4	3	<1	1	2	3	4	5	9
B. OPERATED	278	2.9	9	<1	1	2	3	6	9	14
TOTAL 0-19 YRS	1061	2.3	3	<1	1	2	3	4	5	8
20-34	5784	2.5	3	<1	1	2	3	4	6	9
35-49	424	2.6	4	<1	1	2	3	5	6	10
50-64										
65+										
GRAND TOTAL	**7269**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.0	1	<1	<1	2	3	3	4	6
20-34	240	2.3	4	<1	<1	2	3	4	6	13
35-49	17	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	6	2.3	8	<1	<1	1	2	7	8	8
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	<1	1	3	4	5	6	7
20-34	81	3.0	9	<1	<1	2	4	5	8	18
35-49	9	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	3.7	19	1	1	2	5	11	12	12
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.2	4	<1	<1	2	3	4	6	10
B. *Operated*	11	3.0	13	<1	<1	2	2	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	111	2.9	7	<1	<1	2	4	5	7	17
B. *Operated*	11	2.5	11	<1	<1	1	2	8	12	12
1. SINGLE DX	314	2.3	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX	122	2.9	7	<1	<1	2	4	5	7	17
A. NOT OPERATED	414	2.4	5	<1	<1	2	3	4	6	13
B. OPERATED	22	2.8	12	<1	<1	1	2	9	12	12
TOTAL 0-19 YRS	72	2.3	2	<1	<1	2	3	4	5	7
20-34	333	2.5	6	<1	<1	2	3	5	7	14
35-49	31	2.2	4	<1	<1	2	3	3	4	12
50-64										
65+										
GRAND TOTAL	**436**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	953	3.3	6	1	1	3	4	6	7	12
20-34	4402	3.3	6	1	1	3	4	6	7	13
35-49	405	3.7	8	1	1	3	4	7	8	15
50-64										
65+										
B. *Operated*										
0-19 YRS	119	4.1	14	<1	1	3	5	7	8	20
20-34	485	3.6	8	<1	1	3	4	7	9	16
35-49	56	4.1	21	<1	<1	3	5	8	11	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	3.4	10	1	1	3	4	6	9	18
20-34	1337	3.9	10	1	1	3	5	8	10	16
35-49	183	4.1	9	1	1	3	5	8	10	15
50-64										
65+										
B. *Operated*										
0-19 YRS	57	4.1	9	<1	<1	3	6	8	9	16
20-34	392	4.1	15	<1	<1	3	5	8	12	21
35-49	52	4.4	22	<1	<1	3	6	9	14	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5760	3.3	6	1	1	3	4	6	7	13
B. *Operated*	660	3.7	11	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1797	3.9	10	1	1	3	5	7	10	16
B. *Operated*	501	4.1	15	<1	<1	3	5	8	12	20
1. SINGLE DX	6420	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX	2298	3.9	11	<1	1	3	5	8	10	17
A. NOT OPERATED	7557	3.4	7	1	1	3	4	6	8	14
B. OPERATED	1161	3.9	13	<1	<1	3	5	8	10	18
TOTAL 0-19 YRS	1406	3.4	7	1	1	3	4	6	8	13
20-34	6616	3.5	8	1	1	3	4	6	8	15
35-49	696	3.9	10	1	1	3	5	7	10	16
50-64										
65+										
GRAND TOTAL	**8718**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1190	3.2	5	1	1	3	4	5	7	11
20-34	6276	3.8	6	1	2	3	5	7	8	13
35-49	205	4.4	8	2	2	4	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.8	8	<1	<1	3	5	7	10	12
20-34	76	5.6	42	1	1	3	6	15	22	28
35-49	3	5.7	52	1	1	2	11	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	3.5	6	1	2	3	4	6	7	14
20-34	2333	4.1	11	1	2	3	5	7	10	17
35-49	88	5.4	22	1	1	4	6	9	17	26
50-64										
65+										
B. *Operated*										
0-19 YRS	30	5.1	10	1	1	5	7	9	10	15
20-34	129	6.5	52	1	1	4	8	13	16	43
35-49	5	6.0	19	<1	<1	6	9	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7671	3.8	6	1	2	3	4	7	8	13
B. *Operated*	95	5.3	37	<1	1	3	5	12	22	28
2. MULTIPLE DX										
A. *Not Operated*	2972	4.1	10	1	2	3	5	7	9	17
B. *Operated*	164	6.3	43	1	1	4	8	12	15	40
1. SINGLE DX	7766	3.8	6	1	2	3	4	7	8	13
2. MULTIPLE DX	3136	4.2	12	1	2	3	5	7	10	18
A. NOT OPERATED	10643	3.8	7	1	2	3	5	7	9	14
B. OPERATED	259	5.9	41	1	1	4	7	12	16	34
TOTAL 0-19 YRS	1787	3.3	5	1	1	3	4	6	7	12
20-34	8814	4.0	8	1	2	3	5	7	9	15
35-49	301	4.8	12	1	2	4	6	9	11	19
50-64										
65+										
GRAND TOTAL	**10902**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	4993	1.1	1	<1	<1	<1	1	1	2	4
20-34	19901	1.2	1	<1	<1	<1	1	1	2	4
35-49	1044	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS.	651	1.2	1	<1	<1	<1	1	1	2	6
20-34	2744	1.2	1	<1	<1	<1	1	1	2	5
35-49	151	1.4	2	<1	<1	<1	1	3	4	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	554	1.6	2	<1	<1	1	2	3	4	7
20-34	2025	1.8	7	<1	<1	1	2	3	5	9
35-49	120	1.6	2	<1	<1	1	1	3	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS.	108	2.0	5	<1	<1	1	2	4	5	15
20-34	431	1.9	5	<1	<1	1	2	4	6	11
35-49	25	1.6	2	<1	<1	1	2	3	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25938	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	3546	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	2699	1.7	6	<1	<1	1	2	3	4	9
B. *Operated*	564	1.9	5	<1	<1	1	2	4	6	12
1. SINGLE DX	29484	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3263	1.8	6	<1	<1	1	2	3	5	10
A. NOT OPERATED	28637	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	4110	1.3	1	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS.	6306	1.2	1	<1	<1	1	1	2	2	5
20-34	25101	1.2	2	<1	<1	<1	1	2	2	5
35-49	1340	1.2	1	<1	<1	<1	1	1	3	5
50-64										
65+										
GRAND TOTAL	**32747**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	155	2.4	2	1	1	2	3	4	5	7
20-34	1689	3.5	15	<1	1	2	4	6	9	22
35-49	182	3.6	26	<1	1	2	4	6	9	23
50-64										
65+										
B. *Operated*										
0-19 YRS.	22	3.5	13	<1	<1	2	5	9	12	15
20-34	190	4.3	32	<1	1	3	5	9	16	27
35-49	17	5.1	21	1	1	3	7	11	16	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	52	3.2	5	<1	1	3	4	6	7	12
20-34	518	4.4	24	<1	1	3	5	8	13	26
35-49	44	4.9	21	1	1	3	6	11	17	22
50-64										
65+										
B. *Operated*										
0-19 YRS.	8	6.1	67	1	1	3	5	20	26	26
20-34	96	5.6	27	1	1	4	6	13	16	26
35-49	12	5.4	16	<1	2	5	6	11	16	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2026	3.4	15	<1	1	2	4	6	9	22
B. *Operated*	229	4.3	29	<1	1	3	5	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	614	4.3	22	<1	1	3	5	8	13	26
B. *Operated*	116	5.6	27	1	1	4	6	13	16	26
1. SINGLE DX	2255	3.5	16	<1	1	2	4	6	10	22
2. MULTIPLE DX	730	4.5	23	<1	1	3	5	9	14	25
A. NOT OPERATED	2640	3.6	17	<1	1	3	4	7	10	23
B. OPERATED	345	4.7	29	<1	1	3	6	10	15	26
TOTAL 0-19 YRS.	237	2.8	6	<1	1	2	4	5	6	12
20-34	2493	3.8	19	<1	1	3	4	7	11	26
35-49	255	4.0	25	<1	1	3	4	8	11	22
50-64										
65+										
GRAND TOTAL	**2985**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	441	2.0	2	<1	<1	1	2	4	5	7
20-34	2287	2.1	4	<1	<1	2	2	4	5	11
35-49	125	2.2	4	<1	<1	2	3	4	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.0	2	<1	<1	2	3	3	4	7
20-34	289	2.2	4	<1	<1	2	3	5	6	9
35-49	26	2.5	7	<1	1	2	3	3	6	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	2.2	3	<1	<1	2	3	4	6	9
20-34	676	3.1	18	<1	<1	2	4	6	9	20
35-49	45	2.8	11	<1	<1	2	3	5	9	18
50-64										
65+										
B. *Operated*										
0-19 YRS	29	3.7	20	<1	<1	2	3	13	15	17
20-34	138	3.5	8	<1	<1	3	5	8	10	13
35-49	15	3.6	25	<1	<1	1	4	11	17	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2853	2.1	4	<1	<1	1	2	4	5	11
B. *Operated*	368	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	885	2.9	15	<1	<1	2	3	6	8	17
B. *Operated*	182	3.5	11	<1	<1	2	4	8	11	17
1. SINGLE DX	3221	2.1	4	<1	<1	2	2	4	5	11
2. MULTIPLE DX	1067	3.0	14	<1	<1	2	3	6	9	17
A. NOT OPERATED	3738	2.3	7	<1	<1	2	3	4	6	12
B. OPERATED	550	2.6	7	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	687	2.1	3	<1	<1	2	2	4	5	10
20-34	3390	2.4	7	<1	<1	2	3	4	6	12
35-49	211	2.5	7	<1	<1	2	3	4	7	18
50-64										
65+										
GRAND TOTAL	**4288**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1068	3.2	4	<1	1	3	4	6	7	10
20-34	2347	3.0	3	<1	1	3	4	5	6	8
35-49	72	3.2	4	<1	1	3	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.9	3	<1	<1	<1	2	4	6	8
20-34	285	2.1	3	<1	<1	1	3	5	6	10
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1315	3.5	4	<1	1	3	5	6	7	9
20-34	2741	3.5	6	<1	1	3	4	6	7	11
35-49	97	3.6	5	1	1	3	4	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	112	3.2	9	<1	<1	2	4	7	10	15
20-34	307	3.9	14	<1	<1	3	5	8	10	14
35-49	16	5.9	60	<1	<1	4	7	11	26	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3487	3.0	3	<1	1	3	4	5	6	9
B. *Operated*	441	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	4153	3.5	5	<1	1	3	4	6	7	10
B. *Operated*	435	3.8	15	<1	<1	3	5	8	10	15
1. SINGLE DX	3928	2.9	3	<1	<1	3	4	5	6	9
2. MULTIPLE DX	4588	3.5	6	<1	1	3	5	6	7	11
A. NOT OPERATED	7640	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	876	2.9	10	<1	<1	2	4	6	8	13
TOTAL 0-19 YRS	2647	3.3	4	<1	<1	3	4	6	7	10
20-34	5680	3.2	5	<1	1	3	4	6	7	10
35-49	189	3.6	10	<1	1	3	4	7	8	12
50-64										
65+										
GRAND TOTAL	**8516**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	339	3.7	9	<1	1	3	5	8	10	16
20-34	2279	4.0	11	1	1	3	5	8	10	16
35-49	310	4.7	11	1	1	4	6	9	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.6	7	<1	1	3	5	7	10	12
20-34	194	3.4	12	<1	<1	2	4	7	9	18
35-49	20	3.8	10	<1	<1	3	5	9	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	3.6	13	<1	1	3	4	7	9	18
20-34	5546	4.0	15	<1	1	3	5	8	11	19
35-49	539	4.9	29	1	1	4	6	9	13	20
50-64										
65+										
B. *Operated*										
0-19 YRS	142	4.5	43	<1	<1	3	5	7	11	40
20-34	852	5.2	29	<1	1	4	7	11	15	28
35-49	76	4.9	19	<1	1	3	7	9	14	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2928	4.1	11	1	1	3	5	8	10	16
B. *Operated*	246	3.5	11	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7118	4.0	16	<1	1	3	5	8	11	19
B. *Operated*	1070	5.1	30	<1	1	4	6	10	14	28
1. SINGLE DX	3174	4.0	11	<1	1	3	5	8	10	16
2. MULTIPLE DX	8188	4.2	18	<1	1	3	5	8	11	21
A. NOT OPERATED	10046	4.0	14	<1	1	3	5	8	11	18
B. OPERATED	1316	4.8	27	<1	<1	3	6	10	14	27
TOTAL 0-19 YRS	1546	3.7	15	<1	1	3	5	7	10	18
20-34	8871	4.1	15	<1	1	3	5	8	11	20
35-49	945	4.8	22	1	1	4	6	9	12	19
50-64										
65+										
GRAND TOTAL	**11362**	**4.1**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2870	2.2	7	<1	<1	1	3	4	6	12
20-34	11706	2.4	10	<1	<1	1	3	5	7	15
35-49	718	2.8	14	<1	<1	1	3	6	9	19
50-64										
65+										
B. *Operated*										
0-19 YRS	897	2.4	7	<1	<1	1	3	5	6	14
20-34	5939	2.5	8	<1	<1	2	3	5	6	14
35-49	448	2.7	16	<1	<1	2	3	5	6	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1366	2.9	10	<1	<1	2	4	6	8	15
20-34	5887	3.3	20	<1	<1	2	4	6	9	24
35-49	417	3.8	20	<1	<1	3	4	8	12	21
50-64										
65+										
B. *Operated*										
0-19 YRS	470	3.5	16	<1	<1	2	4	7	10	21
20-34	3307	3.4	22	<1	<1	2	4	7	10	23
35-49	789	1.9	9	<1	<1	<1	1	4	6	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15294	2.4	9	<1	<1	1	3	5	7	14
B. *Operated*	7284	2.5	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	7670	3.3	19	<1	<1	2	4	6	9	22
B. *Operated*	4566	3.1	20	<1	<1	2	4	6	9	22
1. SINGLE DX	22578	2.4	9	<1	<1	1	3	5	7	14
2. MULTIPLE DX	12236	3.2	19	<1	<1	2	4	6	9	22
A. NOT OPERATED	22964	2.7	13	<1	<1	2	3	5	8	17
B. OPERATED	11850	2.8	13	<1	<1	2	3	5	7	17
TOTAL 0-19 YRS	5603	2.5	9	<1	<1	1	3	5	7	14
20-34	26839	2.8	13	<1	<1	2	3	5	8	18
35-49	2372	2.7	14	<1	<1	1	3	5	8	18
50-64										
65+										
GRAND TOTAL	**34814**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	2.8	1	1	2	3	3	4	5	7
20-34	1735	3.0	3	1	2	3	3	4	5	7
35-49	127	3.3	8	1	2	3	4	4	5	14
50-64										
65+										
B. *Operated*										
0-19 YRS	213	3.5	8	1	2	3	4	5	6	12
20-34	1176	4.2	12	2	2	3	5	6	8	17
35-49	93	4.7	8	2	2	4	6	7	8	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	542	3.2	3	2	2	3	4	4	5	9
20-34	2346	3.5	10	1	2	3	4	5	6	13
35-49	171	3.6	5	1	2	3	4	5	7	15
50-64										
65+										
B. *Operated*										
0-19 YRS	576	4.7	16	2	2	4	5	8	11	24
20-34	5306	5.5	34	2	2	4	6	8	13	33
35-49	652	6.1	35	2	2	5	7	10	16	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2247	3.0	3	1	2	3	3	4	5	7
B. *Operated*	1482	4.1	11	2	2	3	5	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	3059	3.4	8	1	2	3	4	5	6	13
B. *Operated*	6534	5.5	32	2	2	4	6	8	13	32
1. SINGLE DX	3729	3.4	6	1	2	3	4	5	6	11
2. MULTIPLE DX	9593	4.8	26	2	2	4	5	7	11	27
A. NOT OPERATED	5306	3.2	6	1	2	3	4	4	5	10
B. OPERATED	8016	5.2	29	2	2	4	6	8	12	29
TOTAL 0-19 YRS	1716	3.7	8	2	2	3	4	6	7	16
20-34	10563	4.5	22	2	2	3	5	7	9	25
35-49	1043	5.2	26	2	2	4	6	8	12	32
50-64										
65+										
GRAND TOTAL	**13322**	**4.4**	**21**	**2**	**2**	**3**	**5**	**7**	**9**	**24**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28990	2.6	1	1	1	3	3	4	4	5
20-34	166084	2.7	1	1	1	3	3	4	4	5
35-49	8687	2.8	2	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6509	2.6	1	1	2	3	3	4	4	5
20-34	39630	2.8	1	1	2	3	3	4	4	5
35-49	2122	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1077	3.0	2	1	2	3	3	4	5	8
20-34	5486	3.0	2	1	2	3	4	4	5	7
35-49	356	2.9	2	1	1	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	663	3.2	2	2	2	3	4	4	5	7
20-34	22135	3.4	2	2	2	3	4	5	5	7
35-49	2763	3.5	1	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203761	2.7	1	1	1	3	3	4	4	5
B. *Operated*	48261	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	6919	3.0	2	1	2	3	4	4	5	7
B. *Operated*	25561	3.4	2	2	2	3	4	5	5	7
1. SINGLE DX	252022	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	32480	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	210680	2.7	1	1	1	3	3	4	4	5
B. OPERATED	73822	3.0	1	1	2	3	4	4	5	6
TOTAL 0-19 YRS	37239	2.7	1	1	1	3	3	4	4	5
20-34	233335	2.8	1	1	2	3	3	4	4	5
35-49	13928	2.9	2	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**284502**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	1	1	1	2	3	4	4	4
20-34	109	3.0	3	1	1	3	4	4	5	12
35-49	12	3.6	4	<1	1	3	5	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	48	6.0	17	2	3	5	7	11	17	22
20-34	687	7.4	58	3	3	5	7	12	20	47
35-49	92	8.6	123	3	3	6	8	16	31	97
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	3	1	2	3	4	6	7	8
20-34	128	4.8	39	1	1	3	5	9	16	34
35-49	9	3.1	3	1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	118	7.9	64	3	3	6	8	14	23	47
20-34	1685	8.6	93	3	3	6	8	17	30	56
35-49	309	8.9	67	3	4	6	8	19	30	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.0	3	1	1	3	4	4	5	10
B. *Operated*	827	7.5	63	3	3	5	7	13	21	48
2. MULTIPLE DX										
A. *Not Operated*	154	4.5	33	1	1	3	4	8	14	31
B. *Operated*	2112	8.6	88	3	3	6	8	17	30	55
1. SINGLE DX	957	6.9	57	2	3	5	7	11	19	46
2. MULTIPLE DX	2266	8.3	85	2	3	6	8	16	29	54
A. NOT OPERATED	284	3.8	20	1	1	3	4	5	9	29
B. OPERATED	2939	8.3	81	3	3	6	8	16	28	52
TOTAL 0-19 YRS	192	6.7	46	2	2	5	7	11	19	38
20-34	2609	7.9	79	2	3	5	7	14	27	52
35-49	422	8.5	77	3	3	6	8	17	29	48
50-64										
65+										
GRAND TOTAL	**3223**	**7.9**	**77**	**2**	**3**	**5**	**7**	**15**	**27**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.4	1	1	1	2	3	3	4	5
20-34	786	2.7	4	1	1	3	3	4	5	9
35-49	55	2.5	1	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	139	3.8	3	1	2	4	5	6	7	8
20-34	840	4.2	7	1	2	4	5	7	7	9
35-49	69	4.3	3	2	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.9	2	1	1	3	3	5	6	9
20-34	637	3.2	6	1	1	3	4	5	6	14
35-49	52	3.6	34	1	1	3	4	5	6	42
50-64										
65+										
B. *Operated*										
0-19 YRS	401	5.2	22	2	2	4	6	8	12	25
20-34	2629	5.0	14	2	2	4	6	7	9	20
35-49	276	5.2	8	2	2	5	6	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	2.7	3	1	1	3	3	4	5	8
B. *Operated*	1048	4.2	6	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	812	3.1	7	1	1	3	4	5	6	14
B. *Operated*	3306	5.0	14	2	2	5	6	8	10	20
1. SINGLE DX	2023	3.4	5	1	1	3	4	6	7	9
2. MULTIPLE DX	4118	4.7	13	1	2	4	6	7	9	20
A. NOT OPERATED	1787	2.9	5	1	1	3	3	4	5	10
B. OPERATED	4354	4.8	12	2	2	4	6	7	9	18
TOTAL 0-19 YRS	797	4.2	14	1	2	3	5	7	8	19
20-34	4892	4.3	11	1	2	4	5	7	8	17
35-49	452	4.5	10	1	2	4	6	7	9	14
50-64										
65+										
GRAND TOTAL	**6141**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	1	<1	<1	3	3	4	4	4
20-34	155	2.8	1	1	1	3	3	4	5	5
35-49	14	2.6	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	296	2.6	1	1	1	2	3	4	5	6
20-34	2147	2.8	3	1	1	3	3	4	5	6
35-49	133	3.0	2	1	1	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	1	2	2	3	3	4	5	5
20-34	66	3.2	2	1	2	3	4	5	6	9
35-49	6	3.2	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	169	3.0	2	1	1	3	3	4	5	11
20-34	1425	3.3	4	1	2	3	4	5	6	9
35-49	144	4.2	47	1	1	3	4	6	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.7	1	1	1	3	3	4	4	5
B. *Operated*	2576	2.8	3	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	86	3.2	2	1	2	3	4	5	5	9
B. *Operated*	1738	3.4	8	1	2	3	4	5	6	11
1. SINGLE DX	2770	2.8	3	1	1	3	3	4	5	6
2. MULTIPLE DX	1824	3.3	7	1	2	3	4	5	6	10
A. NOT OPERATED	280	2.9	1	1	1	3	4	4	5	6
B. OPERATED	4314	3.0	5	1	1	3	4	4	5	8
TOTAL 0-19 YRS	504	2.7	2	1	1	3	3	4	5	7
20-34	3793	3.0	4	1	1	3	4	4	5	7
35-49	297	3.6	24	1	1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**4594**	**3.0**	**5**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.7	1	1	1	3	3	4	4	5
20-34	875	2.7	1	1	1	3	3	4	4	6
35-49	40	2.9	1	1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	94	3.0	2	1	1	3	4	4	5	9
20-34	532	3.0	2	1	1	3	4	4	5	6
35-49	22	2.5	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.3	2	2	2	3	4	5	7	9
20-34	440	3.2	3	1	2	3	4	4	5	11
35-49	20	3.5	8	1	1	3	4	5	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	130	3.4	3	1	2	3	4	5	6	11
20-34	774	3.4	3	1	2	3	4	5	6	8
35-49	52	4.1	7	1	2	4	5	6	7	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	2.7	1	1	1	3	3	4	4	6
B. *Operated*	648	3.0	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	553	3.2	3	1	2	3	4	4	5	11
B. *Operated*	956	3.4	3	1	2	3	4	5	6	9
1. SINGLE DX	1731	2.8	2	1	1	3	3	4	5	6
2. MULTIPLE DX	1509	3.4	3	1	2	3	4	5	6	9
A. NOT OPERATED	1636	2.9	2	1	1	3	3	4	5	6
B. OPERATED	1604	3.3	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	485	3.0	2	1	2	3	4	4	5	8
20-34	2621	3.0	2	1	2	3	4	5	5	7
35-49	134	3.4	5	1	1	3	4	5	6	15
50-64										
65+										
GRAND TOTAL	**3240**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	42	2.8	1	1	2	3	3	4	4	7
20-34	432	3.4	2	2	2	3	4	5	5	7
35-49	37	3.2	2	1	2	3	4	5	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS.	33	3.6	2	1	2	3	4	6	6	7
20-34	355	4.5	7	2	2	4	5	7	8	14
35-49	25	4.2	2	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	68	4.4	19	1	2	3	4	8	11	29
20-34	519	3.7	9	1	2	3	4	5	7	14
35-49	31	4.6	22	2	2	4	5	9	12	26
50-64										
65+										
B. *Operated*										
0-19 YRS.	237	5.7	19	2	2	5	7	9	11	23
20-34	2922	5.8	25	2	3	5	6	8	11	29
35-49	268	6.3	20	3	3	6	7	10	12	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	3.3	2	2	2	3	4	5	5	7
B. *Operated*	413	4.4	7	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	618	3.8	11	1	2	3	4	5	7	15
B. *Operated*	3427	5.8	24	2	3	5	6	8	11	28
1. SINGLE DX	924	3.8	4	2	2	3	5	6	7	9
2. MULTIPLE DX	4045	5.5	22	2	2	5	6	8	11	26
A. NOT OPERATED	1129	3.6	7	1	2	3	4	5	6	13
B. OPERATED	3840	5.7	22	2	3	5	6	8	11	26
TOTAL 0-19 YRS.	380	5.0	17	2	2	4	6	8	10	22
20-34	4228	5.2	20	2	2	4	6	8	10	24
35-49	361	5.7	18	2	3	5	7	9	11	26
50-64										
65+										
GRAND TOTAL	**4969**	**5.2**	**19**	**2**	**2**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	43	2.8	1	1	2	3	3	4	5	5
20-34	789	2.7	1	1	1	3	3	4	5	6
35-49	60	2.9	1	1	1	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS.	948	4.7	2	2	3	5	5	6	7	9
20-34	6858	4.6	2	2	3	5	5	6	7	8
35-49	333	4.6	3	2	2	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	60	2.7	2	1	1	3	4	4	5	7
20-34	318	2.9	2	1	1	3	3	4	5	8
35-49	30	3.5	16	1	1	3	3	5	15	20
50-64										
65+										
B. *Operated*										
0-19 YRS.	1031	5.3	6	2	3	5	6	8	9	14
20-34	8482	5.2	7	2	3	5	6	7	8	13
35-49	914	5.5	7	2	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	2.7	1	1	1	3	3	4	5	6
B. *Operated*	8139	4.6	2	2	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	408	2.9	3	1	1	3	3	4	5	9
B. *Operated*	10427	5.2	7	2	3	5	6	7	8	13
1. SINGLE DX	9071	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX	10835	5.1	7	2	3	5	6	7	8	13
A. NOT OPERATED	1340	2.8	2	1	1	3	3	4	5	7
B. OPERATED	18566	5.0	5	2	3	5	6	7	8	11
TOTAL 0-19 YRS.	2122	4.9	6	2	3	5	6	7	8	12
20-34	16447	4.8	5	2	3	5	6	7	7	11
35-49	1337	5.1	7	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**19906**	**4.8**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	2.5	1	1	1	2	3	4	4	5
20-34	1720	2.7	1	1	1	3	3	4	4	6
35-49	109	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	639	3.6	3	1	2	3	5	6	6	8
20-34	4494	3.8	4	2	2	4	5	6	7	8
35-49	298	4.1	3	2	2	4	5	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	2.9	2	1	1	3	3	4	5	7
20-34	1099	2.9	2	1	1	3	4	4	5	8
35-49	94	2.9	2	1	1	3	4	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1794	4.3	6	2	2	4	5	7	8	12
20-34	13081	4.4	6	2	2	4	5	7	7	11
35-49	1235	4.8	5	2	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2022	2.7	1	1	1	3	3	4	4	6
B. *Operated*	5431	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1330	2.9	2	1	1	3	4	4	5	8
B. *Operated*	16110	4.5	6	2	2	4	5	7	8	11
1. SINGLE DX	7453	3.5	3	1	2	3	4	6	6	8
2. MULTIPLE DX	17440	4.3	6	2	2	4	5	7	7	11
A. NOT OPERATED	3352	2.8	1	1	1	3	3	4	5	6
B. OPERATED	21541	4.3	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2763	4.0	5	2	2	4	5	6	7	11
20-34	20394	4.1	5	2	2	4	5	6	7	10
35-49	1736	4.5	4	2	2	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**24893**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	4	2	2	3	4	6	9	11
20-34	167	3.3	2	1	2	3	4	5	6	9
35-49	11	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1577	5.2	2	3	4	5	6	7	8	10
20-34	8385	5.3	2	3	4	5	6	7	7	8
35-49	366	5.6	2	3	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	6	1	2	3	6	7	9	12
20-34	106	4.0	3	2	2	4	5	6	7	9
35-49	5	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3502	5.8	6	3	4	5	6	8	10	14
20-34	18701	5.6	4	3	4	5	6	7	8	12
35-49	1257	5.8	3	4	4	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.3	2	1	2	3	4	5	6	10
B. *Operated*	10328	5.3	2	3	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	136	4.0	3	2	2	4	5	7	7	9
B. *Operated*	23460	5.6	4	3	4	5	6	7	8	12
1. SINGLE DX	10525	5.2	2	3	4	5	6	7	7	9
2. MULTIPLE DX	23596	5.6	4	3	4	5	6	7	8	12
A. NOT OPERATED	333	3.6	3	1	2	3	4	6	7	9
B. OPERATED	33788	5.5	4	3	4	5	6	7	8	12
TOTAL 0-19 YRS	5123	5.6	5	3	4	5	6	8	9	13
20-34	27359	5.5	3	3	4	5	6	7	8	11
35-49	1639	5.7	3	3	4	6	6	8	8	11
50-64										
65+										
GRAND TOTAL	**34121**	**5.5**	**4**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	429	2.9	1	1	2	3	4	4	5	6
20-34	2419	2.9	1	1	2	3	4	4	5	6
35-49	126	2.8	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	642	3.8	3	2	2	4	5	6	6	8
20-34	4387	3.9	3	2	2	4	5	6	7	8
35-49	278	4.1	3	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	3.3	2	1	2	3	4	5	5	11
20-34	1540	3.1	2	1	2	3	4	5	5	7
35-49	93	3.4	1	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1622	4.4	7	2	2	4	5	7	8	12
20-34	10600	4.3	4	2	2	4	5	7	7	11
35-49	831	4.6	4	2	2	4	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2974	2.9	1	1	2	3	4	4	5	6
B. *Operated*	5307	3.9	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1922	3.2	2	1	2	3	4	5	5	8
B. *Operated*	13053	4.3	4	2	2	4	5	7	7	11
1. SINGLE DX	8281	3.5	2	1	2	3	4	6	6	8
2. MULTIPLE DX	14975	4.2	4	2	2	4	5	6	7	11
A. NOT OPERATED	4896	3.0	2	1	2	3	4	4	5	6
B. OPERATED	18360	4.2	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2982	3.9	5	2	2	4	5	6	7	11
20-34	18946	3.9	3	2	2	4	5	6	7	9
35-49	1328	4.3	4	2	2	4	5	7	7	10
50-64										
65+										
GRAND TOTAL	**23256**	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.6	1	1	1	3	3	4	5	5
20-34	422	2.8	1	1	1	3	3	4	5	6
35-49	43	3.0	1	1	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	194	4.1	2	2	2	4	5	6	7	7
20-34	1669	4.4	3	2	2	4	6	7	7	8
35-49	109	4.7	4	2	2	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.7	35	1	2	3	4	8	19	30
20-34	285	3.3	7	1	1	3	4	5	6	16
35-49	34	3.5	4	1	2	3	4	5	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	434	5.2	6	2	3	5	6	8	9	13
20-34	4007	5.2	9	2	3	5	6	7	8	15
35-49	459	5.5	8	2	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	2.8	1	1	1	3	3	4	5	6
B. *Operated*	1972	4.4	3	2	2	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	365	3.5	11	1	2	3	4	5	7	21
B. *Operated*	4900	5.2	9	2	3	5	6	7	8	15
1. SINGLE DX	2492	4.1	3	2	2	4	5	6	7	8
2. MULTIPLE DX	5265	5.1	9	2	3	5	6	7	8	15
A. NOT OPERATED	885	3.1	5	1	1	3	3	4	5	14
B. OPERATED	6872	5.0	7	2	3	5	6	7	8	13
TOTAL 0-19 YRS	729	4.7	7	2	2	4	6	7	8	14
20-34	6383	4.7	7	2	2	5	6	7	8	12
35-49	645	5.1	7	2	3	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	**7757**	**4.8**	**7**	**2**	**2**	**5**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	2	1	2	3	3	5	6	8
20-34	469	3.0	4	1	1	3	4	5	5	7
35-49	32	3.0	2	1	1	3	4	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1359	5.2	2	3	4	5	6	7	7	8
20-34	24868	5.4	2	3	4	5	6	7	7	8
35-49	1537	5.8	2	3	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	2	2	3	4	7	8	8
20-34	199	3.1	3	1	1	3	4	6	7	9
35-49	16	3.9	3	1	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1156	5.5	5	3	4	5	6	7	9	12
20-34	29945	5.6	4	3	4	5	6	7	8	11
35-49	3202	6.1	8	3	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	3.0	3	1	1	3	4	5	6	7
B. *Operated*	27764	5.4	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	225	3.2	3	1	1	3	4	6	7	9
B. *Operated*	34303	5.6	5	3	4	5	6	7	8	12
1. SINGLE DX	28298	5.3	2	3	4	5	6	7	7	8
2. MULTIPLE DX	34528	5.6	5	3	4	5	6	7	8	12
A. NOT OPERATED	759	3.1	3	1	1	3	4	5	6	8
B. OPERATED	62067	5.5	3	3	4	5	6	7	8	10
TOTAL 0-19 YRS	2558	5.3	3	3	4	5	6	7	8	11
20-34	55481	5.5	3	3	4	5	6	7	8	10
35-49	4787	5.9	6	3	4	6	7	8	8	13
50-64										
65+										
GRAND TOTAL	**62826**	**5.5**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	720	3.1	2	2	2	3	4	4	5	8
20-34	4705	3.1	2	1	2	3	4	4	5	7
35-49	287	3.1	2	1	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	637	3.3	3	2	2	3	4	5	6	8
20-34	4392	3.4	3	2	2	3	4	5	6	8
35-49	295	3.6	5	1	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	585	3.6	6	1	2	3	4	6	6	11
20-34	2976	3.5	5	1	2	3	4	5	6	11
35-49	209	3.7	9	1	2	3	4	6	7	15
50-64										
65+										
B. *Operated*										
0-19 YRS	1863	4.3	8	2	2	4	5	7	8	14
20-34	13139	4.4	8	2	2	4	5	7	8	14
35-49	1212	4.7	7	2	2	4	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5712	3.1	2	1	2	3	4	4	5	7
B. *Operated*	5324	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3770	3.5	6	1	2	3	4	5	6	11
B. *Operated*	16214	4.5	8	2	2	4	5	7	8	14
1. SINGLE DX	11036	3.3	3	1	2	3	4	5	6	8
2. MULTIPLE DX	19984	4.3	8	2	2	4	5	7	8	14
A. NOT OPERATED	9482	3.3	3	1	2	3	4	5	6	9
B. OPERATED	21538	4.2	7	2	2	4	5	7	8	13
TOTAL 0-19 YRS	3805	3.8	6	2	2	3	4	6	7	11
20-34	25212	3.9	6	2	2	3	5	6	7	12
35-49	2003	4.2	7	2	2	4	5	7	8	14
50-64										
65+										
GRAND TOTAL	**31020**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2302	2.7	1	1	2	3	3	4	4	5
20-34	17339	2.8	1	1	2	3	3	4	4	5
35-49	929	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1315	2.7	1	1	2	3	3	4	4	6
20-34	8859	2.9	1	1	2	3	3	4	5	6
35-49	542	3.1	2	1	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	2.8	1	1	2	3	3	4	5	7
20-34	4136	2.9	1	1	2	3	3	4	5	6
35-49	308	3.1	3	1	1	3	4	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1363	3.2	3	1	2	3	4	5	6	8
20-34	12058	3.3	2	1	2	3	4	5	6	8
35-49	1083	3.6	4	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20570	2.8	1	1	2	3	3	4	4	5
B. *Operated*	10716	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	5045	2.9	1	1	2	3	3	4	5	6
B. *Operated*	14504	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	31286	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	19549	3.2	2	1	2	3	4	5	5	7
A. NOT OPERATED	25615	2.8	1	1	2	3	3	4	4	5
B. OPERATED	25220	3.1	2	1	2	3	4	5	5	7
TOTAL 0-19 YRS	5581	2.8	1	1	2	3	3	4	5	6
20-34	42392	3.0	2	1	2	3	4	4	5	6
35-49	2862	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**50835**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	601	2.5	1	1	1	3	3	4	4	5
20-34	3275	2.5	1	1	1	2	3	4	4	5
35-49	232	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4117	2.5	2	1	1	3	3	4	4	5
20-34	31816	2.6	1	1	1	3	3	4	4	5
35-49	2492	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	3.0	3	1	2	3	3	4	6	12
20-34	971	2.7	1	1	1	3	3	4	4	6
35-49	65	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1952	2.9	4	1	2	3	3	4	5	7
20-34	17723	3.0	2	1	2	3	4	4	5	7
35-49	1969	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4108	2.5	1	1	1	2	3	4	4	5
B. *Operated*	38425	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1220	2.7	2	1	1	3	3	4	4	7
B. *Operated*	21644	3.0	2	1	2	3	4	4	5	7
1. SINGLE DX	42533	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	22864	3.0	2	1	2	3	4	4	5	7
A. NOT OPERATED	5328	2.5	1	1	1	3	3	4	4	6
B. OPERATED	60069	2.7	2	1	1	3	3	4	4	6
TOTAL 0-19 YRS	6854	2.7	2	1	1	3	3	4	4	6
20-34	53785	2.7	1	1	1	3	3	4	4	6
35-49	4758	2.9	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**65397**	**2.7**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	429	2.8	3	1	2	3	3	4	4	5
20-34	1476	2.9	2	1	2	3	3	4	4	6
35-49	34	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3995	2.8	2	1	2	3	3	4	4	5
20-34	16759	2.9	1	1	2	3	3	4	5	6
35-49	554	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.2	2	2	2	3	4	5	6	9
20-34	511	3.3	18	1	2	3	4	4	5	8
35-49	18	3.2	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2782	3.1	2	2	2	3	4	4	5	8
20-34	11373	3.3	2	2	2	3	4	5	5	7
35-49	511	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	2.9	2	1	2	3	3	4	4	6
B. *Operated*	21308	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	678	3.2	14	1	2	3	4	5	6	8
B. *Operated*	14666	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	23247	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	15344	3.3	3	2	2	3	4	5	5	8
A. NOT OPERATED	2617	3.0	5	1	2	3	3	4	5	6
B. OPERATED	35974	3.1	2	1	2	3	4	4	5	6
TOTAL 0-19 YRS	7355	3.0	2	2	2	3	3	4	5	6
20-34	30119	3.1	2	1	2	3	4	4	5	6
35-49	1117	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**38591**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	2.6	2	1	1	3	3	4	4	6
20-34	1208	2.6	1	1	1	3	3	4	4	6
35-49	49	3.1	2	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1604	2.7	1	1	2	3	3	4	4	5
20-34	6991	2.8	1	1	2	3	3	4	4	6
35-49	290	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.4	23	1	2	3	3	4	6	21
20-34	451	3.0	4	1	2	3	3	4	5	8
35-49	13	5.1	67	<1	1	3	4	10	28	32
50-64										
65+										
B. *Operated*										
0-19 YRS	1213	3.2	4	1	2	3	4	5	6	11
20-34	6390	3.3	4	1	2	3	4	5	5	8
35-49	347	3.7	5	2	2	3	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1559	2.7	1	1	1	3	3	4	4	6
B. *Operated*	8885	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	587	3.1	10	1	2	3	3	4	5	9
B. *Operated*	7950	3.3	4	1	2	3	4	5	6	8
1. SINGLE DX	10444	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	8537	3.3	5	1	2	3	4	5	6	8
A. NOT OPERATED	2146	2.8	4	1	1	3	3	4	4	7
B. OPERATED	16835	3.0	3	1	2	3	4	4	5	7
TOTAL 0-19 YRS	3242	2.9	3	1	2	3	3	4	5	8
20-34	15040	3.0	3	1	2	3	4	4	5	7
35-49	699	3.5	4	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**18981**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4674	2.9	4	1	1	3	3	4	5	9
20-34	20797	2.9	3	1	1	3	3	4	5	8
35-49	1367	3.0	2	1	1	3	4	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	9938	3.2	4	1	2	3	4	5	6	9
20-34	50753	3.3	3	1	2	3	4	5	6	9
35-49	2888	3.6	4	1	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2981	3.4	12	1	1	3	4	5	7	13
20-34	12477	3.2	5	1	1	3	4	5	6	12
35-49	1040	3.3	14	1	1	3	4	5	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	12539	4.3	11	2	2	4	5	7	9	17
20-34	70752	4.4	11	2	2	4	5	7	9	17
35-49	6708	5.0	17	2	2	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26838	2.9	3	1	1	3	3	4	5	8
B. *Operated*	63579	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	16498	3.2	7	1	1	3	4	5	6	12
B. *Operated*	89999	4.4	11	2	2	4	5	7	9	17
1. SINGLE DX	90417	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	106497	4.2	11	1	2	4	5	7	8	17
A. NOT OPERATED	43336	3.0	4	1	1	3	4	5	6	10
B. OPERATED	153578	4.0	8	2	2	3	5	6	8	14
TOTAL 0-19 YRS	30132	3.7	8	1	2	3	4	6	7	13
20-34	154779	3.7	7	1	2	3	4	6	7	13
35-49	12003	4.3	13	1	2	4	5	7	9	18
50-64										
65+										
GRAND TOTAL	**196914**	**3.8**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	3.8	6	1	2	3	4	6	7	18
20-34	605	3.8	4	1	2	3	4	6	7	11
35-49	29	3.8	5	1	2	3	5	7	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.3	16	<1	1	3	4	11	15	16
20-34	77	4.7	12	1	1	4	6	9	14	16
35-49	5	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.2	4	1	2	4	5	7	9	11
20-34	298	4.4	7	1	2	4	5	8	10	14
35-49	20	5.9	11	1	2	5	8	10	13	15
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.4	2	1	2	3	4	15	81	99+
20-34	113	7.0	47	1	2	5	7	15	22	36
35-49	5	9.6	66	4	4	7	11	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	3.8	4	1	2	3	4	6	7	11
B. *Operated*	98	4.6	12	1	1	4	6	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	398	4.5	7	1	2	4	5	8	10	14
B. *Operated*	131	6.7	44	1	2	5	7	15	23	50
1. SINGLE DX	936	3.8	5	1	2	3	5	6	7	13
2. MULTIPLE DX	529	5.0	17	1	2	4	6	9	13	25
A. NOT OPERATED	1236	4.0	5	1	2	4	5	7	9	13
B. OPERATED	229	5.8	31	1	1	4	7	13	16	35
TOTAL 0-19 YRS	313	3.9	6	1	2	3	5	6	8	18
20-34	1093	4.3	11	1	2	4	5	7	10	16
35-49	59	4.9	14	1	2	4	6	9	11	23
50-64										
65+										
GRAND TOTAL	**1465**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.6	1	<1	1	1	2	3	3	5
20-34	336	1.6	1	<1	1	1	2	3	4	5
35-49	20	1.7	1	<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	163	1.8	2	<1	1	1	2	3	4	6
20-34	1170	1.7	2	<1	<1	1	2	3	4	7
35-49	72	1.9	2	<1	1	1	2	4	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	1	1	1	2	3	4	4	5
20-34	184	2.3	3	<1	1	2	3	4	4	10
35-49	14	2.6	2	1	1	2	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	111	2.6	5	<1	1	2	3	5	7	11
20-34	706	2.6	6	1	1	2	3	5	8	10
35-49	54	3.8	10	1	1	3	5	8	11	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	1405	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	229	2.3	3	1	1	2	3	4	4	9
B. *Operated*	871	2.7	6	1	1	2	3	6	8	11
1. SINGLE DX	1828	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1100	2.6	5	1	1	2	3	5	7	11
A. NOT OPERATED	652	1.9	2	<1	1	2	2	3	4	5
B. OPERATED	2276	2.1	4	<1	1	2	2	4	6	10
TOTAL 0-19 YRS	372	2.1	3	<1	1	2	2	4	5	8
20-34	2396	2.0	3	<1	1	1	2	4	5	9
35-49	160	2.6	5	1	1	2	3	6	7	11
50-64										
65+										
GRAND TOTAL	2928	2.1	3	<1	1	2	2	4	5	9

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.5	14	1	2	3	5	10	13	19
20-34	479	3.9	9	1	1	3	4	9	11	14
35-49	30	5.8	14	1	2	4	9	11	11	15
50-64										
65+										
B. *Operated*										
0-19 YRS	130	3.1	6	1	1	3	3	6	7	13
20-34	630	3.1	8	<1	1	2	3	7	9	15
35-49	59	2.7	7	<1	<1	2	3	4	6	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	12	1	2	4	5	8	12	21
20-34	303	5.5	26	1	1	4	7	12	16	24
35-49	29	7.5	37	1	2	5	10	16	18	28
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.9	19	1	2	3	4	6	9	27
20-34	501	4.0	14	1	1	3	5	8	11	22
35-49	38	4.3	21	<1	1	3	5	7	13	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	4.1	10	1	1	3	5	9	11	15
B. *Operated*	819	3.1	8	<1	1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	388	5.5	25	1	1	4	7	12	16	25
B. *Operated*	636	4.0	15	1	1	3	5	8	11	24
1. SINGLE DX	1393	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX	1024	4.6	19	1	1	3	5	9	13	24
A. NOT OPERATED	962	4.6	17	1	1	3	5	10	13	20
B. OPERATED	1455	3.5	11	1	1	3	4	7	10	17
TOTAL 0-19 YRS	348	3.8	12	1	1	3	4	7	11	16
20-34	1913	3.9	13	1	1	3	4	8	11	18
35-49	156	4.6	20	<1	1	3	5	10	13	27
50-64										
65+										
GRAND TOTAL	2417	3.9	14	1	1	3	5	8	11	18

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2856	4.1	6	1	2	4	5	7	8	12
20-34	2441	4.4	8	1	2	4	5	7	9	14
35-49	1658	4.9	9	2	2	4	6	8	10	16
50-64	1349	5.9	13	2	2	5	7	10	13	18
65+	1171	7.3	37	2	3	6	9	13	17	31
B. *Operated*										
0-19 YRS	1368	4.8	14	1	1	4	6	9	11	20
20-34	1418	5.3	19	1	2	4	7	10	13	20
35-49	869	6.6	26	1	2	5	7	11	16	28
50-64	669	7.1	39	2	2	5	9	14	18	31
65+	417	9.3	69	2	3	7	12	18	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2973	4.7	10	2	2	4	6	8	10	17
20-34	3518	5.9	19	2	2	5	7	11	14	22
35-49	3628	7.1	32	2	3	6	9	13	16	28
50-64	5353	8.3	42	3	3	7	10	15	19	33
65+	9185	10.0	61	3	4	8	12	18	24	43
B. *Operated*										
0-19 YRS	1162	6.9	52	1	2	5	8	12	18	44
20-34	2127	8.6	65	2	3	6	10	17	23	47
35-49	2020	11.1	106	2	3	8	14	24	34	53
50-64	2815	13.8	166	3	4	10	17	29	40	72
65+	3494	16.2	189	3	5	12	21	34	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9475	5.0	13	2	2	4	6	9	11	18
B. *Operated*	4741	5.9	28	1	2	5	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	24657	8.0	44	2	3	6	10	15	19	34
B. *Operated*	11618	12.4	143	2	3	9	15	27	37	68
1. SINGLE DX	14216	5.3	18	1	2	4	6	10	12	21
2. MULTIPLE DX	36275	9.4	80	2	3	7	11	18	26	50
A. NOT OPERATED	34132	7.2	37	2	2	6	9	14	17	31
B. OPERATED	16359	10.5	119	2	2	7	13	23	33	61
TOTAL 0-19 YRS	8359	4.8	16	1	2	4	6	9	11	20
20-34	9504	6.0	28	2	2	5	7	11	15	28
35-49	8175	7.5	50	2	2	6	9	14	20	39
50-64	10186	9.4	80	2	3	7	11	18	25	49
65+	14267	11.3	99	3	4	8	14	22	30	59
GRAND TOTAL	**50491**	**8.2**	**66**	**2**	**2**	**6**	**10**	**16**	**22**	**44**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1039	4.2	9	1	2	4	5	7	9	14
20-34	548	3.9	7	1	2	3	5	7	8	14
35-49	286	4.6	10	1	2	4	6	8	10	19
50-64	192	5.7	17	1	2	5	7	10	14	22
65+	162	6.3	17	2	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	700	3.9	18	<1	1	3	5	8	11	20
20-34	548	4.7	19	<1	1	3	6	10	13	21
35-49	377	4.9	27	<1	1	3	6	11	13	30
50-64	289	5.5	30	<1	1	4	7	12	16	25
65+	213	7.5	65	<1	1	5	10	16	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1277	4.5	10	1	2	4	6	8	10	14
20-34	696	5.2	19	1	2	4	6	9	12	23
35-49	605	6.2	18	2	2	5	8	12	14	21
50-64	805	8.2	38	2	3	7	10	14	19	34
65+	1241	9.7	68	3	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	588	5.7	26	1	1	4	7	11	15	25
20-34	674	7.5	76	1	2	5	9	16	22	50
35-49	692	9.3	98	2	2	6	11	20	30	66
50-64	922	10.6	106	2	2	7	13	23	30	53
65+	1008	13.3	176	2	3	9	17	28	40	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2227	4.4	10	1	2	4	5	8	10	17
B. *Operated*	2127	4.9	27	<1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	4624	6.9	37	2	2	5	8	13	17	33
B. *Operated*	3884	9.8	112	1	2	7	12	21	30	63
1. SINGLE DX	4354	4.6	19	1	1	3	6	9	12	22
2. MULTIPLE DX	8508	8.2	74	2	2	6	10	16	23	48
A. NOT OPERATED	6851	6.1	30	2	2	5	7	11	15	28
B. OPERATED	6011	8.0	88	1	1	5	10	18	25	51
TOTAL 0-19 YRS	3604	4.5	14	1	1	4	6	8	11	19
20-34	2466	5.4	34	1	2	4	6	10	14	30
35-49	1960	6.8	50	1	2	5	8	13	19	37
50-64	2208	8.6	67	2	2	6	11	17	24	45
65+	2624	10.7	111	2	3	8	13	21	31	61
GRAND TOTAL	**12862**	**7.0**	**58**	**1**	**2**	**5**	**8**	**14**	**20**	**42**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.3	5	1	1	3	5	6	8	9
20-34	52	3.4	8	1	1	3	4	6	11	16
35-49	14	2.4	1	<1	1	2	3	4	4	4
50-64	6	9.3	52	3	3	8	10	22	23	23
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	3110	3.5	5	1	2	3	4	6	7	11
20-34	5468	3.4	3	1	1	3	4	5	6	10
35-49	861	3.6	5	1	1	3	4	6	7	12
50-64	170	4.0	7	1	1	3	5	8	10	13
65+	40	5.3	64	1	1	3	5	9	18	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.5	6	<1	<1	1	3	7	8	11
20-34	54	2.9	7	<1	<1	2	4	7	9	13
35-49	13	4.8	16	<1	<1	3	5	13	13	13
50-64	10	13.1	535	1	1	5	11	48	77	77
65+	11	7.4	43	<1	1	5	13	16	20	20
B. *Operated*										
0-19 YRS	378	4.5	11	1	2	4	5	7	10	17
20-34	924	4.6	16	1	2	4	5	8	11	19
35-49	332	5.2	18	1	2	4	6	9	14	24
50-64	148	5.8	39	2	2	4	6	11	14	44
65+	58	8.7	122	1	2	6	11	16	21	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.6	10	1	1	3	4	7	10	18
B. *Operated*	9649	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	126	4.2	57	<1	<1	2	5	10	13	34
B. *Operated*	1840	4.9	21	1	2	4	6	8	12	23
1. SINGLE DX	9769	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1966	4.9	23	1	2	4	6	8	12	23
A. NOT OPERATED	246	3.9	34	<1	1	3	4	8	12	20
B. OPERATED	11489	3.7	7	1	2	3	4	6	7	13
TOTAL 0-19 YRS	3573	3.6	6	1	1	3	4	6	7	11
20-34	6498	3.6	5	1	1	3	4	6	7	12
35-49	1220	4.0	9	1	2	3	5	7	9	17
50-64	334	5.2	39	1	2	4	6	10	12	27
65+	110	7.4	94	1	2	4	9	14	20	58
GRAND TOTAL	11735	3.7	8	1	1	3	4	6	8	13

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	6	<1	<1	1	3	7	8	8
20-34	18	2.0	3	<1	<1	1	2	4	6	7
35-49	17	1.6	3	<1	<1	<1	<1	3	7	8
50-64	20	1.3	1	<1	<1	<1	1	2	3	4
65+	10	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	586	1.5	1	<1	<1	1	2	3	3	5
20-34	834	1.7	1	<1	<1	1	2	3	4	6
35-49	622	1.8	2	<1	<1	1	2	3	4	9
50-64	521	1.9	3	<1	<1	1	2	3	5	11
65+	244	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.7	3	<1	<1	1	2	3	6	8
20-34	19	2.6	11	<1	<1	2	3	4	11	16
35-49	26	3.4	6	<1	<1	3	6	7	8	9
50-64	25	5.6	78	<1	<1	3	6	11	25	42
65+	16	5.9	7	2	3	5	8	10	11	11
B. *Operated*										
0-19 YRS	126	2.4	5	<1	<1	2	3	4	6	11
20-34	302	2.9	9	<1	<1	2	3	5	8	16
35-49	366	3.2	11	<1	<1	2	4	6	8	15
50-64	423	3.9	33	<1	<1	2	4	8	11	20
65+	315	4.9	33	<1	1	3	6	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	1.9	3	<1	<1	<1	2	4	6	8
B. *Operated*	2807	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	105	3.9	25	<1	<1	2	5	8	10	30
B. *Operated*	1532	3.6	21	<1	<1	2	4	7	11	21
1. SINGLE DX	2883	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1637	3.6	22	<1	<1	2	4	7	11	21
A. NOT OPERATED	181	3.0	17	<1	<1	1	4	7	9	19
B. OPERATED	4339	2.4	10	<1	<1	2	3	4	7	15
TOTAL 0-19 YRS	742	1.7	2	<1	<1	1	2	3	4	7
20-34	1173	2.0	4	<1	<1	1	2	4	5	10
35-49	1031	2.3	6	<1	<1	2	3	4	6	11
50-64	989	2.8	19	<1	<1	2	3	6	9	18
65+	585	3.8	23	<1	<1	2	4	8	12	24
GRAND TOTAL	4520	2.4	10	<1	<1	2	3	5	7	15

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1602	3.7	13	1	1	3	4	7	9	21
20-34	889	5.8	55	<1	1	3	6	15	21	35
35-49	709	6.7	54	<1	1	4	8	16	24	33
50-64	673	7.3	62	<1	1	5	9	18	26	39
65+	713	9.2	94	1	2	7	11	18	26	54
B. *Operated*										
0-19 YRS	2259	2.8	15	<1	<1	2	3	5	9	19
20-34	2566	4.0	29	<1	<1	2	4	9	13	27
35-49	1990	4.4	35	<1	1	3	5	9	14	31
50-64	1855	5.0	61	<1	1	2	5	12	19	44
65+	1542	8.7	138	<1	1	4	12	23	34	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2037	4.7	23	1	1	4	6	9	12	23
20-34	1563	7.7	76	1	1	5	9	18	26	44
35-49	1771	8.8	91	1	2	6	10	19	27	52
50-64	2794	10.0	93	1	2	7	12	21	29	50
65+	6535	12.7	130	2	3	9	16	26	35	72
B. *Operated*										
0-19 YRS	1419	6.6	106	<1	1	3	7	15	25	59
20-34	2873	11.9	265	1	2	5	15	31	50	96
35-49	3139	11.1	204	1	1	5	14	30	45	99+
50-64	4377	12.5	234	1	2	6	17	34	48	97
65+	6750	18.9	315	2	2	14	27	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4586	5.9	51	<1	1	4	7	13	20	34
B. *Operated*	10212	4.7	53	<1	<1	2	4	11	18	39
2. MULTIPLE DX										
A. *Not Operated*	14700	10.1	105	1	2	7	13	22	29	56
B. *Operated*	18558	14.1	269	1	2	8	20	37	54	99+
1. SINGLE DX	14798	5.1	52	<1	1	3	5	12	19	37
2. MULTIPLE DX	33258	12.3	201	1	2	7	16	30	44	90
A. NOT OPERATED	19286	9.1	96	1	2	6	11	20	28	52
B. OPERATED	28770	10.8	212	<1	1	4	14	30	45	91
TOTAL 0-19 YRS	7317	4.3	36	<1	1	3	5	8	13	31
20-34	7891	7.8	138	<1	1	4	8	20	30	73
35-49	7609	8.4	127	1	1	4	10	22	32	70
50-64	9699	10.0	156	1	1	5	12	25	37	74
65+	15540	14.9	224	2	2	10	20	35	50	95
GRAND TOTAL	**48056**	**10.1**	**166**	**1**	**1**	**5**	**13**	**25**	**37**	**79**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	5.2	37	<1	<1	3	6	12	16	35
20-34	223	6.1	23	1	2	5	8	11	13	24
35-49	209	6.4	28	1	2	5	8	11	17	28
50-64	157	6.8	23	2	2	6	9	13	15	26
65+	57	8.1	40	2	2	6	10	18	26	27
B. *Operated*										
0-19 YRS	63	6.7	92	1	1	3	9	15	19	58
20-34	121	7.8	98	1	2	5	9	16	32	48
35-49	91	6.9	53	1	2	4	9	15	21	39
50-64	63	8.5	35	2	2	8	11	17	23	90
65+	53	10.5	60	1	2	10	15	19	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	7.7	56	1	2	6	10	15	23	46
20-34	706	7.9	45	2	2	6	10	15	22	33
35-49	783	9.4	84	2	3	7	11	18	24	48
50-64	825	9.8	79	2	3	7	12	19	25	44
65+	733	11.4	89	2	3	9	14	23	30	57
B. *Operated*										
0-19 YRS	122	15.6	301	2	2	10	21	33	58	88
20-34	389	14.3	192	2	3	10	19	32	44	88
35-49	438	13.9	164	2	3	10	17	29	36	75
50-64	501	15.1	163	3	4	11	20	35	47	99+
65+	461	18.8	289	3	4	14	24	44	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	6.2	29	<1	2	5	8	12	16	28
B. *Operated*	391	7.9	72	1	2	5	10	17	24	43
2. MULTIPLE DX										
A. *Not Operated*	3294	9.5	75	2	3	7	12	19	25	45
B. *Operated*	1911	15.6	211	2	3	11	20	33	48	94
1. SINGLE DX	1246	6.7	43	1	2	5	8	13	19	36
2. MULTIPLE DX	5205	11.7	134	2	3	8	14	25	34	70
A. NOT OPERATED	4149	8.8	67	2	2	7	11	17	24	42
B. OPERATED	2302	14.3	196	2	3	10	18	31	46	92
TOTAL 0-19 YRS	641	8.3	113	<1	1	5	10	17	25	58
20-34	1439	9.4	95	2	2	6	11	20	29	51
35-49	1521	10.1	104	2	2	7	12	21	29	52
50-64	1546	11.1	107	2	3	8	14	23	32	72
65+	1304	13.8	170	3	3	10	17	29	42	77
GRAND TOTAL	**6451**	**10.8**	**120**	**2**	**2**	**8**	**13**	**23**	**32**	**65**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	447	6.2	29	2	2	4	7	12	17	27
20-34	229	6.8	26	1	2	5	9	14	17	23
35-49	406	7.2	23	2	3	6	9	14	18	23
50-64	721	7.2	25	2	3	6	9	13	18	23
65+	612	8.3	33	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	102	8.1	110	1	1	4	10	17	38	49
20-34	261	7.8	47	1	2	5	11	16	23	32
35-49	601	7.6	45	2	2	5	10	16	20	35
50-64	1323	9.3	56	2	2	7	13	19	24	36
65+	922	10.9	66	2	3	9	15	21	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	7.9	62	1	2	5	9	17	21	47
20-34	299	7.7	37	2	2	6	10	14	18	34
35-49	785	8.2	33	2	3	7	10	15	19	31
50-64	2150	8.9	49	2	3	7	11	17	21	36
65+	3328	10.4	69	3	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	84	10.4	109	2	2	7	14	23	28	56
20-34	288	10.2	121	2	2	6	13	22	32	60
35-49	763	10.0	113	2	2	7	12	20	30	54
50-64	2252	11.5	111	2	3	8	16	24	32	52
65+	2217	14.9	152	3	4	12	19	30	40	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2415	7.3	28	2	2	6	9	14	18	27
B. *Operated*	3209	9.3	59	2	2	7	13	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	6866	9.4	58	2	3	8	12	18	22	40
B. *Operated*	5604	12.5	132	2	3	10	16	26	35	67
1. SINGLE DX	5624	8.4	47	2	2	6	11	17	21	34
2. MULTIPLE DX	12470	10.8	94	2	3	8	14	21	29	53
A. NOT OPERATED	9281	8.9	51	2	3	7	11	17	21	36
B. OPERATED	8813	11.3	108	2	3	9	15	23	31	55
TOTAL 0-19 YRS	937	7.3	57	1	2	5	9	15	21	40
20-34	1077	8.2	61	2	2	6	11	16	23	36
35-49	2555	8.4	59	2	2	6	11	17	21	40
50-64	6446	9.7	71	2	3	7	12	19	25	42
65+	7079	11.7	97	2	3	9	15	22	30	57
GRAND TOTAL	**18094**	**10.1**	**80**	**2**	**3**	**8**	**13**	**20**	**27**	**47**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	11	<1	1	3	5	8	12	14
20-34	43	3.5	4	<1	1	3	5	6	7	10
35-49	128	5.3	23	1	2	4	6	11	14	23
50-64	322	5.2	14	1	1	4	7	10	12	19
65+	785	6.4	26	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	82	3.8	17	1	1	2	3	9	13	22
20-34	751	4.3	16	1	1	3	5	9	12	19
35-49	1663	5.4	26	1	1	3	7	12	15	25
50-64	5629	9.1	40	1	2	9	13	17	20	27
65+	8184	13.3	43	2	4	13	17	20	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.1	23	<1	<1	4	9	12	15	17
20-34	87	4.6	10	1	1	4	6	8	11	16
35-49	430	6.4	24	1	2	5	8	12	15	25
50-64	2054	6.6	25	1	2	5	8	12	16	24
65+	7053	8.4	55	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	63	7.5	98	1	2	4	9	15	21	61
20-34	691	5.7	44	1	1	3	7	13	17	35
35-49	1766	6.9	56	1	1	4	9	16	19	34
50-64	7008	10.8	74	2	2	10	15	20	25	42
65+	14616	15.8	90	3	5	15	19	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1295	5.8	22	1	2	5	8	11	14	22
B. *Operated*	16309	10.6	48	2	2	11	15	19	22	31
2. MULTIPLE DX										
A. *Not Operated*	9641	7.9	47	2	2	6	10	15	19	35
B. *Operated*	24144	13.4	92	2	3	13	17	24	30	49
1. SINGLE DX	17604	10.2	48	1	2	10	15	18	21	30
2. MULTIPLE DX	33785	11.8	85	2	2	10	16	22	28	47
A. NOT OPERATED	10936	7.7	45	2	2	6	10	14	19	33
B. OPERATED	40453	12.3	76	2	2	12	16	22	27	43
TOTAL 0-19 YRS	179	5.3	48	1	1	3	7	12	16	37
20-34	1572	4.9	28	1	1	3	6	11	15	24
35-49	3987	6.2	40	1	1	4	8	13	17	30
50-64	15013	9.5	56	1	2	8	13	18	22	36
65+	30638	13.2	77	2	3	12	17	23	28	46
GRAND TOTAL	**51389**	**11.3**	**73**	**2**	**2**	**10**	**16**	**21**	**26**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	7.6	35	2	2	6	10	16	21	27
20-34	312	5.4	19	1	2	4	7	10	13	23
35-49	260	5.5	15	1	2	4	7	10	14	20
50-64	248	7.1	37	1	2	5	9	14	20	28
65+	248	6.7	60	1	2	5	8	13	16	46
B. *Operated*										
0-19 YRS	305	11.6	71	1	2	10	16	23	29	38
20-34	749	5.7	41	1	1	4	7	12	17	36
35-49	723	5.5	26	1	2	4	7	11	14	28
50-64	818	7.1	38	1	2	5	10	15	17	30
65+	478	11.6	82	2	2	11	16	20	26	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	9.5	53	2	2	7	14	20	24	31
20-34	456	7.4	52	2	2	5	8	14	21	39
35-49	513	7.4	43	1	2	5	9	15	20	37
50-64	815	7.9	52	1	2	6	10	15	21	37
65+	1782	9.3	69	2	3	7	11	18	25	43
B. *Operated*										
0-19 YRS	346	14.8	105	2	3	14	21	28	32	51
20-34	624	9.2	117	1	2	5	11	22	30	57
35-49	759	9.0	95	1	2	6	11	20	31	48
50-64	1082	11.9	146	2	2	8	16	27	38	59
65+	1207	17.7	225	3	3	14	23	39	49	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1517	6.5	33	1	2	5	8	13	17	27
B. *Operated*	3073	7.5	52	1	2	5	10	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	3968	8.5	59	2	2	6	11	17	23	39
B. *Operated*	4018	12.9	164	2	2	9	17	29	41	64
1. SINGLE DX	4590	7.2	46	1	2	5	10	15	20	32
2. MULTIPLE DX	7986	10.7	117	2	2	7	14	23	32	55
A. NOT OPERATED	5485	8.0	53	2	2	6	10	16	22	37
B. OPERATED	7091	10.6	123	1	2	7	14	23	32	56
TOTAL 0-19 YRS	1502	10.6	70	2	2	8	15	22	27	38
20-34	2141	7.1	65	1	2	5	8	15	22	42
35-49	2255	7.1	54	1	2	5	9	15	21	42
50-64	2963	9.0	86	1	2	6	11	19	27	49
65+	3715	12.1	136	2	3	9	15	25	36	63
GRAND TOTAL	**12576**	**9.4**	**94**	**1**	**2**	**6**	**12**	**20**	**28**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	4	<1	<1	2	4	5	7	9
20-34	118	2.7	7	<1	<1	2	3	6	8	15
35-49	52	2.5	5	<1	<1	1	3	6	8	11
50-64	32	3.5	9	<1	<1	3	5	7	11	13
65+	19	6.5	44	<1	1	4	7	15	24	28
B. *Operated*										
0-19 YRS	3273	2.5	3	<1	1	2	3	5	6	8
20-34	7080	2.7	4	<1	1	2	3	5	6	9
35-49	3637	2.7	4	<1	1	2	3	5	6	11
50-64	1858	2.9	9	1	1	2	3	5	7	11
65+	496	3.3	7	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	1.9	7	<1	<1	1	2	3	5	17
20-34	201	2.7	12	<1	<1	1	3	6	9	17
35-49	129	2.7	9	<1	<1	1	3	7	9	14
50-64	133	3.5	16	<1	<1	2	4	8	10	23
65+	99	5.3	27	<1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	2220	2.8	4	1	1	2	4	5	6	10
20-34	5706	3.1	7	<1	1	2	4	6	7	13
35-49	4295	3.2	8	<1	1	2	4	6	8	15
50-64	3678	3.3	8	1	1	2	4	6	8	14
65+	1638	4.3	21	1	1	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	3.0	9	<1	<1	2	4	6	8	17
B. *Operated*	16344	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	663	3.1	15	<1	<1	1	4	8	10	19
B. *Operated*	17537	3.2	9	1	1	2	4	6	8	15
1. SINGLE DX	16634	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	18200	3.2	9	<1	1	2	4	6	8	15
A. NOT OPERATED	953	3.1	13	<1	<1	2	4	7	9	19
B. OPERATED	33881	3.0	7	<1	1	2	4	5	7	13
TOTAL 0-19 YRS	5663	2.6	4	<1	1	2	3	5	6	9
20-34	13105	2.9	5	<1	1	2	4	5	7	11
35-49	8113	3.0	7	<1	1	2	4	6	7	13
50-64	5701	3.2	9	1	1	2	4	6	8	14
65+	2252	4.2	18	1	1	3	5	8	12	20
GRAND TOTAL	**34834**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	3.6	8	1	1	3	5	7	9	14
20-34	337	3.7	11	<1	<1	3	5	7	11	18
35-49	269	4.5	15	<1	1	4	6	9	12	19
50-64	212	4.7	15	1	1	4	6	9	12	18
65+	328	5.6	19	1	1	5	7	11	13	27
B. *Operated*										
0-19 YRS	4350	3.1	4	1	1	3	4	5	6	10
20-24	6520	3.4	5	1	1	3	4	6	7	11
35-49	2097	3.6	7	1	1	3	4	6	8	14
50-64	962	4.4	19	1	1	3	5	9	12	23
65+	550	6.9	53	1	1	4	10	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	665	4.2	25	<1	1	3	5	9	12	19
20-34	600	4.5	30	<1	1	3	6	9	12	24
35-49	618	5.4	27	1	1	4	7	11	16	27
50-64	855	6.3	31	1	1	5	8	13	17	27
65+	1612	7.7	56	2	2	6	9	15	20	42
B. *Operated*										
0-19 YRS	2150	4.3	21	1	1	3	5	7	11	30
20-34	3311	4.3	19	1	1	3	5	8	11	22
35-49	1902	4.8	21	1	1	3	6	10	13	22
50-64	1440	6.2	43	1	2	4	7	13	19	36
65+	1209	10.4	103	2	2	7	14	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1793	4.3	13	<1	1	3	5	8	11	19
B. *Operated*	14479	3.5	8	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	4350	6.1	41	1	1	4	8	13	17	30
B. *Operated*	10012	5.4	37	1	1	4	6	11	16	33
1. SINGLE DX	16272	3.6	9	1	1	3	4	6	8	16
2. MULTIPLE DX	14362	5.6	38	1	1	4	7	12	17	32
A. NOT OPERATED	6143	5.6	33	1	1	4	7	11	15	28
B. OPERATED	24491	4.3	21	1	1	3	5	8	12	25
TOTAL 0-19 YRS	7812	3.6	11	1	1	3	4	6	8	16
20-34	10768	3.7	11	1	1	3	4	6	9	16
35-49	4886	4.3	16	1	1	3	5	8	11	20
50-64	3469	5.6	32	1	1	4	7	12	17	30
65+	3699	8.3	70	1	2	6	10	17	25	44
GRAND TOTAL	**30634**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	49	1	2	7	12	19	24	25
20-34	28	6.6	10	2	3	6	9	11	12	14
35-49	30	6.4	29	1	1	5	8	12	20	25
50-64	15	8.1	29	2	2	8	11	16	20	21
65+	10	10.5	242	3	3	5	8	33	54	54
B. *Operated*										
0-19 YRS	6	8.8	49	2	2	7	12	20	21	21
20-34	15	13.9	80	2	3	13	23	26	28	29
35-49	11	11.9	49	1	2	12	16	21	24	24
50-64	8	12.3	48	2	3	12	18	20	21	21
65+	3	13.7	134	3	3	12	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.8	133	2	3	7	18	32	37	37
20-34	29	6.4	11	1	2	6	9	12	12	13
35-49	56	8.1	44	3	3	6	9	17	20	38
50-64	71	8.2	40	2	3	7	10	16	23	32
65+	72	8.7	25	3	3	8	11	15	19	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	10.8	29	2	5	10	13	17	22	26
35-49	26	17.5	287	2	4	10	27	43	52	68
50-64	38	17.7	216	2	5	12	20	40	51	59
65+	31	15.9	318	2	4	10	19	39	40	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	7.4	47	2	2	6	9	13	19	41
B. *Operated*	43	12.3	61	2	3	12	18	25	26	29
2. MULTIPLE DX										
A. *Not Operated*	237	8.3	37	2	3	7	10	16	21	33
B. *Operated*	116	15.9	228	2	4	10	18	39	44	76
1. SINGLE DX	137	9.0	56	2	2	7	12	19	25	32
2. MULTIPLE DX	353	10.8	112	2	3	8	12	21	35	55
A. NOT OPERATED	331	8.0	40	2	3	7	10	15	20	33
B. OPERATED	159	14.9	184	2	3	11	18	34	41	67
TOTAL 0-19 YRS	27	9.7	76	2	2	7	13	24	27	37
20-34	92	8.6	33	2	3	7	11	15	24	28
35-49	123	10.0	107	2	3	7	12	20	34	53
50-64	132	11.2	106	2	3	8	13	21	35	56
65+	116	10.9	130	3	3	8	12	22	26	67
GRAND TOTAL	**490**	**10.3**	**97**	**2**	**3**	**8**	**12**	**20**	**27**	**52**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	8	2	2	5	7	9	9	9
20-34	141	5.7	14	1	2	5	8	10	13	18
35-49	483	6.2	21	2	2	5	8	12	14	27
50-64	793	6.2	22	1	2	5	8	11	14	21
65+	797	7.2	27	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	16	6.3	12	1	1	7	9	11	11	11
20-34	284	6.2	40	1	2	5	8	12	16	25
35-49	1219	6.7	31	1	2	5	9	13	16	26
50-64	1579	6.8	28	1	2	6	9	13	17	27
65+	679	8.2	47	1	2	7	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.3	10	<1	1	5	9	10	55	99+
20-34	204	6.7	25	2	2	6	9	12	14	26
35-49	1411	7.0	22	2	2	6	9	13	16	24
50-64	3929	7.2	24	2	3	6	9	13	16	26
65+	7505	8.6	42	2	3	7	11	16	20	34
B. *Operated*										
0-19 YRS	15	9.0	29	3	3	8	12	17	20	21
20-34	271	8.1	56	1	2	6	10	15	19	39
35-49	1373	9.0	55	2	2	8	11	18	22	37
50-64	2877	9.8	70	2	2	8	13	19	24	45
65+	2593	13.5	128	2	3	11	17	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2219	6.5	23	2	2	6	8	12	15	24
B. *Operated*	3777	7.0	33	1	2	6	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	13068	8.0	35	2	3	7	10	15	18	31
B. *Operated*	7129	10.9	92	2	2	9	14	22	29	51
1. SINGLE DX	5996	6.8	30	1	2	6	9	13	16	27
2. MULTIPLE DX	20197	9.0	57	2	3	7	11	17	22	41
A. NOT OPERATED	15287	7.8	33	2	3	6	10	14	18	29
B. OPERATED	10906	9.6	75	2	2	8	12	19	25	45
TOTAL 0-19 YRS	55	6.6	17	1	2	7	9	11	16	95
20-34	900	6.8	38	1	2	5	9	13	16	28
35-49	4486	7.4	35	2	2	6	10	14	18	30
50-64	9178	7.9	41	2	2	6	10	15	19	32
65+	11574	9.6	65	2	3	8	12	18	24	44
GRAND TOTAL	**26193**	**8.5**	**91**	**2**	**2**	**7**	**11**	**16**	**21**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	7.1	40	1	1	6	10	12	15	43
20-34	3527	6.8	19	1	2	6	9	12	14	21
35-49	5224	7.3	22	2	2	7	10	13	16	23
50-64	2814	7.9	25	2	3	7	10	14	17	24
65+	894	8.1	27	2	3	7	10	15	17	26
B. *Operated*										
0-19 YRS	572	6.5	26	1	2	5	9	13	17	25
20-34	13551	6.9	28	1	2	6	9	13	17	25
35-49	19333	7.4	31	1	2	6	10	14	18	27
50-64	8816	8.2	36	1	2	7	11	16	20	29
65+	1868	9.6	51	1	2	8	13	19	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	8.2	39	1	2	7	11	14	16	40
20-34	1950	7.6	28	1	2	7	10	14	18	27
35-49	4141	8.3	33	2	3	7	11	15	18	28
50-64	4538	8.7	32	2	3	8	11	16	19	29
65+	3867	9.8	41	3	4	8	12	18	21	32
B. *Operated*										
0-19 YRS	137	8.3	52	1	2	6	11	18	23	40
20-34	4130	9.4	53	2	2	8	12	18	23	37
35-49	8699	10.2	57	2	3	8	13	19	24	38
50-64	7610	11.2	72	2	3	9	15	21	27	41
65+	3819	14.2	104	2	4	12	18	26	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12631	7.3	22	1	2	7	10	13	16	23
B. *Operated*	44140	7.5	32	1	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	14571	8.7	34	2	3	8	11	16	19	30
B. *Operated*	24395	11.0	71	2	3	9	14	21	27	42
1. SINGLE DX	56771	7.5	30	1	2	6	10	14	18	26
2. MULTIPLE DX	38966	10.2	58	2	3	9	13	19	24	38
A. NOT OPERATED	27202	8.1	29	2	3	7	10	15	18	27
B. OPERATED	68535	8.8	49	1	2	7	11	17	22	33
TOTAL 0-19 YRS	956	7.0	34	1	2	6	9	13	18	26
20-34	23158	7.4	32	1	2	6	10	14	18	27
35-49	37397	8.2	37	1	2	7	11	16	19	29
50-64	23778	9.2	47	2	2	8	12	17	22	33
65+	10448	11.2	70	2	3	9	15	21	27	42
GRAND TOTAL	**95737**	**8.6**	**43**	**1**	**2**	**7**	**11**	**16**	**21**	**32**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.9	15	1	1	4	6	8	12	23
20-34	590	6.6	17	1	2	6	8	12	15	20
35-49	1087	7.0	21	1	2	6	9	13	15	23
50-64	670	7.1	22	2	2	6	9	13	15	27
65+	208	8.4	41	2	3	7	10	16	20	37
B. *Operated*										
0-19 YRS	43	6.3	26	1	1	5	9	13	18	23
20-34	1347	6.8	26	1	2	6	9	13	17	25
35-49	3568	7.1	26	1	2	6	9	13	17	24
50-64	1816	7.4	27	1	2	7	10	14	17	25
65+	225	8.9	54	1	2	8	12	16	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	7.2	25	3	3	5	9	17	18	18
20-34	379	7.5	36	2	2	6	9	14	18	31
35-49	1211	7.6	30	1	2	7	10	14	17	29
50-64	1547	7.9	27	2	3	7	10	14	17	24
65+	1183	8.5	35	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	23	9.3	74	2	2	6	12	23	28	36
20-34	561	8.7	76	1	2	7	11	17	22	51
35-49	2195	8.9	54	2	2	7	11	18	22	35
50-64	1981	10.1	66	2	2	8	13	19	24	43
65+	605	12.8	130	2	3	10	17	24	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2609	7.0	22	1	2	6	9	13	15	24
B. *Operated*	6999	7.2	28	1	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	4339	7.9	31	2	3	7	10	14	18	28
B. *Operated*	5365	9.8	71	2	2	8	12	19	24	43
1. SINGLE DX	9608	7.1	26	1	2	6	9	13	16	25
2. MULTIPLE DX	9704	9.0	54	2	2	7	11	17	21	37
A. NOT OPERATED	6948	7.6	28	2	3	7	10	14	17	27
B. OPERATED	12364	8.3	48	1	2	7	11	16	20	33
TOTAL 0-19 YRS	139	6.4	31	1	2	5	8	13	18	25
20-34	2877	7.2	36	1	2	6	9	14	17	27
35-49	8061	7.7	34	1	2	7	10	14	18	29
50-64	6014	8.4	41	2	2	7	11	15	20	32
65+	2221	9.7	67	2	3	8	12	18	24	43
GRAND TOTAL	**19312**	**8.0**	**41**	**1**	**2**	**7**	**10**	**15**	**19**	**31**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	6.8	66	1	1	4	11	13	17	43
20-34	547	6.4	18	1	2	6	9	11	14	20
35-49	710	6.8	18	1	2	6	9	12	14	19
50-64	345	6.8	17	1	1	6	9	12	15	18
65+	63	6.9	12	1	3	7	9	12	13	16
B. *Operated*										
0-19 YRS	15	7.0	67	1	1	5	8	16	29	33
20-34	421	6.1	39	1	1	4	8	12	16	27
35-49	504	6.8	28	1	2	5	9	14	17	25
50-64	134	6.9	27	1	2	6	9	14	18	25
65+	9	7.1	18	3	3	5	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	6.0	22	1	1	5	8	11	15	28
20-34	647	7.3	18	2	3	7	9	13	15	21
35-49	972	8.3	26	2	3	7	10	14	17	28
50-64	782	8.3	27	2	3	7	11	15	18	27
65+	445	8.9	34	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	17	7.4	48	1	1	7	10	12	24	30
20-34	369	9.2	51	1	2	8	12	17	23	39
35-49	568	10.2	53	2	3	9	13	18	25	36
50-64	262	10.7	62	2	2	10	15	19	22	37
65+	81	13.1	98	2	3	11	17	24	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1695	6.7	19	1	2	6	9	12	14	19
B. *Operated*	1083	6.5	32	1	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	2899	8.1	26	2	3	7	10	14	17	26
B. *Operated*	1297	10.2	58	2	2	9	13	19	24	38
1. SINGLE DX	2778	6.6	24	1	2	6	9	12	15	23
2. MULTIPLE DX	4196	8.7	37	2	3	8	11	16	20	31
A. NOT OPERATED	4594	7.6	24	1	2	7	10	13	16	24
B. OPERATED	2380	8.5	50	1	2	7	11	17	21	35
TOTAL 0-19 YRS	115	6.5	42	1	1	5	8	12	16	36
20-34	1984	7.2	30	1	2	6	9	13	16	26
35-49	2754	8.0	32	1	2	7	10	14	18	28
50-64	1523	8.2	33	1	2	7	11	15	18	27
65+	598	9.2	43	2	3	8	12	17	21	33
GRAND TOTAL	**6974**	**7.9**	**33**	**1**	**2**	**7**	**10**	**14**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	6.5	14	2	2	6	10	12	13	14
20-34	356	6.4	16	2	2	6	8	12	14	20
35-49	514	6.8	16	1	2	6	9	12	14	18
50-64	340	7.4	21	1	2	7	10	13	15	23
65+	217	8.0	29	1	2	7	11	14	17	29
B. Operated										
0-19 YRS	22	4.5	27	1	1	3	5	8	17	25
20-34	243	4.9	18	1	1	3	7	10	14	20
35-49	356	5.7	41	1	1	3	7	13	17	30
50-64	191	6.7	31	1	2	6	9	14	18	28
65+	61	6.9	33	1	1	5	11	15	18	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	7.2	13	2	2	7	9	12	14	15
20-34	387	7.5	23	2	3	7	9	13	18	24
35-49	670	7.9	23	2	3	7	10	14	17	24
50-64	799	8.4	24	2	3	8	11	14	16	25
65+	1125	9.8	48	3	4	8	12	17	21	35
B. Operated										
0-19 YRS	11	10.5	55	1	3	9	16	22	23	23
20-34	151	8.0	43	2	2	6	11	17	22	28
35-49	295	9.4	46	1	2	9	13	20	22	34
50-64	252	11.5	72	2	3	10	16	22	30	39
65+	196	14.2	127	3	3	12	17	30	39	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1448	7.0	19	1	2	6	9	12	15	22
B. Operated	873	5.8	32	1	1	4	8	12	16	28
2. MULTIPLE DX										
A. Not Operated	3001	8.7	34	2	3	8	11	15	19	29
B. Operated	905	10.8	75	2	2	9	15	22	28	42
1. SINGLE DX	2321	6.6	24	1	2	6	9	12	15	24
2. MULTIPLE DX	3906	9.2	44	2	3	8	11	17	21	34
A. NOT OPERATED	4449	8.1	30	2	3	7	10	14	17	26
B. OPERATED	1778	8.3	60	1	2	6	11	18	23	37
TOTAL 0-19 YRS	74	6.7	26	2	2	5	9	14	17	25
20-34	1137	6.7	24	1	2	6	9	12	16	24
35-49	1835	7.4	29	1	2	6	10	14	17	26
50-64	1582	8.5	34	2	2	7	11	15	19	31
65+	1599	9.9	58	2	3	8	12	18	23	44
GRAND TOTAL	**6227**	**8.2**	**38**	**2**	**2**	**7**	**10**	**15**	**19**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	531	4.3	13	1	1	3	5	9	11	19
20-34	4235	6.0	20	1	2	5	8	11	14	21
35-49	5603	6.6	23	1	2	6	9	12	16	23
50-64	3105	6.8	23	1	2	6	9	12	15	23
65+	1325	6.8	27	1	2	6	9	13	16	24
B. Operated										
0-19 YRS	270	4.1	17	1	1	3	5	9	11	17
20-34	3663	4.9	22	1	1	3	6	11	14	23
35-49	5067	5.7	27	1	1	4	8	12	16	25
50-64	3185	6.8	33	1	2	5	9	14	18	27
65+	1417	9.0	52	1	2	8	12	18	21	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	492	4.6	18	<1	1	4	6	10	12	25
20-34	4484	7.2	31	1	2	6	9	14	18	26
35-49	7331	7.9	34	2	2	6	10	15	19	29
50-64	7016	8.0	34	2	3	7	10	15	19	29
65+	6711	8.8	44	2	3	7	11	17	21	32
B. Operated										
0-19 YRS	203	5.8	31	1	1	4	8	11	16	29
20-34	2995	7.4	47	1	2	5	10	16	20	34
35-49	5369	8.5	56	1	2	7	11	17	22	38
50-64	5181	9.9	70	2	2	8	13	19	25	41
65+	4204	13.3	107	2	3	11	17	26	34	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14799	6.4	22	1	2	5	8	12	15	23
B. Operated	13602	6.1	31	1	1	4	8	13	17	26
2. MULTIPLE DX										
A. Not Operated	26034	8.0	36	2	2	7	10	15	19	29
B. Operated	17952	9.8	75	1	2	8	13	20	26	43
1. SINGLE DX	28401	6.2	26	1	2	5	8	12	16	24
2. MULTIPLE DX	43986	8.7	53	2	2	7	11	17	22	36
A. NOT OPERATED	40833	7.4	32	1	2	6	10	14	18	27
B. OPERATED	31554	8.2	59	1	2	6	11	17	23	38
TOTAL 0-19 YRS	1496	4.6	18	1	1	3	6	9	12	23
20-34	15377	6.4	30	1	2	5	8	13	17	26
35-49	23370	7.2	36	1	2	6	9	14	18	29
50-64	18487	8.1	44	1	2	7	11	16	20	32
65+	13657	10.0	68	2	2	8	13	20	26	41
GRAND TOTAL	**72387**	**7.7**	**44**	**1**	**2**	**6**	**10**	**16**	**20**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	3.7	9	1	1	3	5	7	9	13
20-34	420	4.2	9	<1	1	3	5	8	10	15
35-49	540	4.6	12	1	1	4	6	9	11	16
50-64	524	4.6	13	1	1	4	6	9	12	18
65+	305	5.3	12	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	1173	2.5	5	<1	<1	2	3	4	6	10
20-34	2953	2.7	5	<1	1	2	3	5	6	12
35-49	4137	3.0	5	<1	1	2	4	5	7	12
50-64	3884	3.0	6	<1	<1	2	4	5	7	13
65+	1140	3.4	12	<1	<1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	4.4	16	1	1	3	5	8	12	21
20-34	429	5.0	18	1	1	4	6	9	11	15
35-49	893	5.7	17	1	2	5	7	11	13	20
50-64	1286	6.2	22	1	2	5	8	11	14	26
65+	1601	7.5	34	2	2	6	9	14	19	28
B. *Operated*										
0-19 YRS	454	3.5	15	<1	1	2	4	7	10	20
20-34	1654	3.8	13	1	1	3	4	7	10	18
35-49	2891	4.3	20	1	1	3	5	8	12	21
50-64	3449	4.7	22	1	2	3	5	9	13	22
65+	1704	6.1	46	1	2	4	7	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2533	4.4	11	1	1	4	5	8	11	16
B. *Operated*	13287	2.9	6	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4527	6.3	25	1	2	5	8	12	15	26
B. *Operated*	10152	4.6	24	1	1	3	5	9	13	24
1. SINGLE DX	15820	3.2	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	14679	5.2	25	1	1	4	6	10	14	25
A. NOT OPERATED	7060	5.6	21	1	2	4	7	11	14	24
B. OPERATED	23439	3.7	15	<1	1	3	4	7	10	19
TOTAL 0-19 YRS	2689	3.2	9	<1	1	2	4	6	8	15
20-34	5456	3.3	9	<1	1	3	4	6	9	14
35-49	8461	3.8	13	<1	1	3	4	7	10	17
50-64	9143	4.2	16	<1	1	3	5	8	11	19
65+	4750	5.9	34	1	2	4	7	12	16	28
GRAND TOTAL	**30499**	**4.1**	**17**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7		<1	<1	2	2	3	3	3
20-34	16	2.1	5	<1	<1	1	3	4	8	9
35-49	7	1.6	1	<1	<1	1	2	4	4	4
50-64	16	2.3	4	<1	<1	1	3	6	7	7
65+	7	3.7	19	<1	<1	1	7	11	11	11
B. *Operated*										
0-19 YRS	1081	3.2	2	1	1	3	4	5	6	8
20-34	2169	3.2	2	1	1	3	4	5	6	9
35-49	2449	3.5	3	1	2	3	4	5	7	9
50-64	2859	3.6	3	1	2	3	4	6	7	9
65+	1538	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.5	2	<1	<1	1	1	3	6	7
20-34	65	1.6	1	<1	<1	1	2	4	4	7
35-49	75	2.0	4	<1	<1	1	2	4	6	11
50-64	141	2.3	5	<1	<1	1	3	6	7	11
65+	117	4.2	18	<1	<1	2	6	10	13	20
B. *Operated*										
0-19 YRS	962	3.7	4	1	2	3	4	6	7	10
20-34	2976	3.7	4	1	2	3	4	6	7	10
35-49	4265	3.9	5	1	2	4	5	6	7	11
50-64	7556	4.3	7	2	2	4	5	7	8	14
65+	5295	4.8	10	2	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.2	5	<1	<1	1	2	4	8	11
B. *Operated*	10096	3.5	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	422	2.6	9	<1	<1	1	3	6	8	14
B. *Operated*	21054	4.2	7	2	2	4	5	7	8	14
1. SINGLE DX	10154	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX	21476	4.2	7	1	2	4	5	7	8	14
A. NOT OPERATED	480	2.5	8	<1	<1	1	3	6	8	14
B. OPERATED	31150	4.0	6	1	2	4	5	6	8	12
TOTAL 0-19 YRS	2079	3.4	3	1	1	3	4	5	6	9
20-34	5226	3.5	4	1	2	3	4	5	6	9
35-49	6796	3.7	5	1	2	3	5	6	7	10
50-64	10572	4.1	6	1	2	4	5	6	8	12
65+	6957	4.5	9	1	2	4	5	8	9	16
GRAND TOTAL	**31630**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4		<1	<1	1	2	2	3	3
20-34	31	1.6	2	<1	<1	1	2	3	4	7
35-49	32	2.3	2	<1	<1	2	3	4	4	7
50-64	26	3.1	9	<1	<1	2	4	6	11	13
65+	14	4.8	18	<1	1	3	7	11	13	13
B. *Operated*										
0-19 YRS	1646	1.7	1	<1	<1	2	2	3	3	4
20-34	2805	1.8	2	<1	<1	2	2	3	3	6
35-49	1794	2.0	2	<1	<1	2	2	3	4	7
50-64	1152	2.4	3	<1	<1	2	3	4	5	8
65+	448	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	1.1		<1	<1	1	1	1	2	3
20-34	52	2.6	12	<1	<1	1	2	7	10	20
35-49	52	4.3	19	<1	<1	2	6	10	15	20
50-64	54	3.9	10	<1	1	3	5	9	9	12
65+	61	6.3	13	1	2	6	9	12	12	13
B. *Operated*										
0-19 YRS	204	2.1	2	<1	<1	2	3	3	4	7
20-34	639	2.6	4	<1	<1	2	3	4	6	10
35-49	760	3.4	12	<1	1	2	4	6	9	19
50-64	916	3.7	12	<1	1	3	4	7	10	18
65+	528	4.8	23	1	1	3	6	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.5	6	<1	<1	2	3	5	7	13
B. *Operated*	7845	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	254	3.9	14	<1	<1	2	6	10	12	16
B. *Operated*	3047	3.5	12	<1	1	2	4	7	9	18
1. SINGLE DX	7965	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	3301	3.5	12	<1	1	2	4	7	10	18
A. NOT OPERATED	374	3.4	12	<1	<1	2	4	9	11	15
B. OPERATED	10892	2.4	5	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	1902	1.7	1	<1	<1	2	2	3	3	5
20-34	3527	1.9	2	<1	<1	2	2	3	4	7
35-49	2638	2.4	6	<1	<1	2	3	4	6	12
50-64	2148	3.0	7	<1	<1	2	3	5	8	15
65+	1051	4.0	16	<1	1	3	5	8	11	18
GRAND TOTAL	**11266**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	13.4	89	1	3	11	19	27	30	41
20-34	116	11.4	87	1	3	9	14	25	33	42
35-49	119	10.5	75	2	2	7	14	25	28	36
50-64	136	11.8	86	2	3	9	16	23	31	42
65+	86	14.4	123	2	3	11	21	28	36	54
B. *Operated*										
0-19 YRS	412	16.4	157	2	3	14	23	34	42	53
20-34	362	12.4	138	2	2	8	17	29	38	52
35-49	343	14.0	187	2	2	9	17	34	46	62
50-64	362	11.5	125	1	2	8	15	25	36	53
65+	239	15.4	166	2	3	12	22	34	42	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	16.2	121	2	3	14	23	30	40	50
20-34	192	14.0	120	1	2	11	18	32	38	50
35-49	259	14.1	121	2	3	10	20	30	38	44
50-64	462	16.3	163	3	4	12	23	37	43	52
65+	571	17.0	192	3	4	13	23	37	46	73
B. *Operated*										
0-19 YRS	413	21.6	198	3	5	20	30	43	47	78
20-34	673	21.0	268	3	4	17	30	47	54	98
35-49	749	21.8	345	3	4	16	33	51	68	99+
50-64	1212	21.2	274	3	5	16	30	47	56	98
65+	1356	23.6	326	4	6	18	32	52	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	12.6	91	1	3	10	17	26	30	42
B. *Operated*	1718	13.9	157	2	2	10	19	32	42	55
2. MULTIPLE DX										
A. *Not Operated*	1794	16.0	155	2	4	12	22	34	42	54
B. *Operated*	4403	22.0	295	3	5	17	31	48	60	99+
1. SINGLE DX	2556	13.5	135	2	3	10	19	29	38	53
2. MULTIPLE DX	6197	20.3	262	3	4	16	29	45	55	94
A. NOT OPERATED	2632	14.9	137	2	3	11	21	31	40	51
B. OPERATED	6121	19.8	270	2	4	15	28	45	55	94
TOTAL 0-19 YRS	1516	17.0	153	2	3	14	24	34	43	54
20-34	1343	16.9	213	2	3	12	24	40	48	75
35-49	1470	17.7	265	2	3	12	25	43	55	98
50-64	2172	17.9	230	2	4	14	25	41	50	81
65+	2252	20.7	280	3	5	16	29	46	59	96
GRAND TOTAL	**8753**	**18.3**	**235**	**2**	**4**	**14**	**26**	**41**	**51**	**84**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	539	5.0	23	1	1	3	7	11	14	23
20-34	457	3.4	8	<1	1	3	4	6	8	14
35-49	629	3.8	9	1	1	3	4	7	9	16
50-64	535	4.5	13	1	1	3	6	9	13	19
65+	871	7.9	34	2	2	7	11	15	18	30
B. *Operated*										
0-19 YRS	3577	4.4	18	1	1	3	5	9	12	22
20-34	3497	4.4	16	1	1	3	5	8	11	20
35-49	1867	5.5	28	1	1	4	7	11	14	25
50-64	1425	7.1	42	1	2	5	10	15	18	28
65+	984	10.4	56	2	2	9	15	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	6.4	59	<1	1	4	7	16	22	42
20-34	869	4.8	24	1	1	4	6	9	12	22
35-49	1733	5.2	23	1	2	4	6	9	13	24
50-64	2917	7.2	38	2	2	5	9	15	20	32
65+	11257	10.3	61	2	3	8	13	19	25	41
B. *Operated*										
0-19 YRS	1343	5.4	46	1	1	3	6	11	16	40
20-34	2421	6.5	68	1	2	4	8	14	18	42
35-49	1963	8.6	99	1	2	5	11	18	26	55
50-64	2690	11.5	125	2	2	9	15	24	32	60
65+	4479	16.6	157	3	4	14	21	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3031	5.3	23	1	1	4	7	11	14	23
B. *Operated*	11350	5.4	29	1	1	4	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	17162	8.9	56	2	2	7	11	18	23	39
B. *Operated*	12896	11.3	132	1	2	8	15	25	33	61
1. SINGLE DX	14381	5.4	27	1	1	4	7	12	15	25
2. MULTIPLE DX	30058	9.9	90	2	2	7	13	21	28	49
A. NOT OPERATED	20193	8.4	53	1	2	6	11	17	22	37
B. OPERATED	24246	8.5	92	1	2	5	11	19	26	49
TOTAL 0-19 YRS	5845	4.8	28	1	1	3	6	10	14	27
20-34	7244	5.1	35	1	1	3	6	10	14	30
35-49	6192	6.2	50	1	2	4	7	13	17	38
50-64	7567	8.5	73	1	2	6	11	18	24	44
65+	17591	11.8	92	2	3	9	15	23	30	52
GRAND TOTAL	**44439**	**8.5**	**74**	**1**	**2**	**6**	**11**	**18**	**24**	**44**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	29	<1	<1	2	3	15	18	20
20-34	11	2.6	5	<1	<1	1	5	6	7	7
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	8	11.1	94	2	2	7	19	26	27	27
65+	8	6.5	69	1	1	3	7	21	26	26
B. *Operated*										
0-19 YRS	847	4.1	18	<1	1	3	5	7	8	15
20-34	554	3.2	7	<1	1	2	4	6	9	15
35-49	306	3.6	36	<1	1	3	4	7	8	17
50-64	260	4.0	9	1	1	3	5	8	11	13
65+	98	6.2	34	1	2	5	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.1	37	<1	<1	1	4	11	22	29
20-34	34	4.5	32	<1	<1	3	5	9	18	28
35-49	43	5.9	67	<1	<1	3	6	14	27	37
50-64	51	8.9	151	1	1	4	11	22	40	57
65+	85	15.8	330	3	3	9	18	36	52	92
B. *Operated*										
0-19 YRS	1076	5.4	44	1	2	4	6	9	13	35
20-34	722	4.7	24	1	2	3	6	9	12	29
35-49	615	5.1	30	1	1	4	6	10	14	21
50-64	625	6.1	27	1	2	5	8	12	15	28
65+	390	9.1	96	2	2	6	12	19	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.7	42	<1	<1	2	5	16	22	27
B. *Operated*	2065	3.9	17	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	301	8.5	165	<1	1	4	9	23	33	67
B. *Operated*	3428	5.7	42	1	2	4	7	11	15	34
1. SINGLE DX	2123	3.9	18	<1	1	3	5	7	9	17
2. MULTIPLE DX	3729	6.0	52	1	2	4	7	12	16	37
A. NOT OPERATED	359	7.9	147	<1	1	4	8	21	30	59
B. OPERATED	5493	5.0	33	1	1	4	6	9	13	28
TOTAL 0-19 YRS	2037	4.8	33	1	1	4	5	8	11	28
20-34	1321	4.1	17	<1	1	3	5	8	10	19
35-49	969	4.7	34	1	1	3	5	9	13	21
50-64	944	5.7	31	1	2	4	7	11	14	28
65+	581	9.5	127	2	2	6	11	20	29	59
GRAND TOTAL	**5852**	**5.2**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	6	1	1	4	6	8	9	9
20-34	119	5.7	19	1	1	5	8	12	15	21
35-49	187	6.5	21	1	2	5	9	13	15	21
50-64	133	5.8	22	1	1	5	8	11	14	26
65+	79	6.2	23	1	1	5	8	13	17	21
B. *Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	100	6.0	41	1	2	3	8	13	21	33
35-49	170	4.6	14	1	1	3	7	10	12	17
50-64	118	6.1	33	1	2	4	8	14	18	28
65+	58	6.3	27	1	1	4	8	13	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	3	1	1	3	4	6	6	6
20-34	130	6.2	28	2	2	5	8	11	15	27
35-49	263	7.3	29	2	2	6	10	14	17	26
50-64	353	7.5	26	2	2	7	10	14	17	24
65+	460	8.1	34	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	5	7.2	27	3	3	5	11	15	15	15
20-34	84	7.0	37	1	2	6	9	14	21	31
35-49	161	10.0	54	1	2	9	13	19	23	39
50-64	162	9.8	75	2	2	8	12	20	26	44
65+	104	12.6	62	3	4	12	17	23	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	6.1	21	1	1	5	8	12	15	21
B. *Operated*	449	5.5	27	1	1	3	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1217	7.5	30	2	2	6	10	14	17	26
B. *Operated*	516	10.0	62	2	2	8	13	20	25	40
1. SINGLE DX	978	5.8	24	1	1	4	8	12	16	24
2. MULTIPLE DX	1733	8.3	41	2	2	7	10	16	20	33
A. NOT OPERATED	1746	7.1	28	1	2	6	9	14	17	25
B. OPERATED	965	7.9	50	1	2	6	10	17	22	34
TOTAL 0-19 YRS	30	4.2	9	1	1	3	5	8	10	15
20-34	433	6.2	30	1	2	5	8	13	16	26
35-49	781	7.1	32	1	2	6	10	14	18	28
50-64	766	7.5	38	1	2	6	9	15	19	32
65+	701	8.4	40	2	2	7	11	16	21	30
GRAND TOTAL	**2711**	**7.4**	**36**	**1**	**2**	**6**	**10**	**15**	**19**	**29**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	794	3.1	10	<1	1	2	4	7	10	14
20-34	1420	4.6	14	<1	1	4	6	9	11	19
35-49	1407	5.0	15	1	1	4	7	10	12	19
50-64	911	4.8	14	1	1	4	6	9	12	19
65+	520	5.6	19	1	1	4	8	11	15	21
B. *Operated*										
0-19 YRS	2257	4.9	26	<1	1	3	8	11	14	22
20-34	2769	3.7	15	<1	1	2	4	8	11	21
35-49	2147	3.8	14	1	1	3	4	8	11	20
50-64	2248	3.4	11	1	1	2	4	7	10	17
65+	1361	3.4	12	<1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	796	4.1	17	<1	1	3	5	9	12	19
20-34	2217	5.4	21	1	1	4	7	10	13	24
35-49	3071	6.2	22	1	2	5	8	12	15	24
50-64	3115	6.2	21	1	2	5	8	12	15	23
65+	3535	7.3	38	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	2201	5.5	53	1	1	3	6	12	17	40
20-34	3347	4.6	30	1	1	3	5	9	14	30
35-49	3121	5.9	49	1	1	4	7	12	17	36
50-64	3179	6.3	49	1	2	4	8	13	19	35
65+	2446	8.5	99	1	2	5	11	18	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5052	4.6	15	1	1	4	6	9	12	19
B. *Operated*	10782	3.9	16	<1	1	2	4	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	12734	6.3	27	1	2	5	8	12	15	25
B. *Operated*	14294	6.1	55	1	1	3	7	13	19	40
1. SINGLE DX	15834	4.1	16	<1	1	3	5	9	12	19
2. MULTIPLE DX	27028	6.2	42	1	2	4	8	13	17	32
A. NOT OPERATED	17786	5.8	24	1	1	5	8	11	15	24
B. OPERATED	25076	5.1	40	1	1	3	6	11	16	31
TOTAL 0-19 YRS	6048	4.8	33	1	1	3	6	11	14	28
20-34	9753	4.5	22	1	1	3	6	9	12	25
35-49	9746	5.4	29	1	1	4	7	11	15	25
50-64	9453	5.4	29	1	1	4	7	11	15	27
65+	7862	6.9	54	1	2	5	9	14	19	37
GRAND TOTAL	**42862**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	10	4.2	8	2	2	3	7	8	9	9
20-34	58	4.5	7	1	2	4	7	8	9	12
35-49	75	5.5	11	1	2	5	7	10	13	17
50-64	19	5.3	11	1	2	4	7	11	12	13
65+	6	6.7	26	1	1	5	8	15	16	16
B. *Operated*										
0-19 YRS.	6	3.5	4	2	2	3	5	7	7	7
20-34	26	5.2	27	<1	2	3	5	16	18	19
35-49	26	6.2	27	1	1	5	9	15	18	21
50-64	10	3.6	6	1	1	3	4	7	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	29	5.6	13	2	2	4	7	10	12	18
20-34	238	6.5	14	2	3	6	8	11	14	19
35-49	303	6.2	13	2	3	5	8	11	13	17
50-64	187	6.7	19	2	2	5	9	13	15	19
65+	100	7.4	25	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS.	5	3.2	2	2	2	3	4	5	5	5
20-34	59	8.2	23	2	3	8	10	15	19	22
35-49	78	8.8	30	2	3	8	11	17	19	27
50-64	37	6.2	12	3	3	5	9	11	13	15
65+	12	10.7	36	4	5	9	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	5.1	10	1	2	4	7	9	11	16
B. *Operated*	69	5.2	22	1	1	4	7	11	17	21
2. MULTIPLE DX										
A. *Not Operated*	857	6.5	16	2	3	6	9	12	15	19
B. *Operated*	191	8.1	25	2	3	7	10	15	19	24
1. SINGLE DX	237	5.1	14	1	2	4	7	9	13	18
2. MULTIPLE DX	1048	6.8	18	2	3	6	9	12	15	22
A. NOT OPERATED	1025	6.3	16	2	2	5	8	11	14	19
B. OPERATED	260	7.3	26	2	2	6	10	15	18	23
TOTAL 0-19 YRS.	50	4.8	10	2	2	4	7	9	11	18
20-34	381	6.4	16	2	2	6	8	11	15	21
35-49	482	6.5	17	2	3	5	9	12	15	20
50-64	253	6.4	17	2	2	5	9	12	15	17
65+	119	7.7	27	2	3	6	10	15	19	24
GRAND TOTAL	**1285**	**6.5**	**18**	**2**	**2**	**5**	**9**	**12**	**15**	**21**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	220	2.8	8	<1	<1	2	4	6	8	17
20-34	20	4.5	20	1	1	3	5	16	54	99+
35-49	14	4.0	15	<1	1	3	4	10	14	15
50-64	6	3.7	12	<1	<1	2	7	9	9	9
65+	5	5.2	11	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS.	376	7.1	29	2	2	6	9	13	18	31
20-34	59	7.5	26	1	2	6	11	16	17	19
35-49	42	9.0	40	1	2	8	11	18	21	28
50-64	19	8.6	46	1	1	8	12	19	23	24
65+	10	11.0	49	1	2	11	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	573	4.9	48	<1	1	3	6	10	15	43
20-34	62	6.4	33	1	2	5	7	15	18	29
35-49	29	8.4	131	<1	2	6	10	13	23	63
50-64	32	6.9	81	<1	1	4	9	13	18	50
65+	43	6.4	31	<1	1	4	11	17	18	99+
B. *Operated*										
0-19 YRS.	663	10.9	152	2	2	7	13	25	40	77
20-34	92	12.5	182	2	2	9	16	33	54	99+
35-49	66	12.9	167	2	2	10	16	22	42	76
50-64	50	13.8	247	2	3	9	15	40	52	99+
65+	49	12.5	61	4	5	11	16	20	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.1	9	<1	1	2	4	7	9	18
B. *Operated*	506	7.4	31	2	2	6	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	739	5.4	51	<1	1	3	7	12	17	50
B. *Operated*	920	11.4	157	2	2	8	14	25	41	89
1. SINGLE DX	771	5.9	28	1	1	4	8	13	17	29
2. MULTIPLE DX	1659	8.7	119	1	1	5	11	19	32	72
A. NOT OPERATED	1004	4.8	41	<1	1	3	6	10	15	41
B. OPERATED	1426	10.0	116	2	2	7	12	21	33	74
TOTAL 0-19 YRS.	1832	7.3	86	1	1	4	8	16	24	58
20-34	233	9.0	97	1	2	6	13	19	28	99+
35-49	151	10.1	117	1	2	8	13	19	25	63
50-64	107	10.3	159	1	1	7	12	21	43	92
65+	107	9.6	53	1	2	9	14	18	21	67
GRAND TOTAL	**2430**	**7.8**	**91**	**1**	**1**	**5**	**9**	**17**	**26**	**63**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	1.3	3	<1	<1	1	1	2	2	7
20-34	8	3.6	9	<1	<1	3	5	9	10	10
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	2133	2.2	5	<1	1	2	2	3	5	9
20-34	525	2.5	3	<1	1	2	3	4	5	9
35-49	296	2.5	2	<1	1	2	3	4	5	9
50-64	267	2.5	2	1	1	2	3	4	5	7
65+	272	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	1.9	5	<1	<1	1	2	4	5	13
20-34	9	1.3		<1	<1	1	2	2	2	2
35-49	10	3.7	9	1	1	3	5	8	11	11
50-64	3	1.0		1	1	1	1	1	1	1
65+	12	2.9	10	1	1	1	3	9	10	10
B. *Operated*										
0-19 YRS	728	2.8	9	<1	1	2	3	5	7	14
20-34	232	2.9	6	1	1	2	3	5	7	14
35-49	143	2.9	4	1	1	2	3	6	7	9
50-64	265	3.0	7	1	1	2	3	5	8	12
65+	453	2.9	8	1	2	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	427	1.3	4	<1	<1	1	1	2	3	7
B. *Operated*	3493	2.3	4	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	241	2.0	5	<1	<1	1	2	4	6	12
B. *Operated*	1821	2.9	8	1	1	2	3	5	7	13
1. SINGLE DX	3920	2.2	4	<1	<1	2	2	4	5	8
2. MULTIPLE DX	2062	2.8	7	<1	1	2	3	5	7	13
A. NOT OPERATED	668	1.6	4	<1	<1	1	1	2	4	11
B. OPERATED	5314	2.5	5	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	3482	2.2	6	<1	<1	2	2	4	5	11
20-34	774	2.6	4	<1	1	2	3	4	6	10
35-49	452	2.7	3	1	1	2	3	4	6	9
50-64	537	2.7	4	1	1	2	3	4	6	11
65+	737	2.7	6	1	1	2	3	4	6	14
GRAND TOTAL	**5982**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	3.3	11	<1	1	2	4	7	10	17
20-34	62	3.5	8	1	1	2	5	8	9	11
35-49	40	4.7	14	1	2	3	6	10	13	17
50-64	28	3.9	29	1	1	2	3	7	20	25
65+	14	4.1	13	1	2	3	4	9	14	15
B. *Operated*										
0-19 YRS	3106	4.8	20	1	1	3	7	10	12	19
20-34	416	5.4	29	1	1	3	8	11	15	23
35-49	239	6.1	48	1	1	3	9	13	16	23
50-64	154	5.6	37	1	1	3	8	12	15	29
65+	72	6.1	43	1	1	3	10	14	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1139	4.6	41	<1	1	3	5	9	15	32
20-34	237	5.1	43	1	1	3	6	10	14	21
35-49	165	6.0	42	1	2	4	7	12	18	37
50-64	129	6.6	55	1	2	5	8	12	16	48
65+	220	8.0	54	1	2	6	9	16	19	38
B. *Operated*										
0-19 YRS	4876	7.4	84	1	1	4	10	16	23	54
20-34	502	7.8	67	1	2	5	11	15	23	51
35-49	377	8.9	109	1	2	7	11	18	27	74
50-64	391	10.6	121	2	2	8	14	22	29	63
65+	289	12.5	138	2	2	10	17	26	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	3.6	12	<1	1	2	4	8	10	17
B. *Operated*	3987	5.0	24	1	1	3	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	1890	5.3	45	<1	1	3	6	11	16	33
B. *Operated*	6435	7.9	91	1	1	5	10	17	25	57
1. SINGLE DX	4345	4.9	23	1	1	3	7	10	13	21
2. MULTIPLE DX	8325	7.3	81	1	1	4	9	16	23	51
A. NOT OPERATED	2248	5.0	40	<1	1	3	6	11	15	32
B. OPERATED	10422	6.8	67	1	1	4	9	14	20	45
TOTAL 0-19 YRS	9335	6.1	58	1	1	3	8	13	18	41
20-34	1217	6.2	48	1	1	4	9	13	17	34
35-49	821	7.3	75	1	2	5	9	15	21	54
50-64	702	8.5	92	1	2	5	11	18	27	50
65+	595	9.9	100	1	2	7	14	20	29	55
GRAND TOTAL	**12670**	**6.5**	**63**	**1**	**1**	**4**	**9**	**14**	**19**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.2	2	<1	<1	1	3	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1832	3.9	5	1	2	3	5	7	8	10
20-34	54	4.0	6	1	2	4	5	7	9	13
35-49	13	4.6	13	1	1	4	6	10	13	14
50-64	5	1.6		1	1	2	2	2	2	2
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	2.3	11	<1	<1	1	2	5	9	18
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1531	4.1	10	2	2	4	5	7	8	13
20-34	64	3.0	3	1	1	3	4	5	6	10
35-49	16	3.6	2	2	2	3	5	5	6	6
50-64	2	3.0		3	3	3	3	3	3	3
65+	3	1.7	1	1	1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	2	<1	<1	1	3	5	5	5
B. *Operated*	1907	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	179	2.3	11	<1	<1	1	2	5	9	18
B. *Operated*	1616	4.1	10	2	2	3	5	7	8	12
1. SINGLE DX	1929	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX	1795	3.9	10	1	1	3	5	7	8	14
A. NOT OPERATED	201	2.3	10	<1	<1	1	2	5	8	17
B. OPERATED	3523	4.0	7	1	2	3	5	7	8	12
TOTAL 0-19 YRS	3562	3.9	7	1	2	3	5	7	8	12
20-34	120	3.5	4	1	1	3	4	6	7	11
35-49	29	4.1	7	2	2	3	5	6	9	14
50-64	7	2.0	1	1	1	2	3	3	3	3
65+	6	2.2	1	1	1	2	3	3	3	3
GRAND TOTAL	**3724**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	2	1	1	2	3	4	5	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1782	3.7	3	2	2	3	4	6	7	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.6	5	1	1	3	5	7	8	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	461	4.9	8	2	2	4	6	8	10	16
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.5	2	1	1	2	3	4	5	7
B. *Operated*	1782	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	67	3.6	5	1	1	3	5	7	8	10
B. *Operated*	461	4.9	8	2	2	4	6	8	10	16
1. SINGLE DX	1877	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX	528	4.8	8	2	2	4	6	8	10	16
A. NOT OPERATED	162	2.9	3	1	1	2	4	5	7	9
B. OPERATED	2243	3.9	5	2	2	4	5	6	7	12
TOTAL 0-19 YRS	2405	3.9	5	2	2	3	5	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2405**	**3.9**	**5**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	358	2.8	11	<1	<1	2	3	6	9	21
20-34	30	3.6	9	1	1	3	4	8	11	12
35-49	20	3.4	5	<1	<1	3	5	7	7	8
50-64	16	3.9	11	<1	<1	3	6	9	10	10
65+	33	4.2	7	<1	1	4	6	9	9	10
B. *Operated*										
0-19 YRS	1219	5.5	40	<1	1	3	8	12	16	27
20-34	231	4.2	20	<1	1	3	6	8	11	23
35-49	90	5.1	16	1	1	4	8	10	13	19
50-64	86	5.9	56	1	1	3	8	12	15	47
65+	64	7.1	34	1	1	5	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	536	5.2	32	<1	1	3	7	11	15	29
20-34	57	5.5	14	1	2	5	8	10	13	20
35-49	65	4.5	9	1	2	4	6	9	11	14
50-64	100	6.1	23	1	1	5	8	11	15	26
65+	220	6.5	34	1	2	5	8	13	15	28
B. *Operated*										
0-19 YRS	1276	9.1	110	1	2	6	11	20	31	79
20-34	288	7.9	43	1	2	6	10	17	21	31
35-49	181	8.6	78	1	1	7	11	17	28	35
50-64	211	10.7	74	2	2	9	14	22	30	41
65+	268	13.5	159	1	2	10	19	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	3.0	10	<1	<1	2	3	6	9	20
B. *Operated*	1690	5.4	37	<1	1	3	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	978	5.6	29	1	1	4	7	11	15	26
B. *Operated*	2224	9.6	104	1	2	7	12	20	30	64
1. SINGLE DX	2147	4.9	32	<1	1	3	7	11	14	25
2. MULTIPLE DX	3202	8.3	84	1	2	6	10	18	26	56
A. NOT OPERATED	1435	4.7	25	<1	1	3	6	10	13	23
B. OPERATED	3914	7.8	79	1	1	5	10	17	24	51
TOTAL 0-19 YRS	3389	6.5	67	<1	1	4	8	14	21	47
20-34	606	6.0	33	1	1	4	8	12	18	29
35-49	356	6.7	50	1	1	5	9	13	18	31
50-64	413	8.3	61	1	2	7	11	17	24	39
65+	585	9.6	102	1	2	7	12	20	27	56
GRAND TOTAL	**5349**	**6.9**	**66**	**<1**	**1**	**4**	**9**	**15**	**21**	**45**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)-	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.5	1	<1	<1	1	2	2	3	4
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2742	2.2	2	<1	1	2	3	4	5	7
20-34	190	3.0	3	1	1	3	3	5	6	10
35-49	60	2.8	2	1	1	3	3	4	5	7
50-64	15	2.7	2	1	2	2	3	4	6	7
65+	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	1.2	1	<1	<1	1	1	2	3	5
20-34	6	1.7		1	1	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2440	2.4	2	<1	1	2	3	4	5	8
20-34	231	3.6	5	1	1	3	4	6	8	14
35-49	104	3.4	4	1	2	3	4	6	8	9
50-64	23	3.7	4	<1	1	4	5	7	7	7
65+	10	4.1	7	2	2	3	5	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	3013	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	156	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2808	2.6	3	<1	1	2	3	4	6	9
1. SINGLE DX	3053	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	2964	2.5	3	<1	1	2	3	4	6	9
A. NOT OPERATED	196	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	5821	2.4	2	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	5365	2.3	2	<1	1	2	3	4	5	7
20-34	432	3.2	4	1	1	3	4	6	7	11
35-49	165	3.1	3	1	1	3	4	5	7	8
50-64	39	3.2	3	1	1	3	4	6	7	7
65+	16	3.5	5	1	2	3	4	5	9	11
GRAND TOTAL	**6017**	**2.4**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.6	11	<1	<1	2	3	4	6	23
20-34	59	2.8	6	<1	<1	2	3	6	8	11
35-49	30	3.5	7	<1	1	3	4	6	9	13
50-64	15	4.3	48	<1	1	2	4	5	23	29
65+	21	4.1	16	1	1	3	4	10	15	17
B. *Operated*										
0-19 YRS	2590	4.9	15	<1	1	4	7	10	12	16
20-34	708	4.2	14	<1	1	3	6	8	11	16
35-49	197	4.7	14	1	1	4	6	8	13	17
50-64	108	4.7	14	1	1	3	7	10	13	15
65+	65	6.1	35	1	1	4	7	12	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	3.4	18	<1	<1	2	4	8	11	25
20-34	107	4.4	12	1	1	3	5	9	12	17
35-49	148	6.4	33	1	2	5	8	13	18	33
50-64	148	6.0	22	1	2	5	8	11	15	27
65+	140	7.3	32	2	2	6	9	14	20	27
B. *Operated*										
0-19 YRS	1976	6.1	37	<1	1	5	8	13	16	27
20-34	874	5.8	25	1	1	5	7	11	15	27
35-49	532	6.9	33	1	2	6	8	13	16	32
50-64	410	8.4	70	1	2	6	11	17	25	46
65+	289	9.4	76	2	2	8	12	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	3.0	12	<1	<1	2	3	6	8	22
B. *Operated*	3668	4.8	15	<1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	777	5.3	26	<1	1	4	7	11	15	26
B. *Operated*	4081	6.6	41	1	1	5	9	13	17	31
1. SINGLE DX	3905	4.7	15	<1	1	3	7	9	12	17
2. MULTIPLE DX	4858	6.4	39	1	1	5	8	13	17	30
A. NOT OPERATED	1014	4.8	23	<1	1	3	6	10	14	26
B. OPERATED	7749	5.7	29	<1	1	5	8	12	15	25
TOTAL 0-19 YRS	4912	5.3	24	<1	1	4	8	11	14	22
20-34	1748	4.9	20	<1	1	4	6	9	13	21
35-49	907	6.2	29	1	2	5	8	12	16	29
50-64	681	7.2	52	1	2	5	9	14	20	38
65+	515	8.2	59	2	2	6	11	16	22	32
GRAND TOTAL	**8763**	**5.6**	**29**	**<1**	**1**	**4**	**8**	**12**	**15**	**25**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	21	<1	<1	1	3	6	13	24
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1558	3.4	3	1	2	3	4	5	7	10
20-34	89	4.7	11	1	2	4	5	9	11	18
35-49	57	4.3	6	1	2	4	5	8	10	14
50-64	28	3.7	3	1	2	3	5	7	7	8
65+	19	3.8	6	1	2	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	1.7	12	<1	<1	1	1	2	5	23
20-34	6	1.7	3	<1	<1	1	1	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	937	4.1	11	1	2	3	5	7	9	16
20-34	251	4.5	15	1	2	4	5	7	8	13
35-49	176	4.3	4	2	2	4	5	7	8	11
50-64	214	4.8	12	2	2	4	5	7	9	22
65+	94	5.7	11	2	3	5	6	11	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.1	20	<1	<1	1	3	6	12	24
B. *Operated*	1751	3.5	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	150	1.7	11	<1	<1	1	1	2	5	21
B. *Operated*	1672	4.4	11	1	2	4	5	7	9	16
1. SINGLE DX	1797	3.5	4	1	2	3	4	6	7	12
2. MULTIPLE DX	1822	4.2	12	1	1	4	5	7	9	16
A. NOT OPERATED	196	2.0	13	<1	<1	1	1	3	6	23
B. OPERATED	3423	3.9	8	1	2	3	5	6	8	14
TOTAL 0-19 YRS	2677	3.6	7	1	1	3	4	6	8	14
20-34	348	4.5	13	1	2	4	5	7	9	15
35-49	234	4.3	5	2	2	4	5	7	9	11
50-64	244	4.7	11	2	2	4	5	7	9	22
65+	116	5.3	11	2	3	4	6	11	12	16
GRAND TOTAL	**3619**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	739	2.9	12	<1	<1	2	3	7	10	16
20-34	146	5.3	29	<1	1	4	7	10	14	37
35-49	152	5.1	11	1	2	4	7	10	11	14
50-64	86	7.3	24	1	2	6	10	15	17	21
65+	40	7.6	31	1	2	6	9	16	20	26
B. *Operated*										
0-19 YRS	5418	4.3	22	1	1	3	5	8	12	23
20-34	1673	3.8	16	<1	1	3	4	8	12	19
35-49	891	4.8	26	<1	1	3	6	11	16	23
50-64	510	5.9	42	1	1	4	8	12	15	28
65+	166	6.6	39	1	1	4	9	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1102	4.7	48	<1	1	3	5	10	15	36
20-34	327	6.2	31	1	1	5	8	13	17	29
35-49	329	6.8	39	1	2	5	9	12	16	31
50-64	356	8.0	52	1	2	6	11	16	21	32
65+	383	8.9	52	2	3	7	11	17	21	34
B. *Operated*										
0-19 YRS	2722	6.4	59	1	1	4	7	14	21	40
20-34	1153	6.0	52	1	1	4	8	13	17	39
35-49	886	7.2	54	1	1	5	10	15	20	35
50-64	748	9.3	77	2	2	7	12	19	25	47
65+	423	12.1	163	2	2	9	15	25	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1163	4.0	18	<1	1	2	5	9	12	19
B. *Operated*	8658	4.4	23	<1	1	3	5	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2497	6.3	48	<1	1	4	8	13	18	32
B. *Operated*	5932	7.2	69	1	1	4	9	16	23	43
1. SINGLE DX	9821	4.3	22	<1	1	3	5	9	12	22
2. MULTIPLE DX	8429	6.9	63	1	1	4	9	15	21	41
A. NOT OPERATED	3660	5.6	40	<1	1	4	7	12	16	30
B. OPERATED	14590	5.5	44	1	1	3	7	12	17	34
TOTAL 0-19 YRS	9981	4.8	35	1	1	3	6	10	14	30
20-34	3299	4.9	32	<1	1	3	6	11	14	30
35-49	2258	6.0	39	1	1	4	8	13	17	30
50-64	1700	7.9	61	1	2	6	10	16	21	41
65+	1012	9.8	100	1	2	7	12	20	27	60
GRAND TOTAL	**18250**	**5.5**	**43**	**1**	**1**	**3**	**7**	**12**	**17**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8140	3.4	16	1	1	2	3	6	10	23
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	224	5.4	42	1	1	3	6	12	22	38
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5212	9.0	132	1	2	5	10	23	32	63
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	613	19.5	461	1	2	12	30	71	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8140	3.4	16	1	1	2	3	6	10	23
B. *Operated*	224	5.4	42	1	1	3	6	12	22	38
2. MULTIPLE DX										
A. *Not Operated*	5212	9.0	132	1	2	5	10	23	32	63
B. *Operated*	613	19.5	461	1	2	12	30	71	99+	99+
1. SINGLE DX	8364	3.4	17	1	1	2	3	6	10	23
2. MULTIPLE DX	5825	10.1	177	1	2	5	12	26	40	90
A. NOT OPERATED	13352	5.6	69	1	1	3	5	13	22	44
B. OPERATED	837	15.7	388	1	2	9	22	58	91	99+
TOTAL 0-19 YRS	14189	6.2	93	1	1	3	6	15	25	60
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**14189**	**6.2**	**93**	**1**	**1**	**3**	**6**	**15**	**25**	**60**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6903	2.9	6	1	1	2	4	5	7	12
20-34	2570	3.3	8	1	1	3	4	6	8	15
35-49	1357	3.7	10	1	1	3	5	7	9	16
50-64	893	4.2	12	1	1	3	5	8	10	20
65+	693	4.9	20	1	1	4	6	10	12	21
B. *Operated*										
0-19 YRS	88	3.9	10	1	1	3	5	7	10	19
20-34	98	4.6	30	1	1	3	5	9	12	34
35-49	62	5.5	24	1	2	4	6	12	17	23
50-64	56	5.1	10	1	2	4	7	9	13	14
65+	35	7.8	85	1	2	4	8	24	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9545	3.5	12	1	1	3	4	6	9	17
20-34	3461	5.1	27	1	1	4	6	10	13	27
35-49	3349	5.7	28	1	2	4	7	11	14	27
50-64	3953	6.2	34	1	2	5	8	12	15	29
65+	6019	7.8	49	2	2	6	10	15	19	37
B. *Operated*										
0-19 YRS	287	7.9	91	1	2	5	9	18	28	54
20-34	281	8.1	53	1	2	6	10	17	21	37
35-49	306	9.8	82	2	2	8	13	19	31	99+
50 54	481	12.2	147	2	3	8	15	26	36	75
65+	635	13.2	126	2	3	10	17	27	39	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12416	3.2	8	1	1	3	4	6	8	14
B. *Operated*	339	5.0	27	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	26327	5.4	30	1	1	4	7	11	14	27
B. *Operated*	1990	11.0	114	2	2	8	14	23	34	65
1. SINGLE DX	12755	3.3	9	1	1	3	4	6	8	15
2. MULTIPLE DX	28317	5.8	38	1	1	4	7	12	16	32
A. NOT OPERATED	38743	4.7	24	1	1	3	6	9	13	24
B. OPERATED	2329	10.1	105	2	2	7	13	21	31	59
TOTAL 0-19 YRS	16823	3.3	11	1	1	3	4	6	8	16
20-34	6410	4.5	22	1	1	3	5	9	12	23
35-49	5074	5.4	28	1	1	4	7	11	14	28
50-64	5383	6.4	44	1	2	5	8	12	17	35
65+	7382	8.0	56	2	2	6	10	16	21	40
GRAND TOTAL	**41072**	**5.0**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPF OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2325	3.0	4	1	1	3	4	5	6	10
20-34	436	3.9	6	1	2	3	5	7	8	13
35-49	285	5.1	14	1	2	4	6	10	12	17
50-64	297	5.6	12	2	2	5	7	10	12	20
65+	329	5.9	27	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	54	5.6	23	<1	1	4	8	12	17	21
20-34	44	7.3	31	1	2	6	10	16	21	22
35-49	34	6.9	25	<1	1	6	10	13	17	20
50-64	38	10.5	63	2	2	9	14	19	27	39
65+	34	11.6	72	2	3	10	16	21	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4061	3.5	10	1	1	3	4	6	8	13
20-34	1129	5.0	19	1	2	4	6	9	12	23
35-49	948	5.8	20	2	2	5	7	11	13	21
50-64	1588	6.4	25	2	2	5	8	11	14	24
65+	3412	7.7	38	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	178	8.2	83	1	2	5	9	19	28	62
20-34	188	10.3	94	2	3	8	12	19	27	59
35-49	204	11.5	88	2	3	9	15	22	30	46
50-64	345	12.7	93	3	4	10	16	24	30	52
65+	529	15.7	133	3	5	13	20	32	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3672	3.7	9	1	1	3	4	7	9	14
B. *Operated*	204	8.1	45	1	2	6	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	11138	5.6	26	1	2	4	7	11	14	24
B. *Operated*	1444	12.8	112	2	3	10	16	25	35	57
1. SINGLE DX	3876	4.0	11	1	1	3	5	7	10	17
2. MULTIPLE DX	12582	6.4	41	1	2	4	8	13	17	33
A. NOT OPERATED	14810	5.1	22	1	2	4	6	10	13	22
B. OPERATED	1646	12.2	106	2	3	9	16	24	34	54
TOTAL 0-19 YRS	6618	3.5	11	1	1	3	4	6	8	15
20-34	1797	5.4	27	1	2	4	6	10	13	28
35-49	1471	6.5	33	2	2	5	8	12	16	29
50-64	2268	7.3	40	2	2	6	9	14	18	31
65+	4304	8.6	56	2	3	7	10	16	22	40
GRAND TOTAL	**16458**	**5.8**	**35**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	926	2.8	4	1	1	2	3	5	7	12
20-34	1888	3.4	6	<1	1	3	4	6	8	13
35-49	1114	3.7	8	1	1	3	5	7	9	15
50-64	506	3.8	7	1	1	3	5	7	9	14
65+	174	4.0	7	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	46	3.5	6	1	1	3	4	7	9	10
20-34	167	4.1	10	1	2	3	5	8	10	16
35-49	153	4.3	12	1	1	3	6	9	11	19
50-64	98	4.4	15	1	1	3	6	8	9	22
65+	33	4.2	10	1	1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1093	3.4	8	1	1	3	4	6	8	16
20-34	2959	4.5	13	1	1	4	5	8	11	19
35-49	2419	5.3	20	1	2	4	7	10	13	23
50-64	1793	5.3	16	1	2	4	7	10	13	21
65+	1403	5.5	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	56	4.7	20	1	1	3	6	10	12	26
20-34	309	6.9	37	1	2	6	9	13	17	33
35-49	368	8.1	38	2	2	6	11	17	19	27
50-64	287	7.6	33	2	2	6	10	14	21	28
65+	254	8.5	45	2	3	6	11	16	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4608	3.4	7	1	1	3	4	6	8	13
B. *Operated*	497	4.2	11	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	9667	4.9	16	1	2	4	6	9	12	21
B. *Operated*	1274	7.6	38	2	2	6	10	15	19	30
1. SINGLE DX	5105	3.5	7	1	1	3	4	7	8	14
2. MULTIPLE DX	10941	5.2	19	1	2	4	7	10	13	22
A. NOT OPERATED	14275	4.4	13	1	1	3	5	8	11	18
B. OPERATED	1771	6.6	33	1	2	5	9	13	18	28
TOTAL 0-19 YRS	2121	3.2	7	1	1	3	4	6	7	13
20-34	5323	4.2	13	1	1	3	5	8	11	18
35-49	4054	5.1	19	1	1	4	6	10	13	22
50-64	2684	5.3	17	1	2	4	7	10	13	22
65+	1864	5.7	22	1	2	4	7	11	14	24
GRAND TOTAL	16046	4.7	16	1	1	4	6	9	12	20

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.4	3	<1	1	2	3	5	6	8
20-34	232	3.0	3	1	1	3	4	5	7	8
35-49	293	3.2	3	1	1	3	4	6	6	9
50-64	512	3.4	4	1	1	3	5	6	7	11
65+	587	3.3	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	128	2.1	5	<1	<1	1	2	5	6	11
20-34	189	4.3	6	1	1	4	5	8	9	12
35-49	259	4.9	9	1	2	4	6	8	10	15
50-64	426	4.8	8	1	2	4	6	8	10	13
65+	370	4.5	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	2.9	6	<1	1	2	4	6	8	12
20-34	187	3.7	6	1	1	3	5	7	9	12
35-49	420	4.3	11	1	1	4	5	8	10	16
50-64	1115	4.6	12	1	2	4	6	8	10	17
65+	2215	4.7	14	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	86	3.3	7	1	1	2	4	7	8	13
20-34	121	5.0	11	1	1	4	7	9	11	17
35-49	307	5.5	15	2	2	5	7	9	12	18
50-64	731	6.2	22	1	2	5	7	11	14	27
65+	1070	6.9	38	1	2	5	8	13	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1753	3.2	4	<1	1	3	4	6	7	10
B. *Operated*	1372	4.4	8	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	4161	4.5	13	1	1	4	6	8	10	17
B. *Operated*	2315	6.3	28	1	2	5	8	11	15	28
1. SINGLE DX	3125	3.7	6	1	1	3	5	7	8	12
2. MULTIPLE DX	6476	5.1	19	1	1	4	6	9	12	23
A. NOT OPERATED	5914	4.1	11	1	1	3	5	8	10	15
B. OPERATED	3687	5.6	22	1	2	5	7	10	13	25
TOTAL 0-19 YRS	567	2.7	5	<1	<1	2	3	6	7	12
20-34	729	3.8	6	1	1	3	5	7	9	13
35-49	1279	4.4	10	1	1	4	6	8	10	16
50-64	2784	4.8	14	1	2	4	6	8	11	19
65+	4242	5.0	20	1	1	4	6	9	12	23
GRAND TOTAL	9601	4.7	15	1	1	4	6	8	11	20

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11,
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.3	5	1	1	3	5	7	8	10
20-34	144	3.1	5	1	1	3	4	6	7	11
35-49	108	3.1	4	<1	<1	3	4	6	6	11
50-64	89	3.2	5	<1	1	3	4	6	8	12
65+	75	4.0	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	731	2.1	3	<1	<1	2	2	3	5	11
20-34	692	2.6	7	<1	<1	2	3	5	6	11
35-49	392	2.6	4	<1	<1	2	3	5	6	10
50-64	345	3.1	10	<1	1	2	3	6	9	20
65+	202	3.4	15	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.1	18	<1	1	3	5	8	10	28
20-34	351	4.3	10	1	1	4	6	8	10	15
35-49	440	4.4	21	1	1	3	5	8	11	23
50-64	601	4.9	23	1	1	4	6	9	13	24
65+	1053	7.9	65	1	2	5	10	16	23	42
B. *Operated*										
0-19 YRS	245	4.7	44	<1	1	3	5	11	14	29
20-34	434	5.0	21	1	1	3	7	11	15	23
35-49	363	6.2	77	1	1	4	7	13	18	45
50-64	511	6.6	56	1	2	4	9	15	19	38
65+	537	10.3	149	1	2	6	14	28	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.3	5	1	1	3	4	6	8	11
B. *Operated*	2362	2.6	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	2741	5.8	39	1	1	4	7	12	17	32
B. *Operated*	2090	6.9	79	1	1	4	8	16	24	54
1. SINGLE DX	2949	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	4831	6.3	57	1	1	4	7	14	20	42
A. NOT OPERATED	3328	5.4	34	1	1	4	6	11	15	31
B. OPERATED	4452	4.6	45	<1	1	2	5	10	16	39
TOTAL 0-19 YRS	1443	3.1	15	<1	<1	2	3	6	9	15
20-34	1621	3.6	12	<1	1	2	4	8	10	17
35-49	1303	4.2	32	<1	1	3	5	8	12	29
50-64	1546	5.0	32	1	1	3	6	10	14	29
65+	1867	8.0	86	1	2	5	10	18	27	55
GRAND TOTAL	**7780**	**4.9**	**41**	**<1**	**1**	**3**	**6**	**11**	**16**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	3	6.3		6	6	6	7	7	7	7
35-49	6	7.0	68	1	1	5	7	21	23	23
50-64	9	9.7	37	4	5	8	10	19	25	25
65+	24	6.3	27	<1	<1	5	9	14	18	19
B. *Operated*										
0-19 YRS	59	5.6	62	<1	<1	3	7	12	17	50
20-34	88	5.8	61	1	1	3	6	15	22	39
35-49	71	9.2	127	1	1	5	12	21	31	59
50-64	151	13.1	175	1	2	10	18	26	43	59
65+	370	16.5	205	3	4	13	20	36	48	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	51	1	1	6	8	19	22	22
20-34	13	6.0	15	3	3	4	7	9	16	18
35-49	31	11.6	75	2	3	9	17	25	25	37
50-64	126	9.1	66	1	2	7	13	20	22	49
65+	537	10.9	81	2	3	8	13	22	28	61
B. *Operated*										
0-19 YRS	71	9.2	114	1	1	5	12	22	34	54
20-34	185	11.7	181	2	2	6	15	27	42	74
35-49	309	18.3	333	2	2	12	25	46	62	99+
50-64	1145	22.1	312	3	5	17	30	49	68	99+
65+	3657	22.7	266	5	7	18	30	46	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	6.8	32	<1	1	6	9	14	20	25
B. *Operated*	739	13.0	180	1	2	9	17	28	42	78
2. MULTIPLE DX										
A. *Not Operated*	714	10.5	77	2	3	8	13	22	26	51
B. *Operated*	5367	21.7	282	3	6	17	29	46	62	99+
1. SINGLE DX	785	12.6	174	1	2	9	17	27	40	72
2. MULTIPLE DX	6081	20.4	271	3	5	16	27	44	59	99+
A. NOT OPERATED	760	10.3	75	2	3	8	13	21	26	50
B. OPERATED	6106	20.7	278	3	4	16	28	45	59	99+
TOTAL 0-19 YRS	141	7.4	88	<1	1	4	9	18	24	52
20-34	289	9.6	143	1	2	5	12	24	36	67
35-49	417	16.1	288	1	2	10	22	40	55	98
50-64	1431	20.0	294	2	4	15	27	45	62	99+
65+	4588	20.7	255	4	6	16	28	43	58	99+
GRAND TOTAL	**6866**	**19.5**	**266**	**2**	**4**	**15**	**26**	**43**	**57**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	2.8	7	<1	1	2	3	5	6	8
20-34	2411	2.7	3	<1	1	2	3	5	6	10
35-49	6699	3.0	4	1	1	3	4	5	7	10
50-64	5398	3.2	5	1	1	3	4	6	7	11
65+	2215	3.4	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	21	2.8	6	<1	1	2	3	6	9	10
20-34	297	3.1	8	1	1	2	4	7	8	18
35-49	1731	2.9	5	1	1	2	3	5	8	11
50-64	2063	2.8	4	1	1	2	3	5	7	11
65+	465	3.2	7	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	481	3.3	5	1	1	3	4	6	7	10
20-34	4169	3.6	8	1	1	3	5	7	8	13
35-49	15183	3.9	8	1	1	3	5	7	9	14
50-64	19981	4.2	9	1	2	4	5	8	9	15
65+	15079	4.8	13	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	30	3.9	11	1	1	2	5	9	11	14
20-34	579	4.6	14	1	2	3	6	9	11	17
35-49	3516	4.6	16	1	2	3	6	10	12	18
50-64	5428	4.8	19	1	2	3	6	10	13	21
65+	2236	6.5	39	1	2	5	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17022	3.1	4	1	1	3	4	6	7	10
B. *Operated*	4577	2.9	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	54893	4.3	10	1	2	3	5	8	10	16
B. *Operated*	11789	5.0	22	1	2	3	7	11	14	23
1. SINGLE DX	21599	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX	66682	4.4	12	1	2	3	5	8	10	17
A. NOT OPERATED	71915	4.0	9	1	1	3	5	7	9	15
B. OPERATED	16366	4.4	18	1	2	3	6	9	12	21
TOTAL 0-19 YRS	831	3.1	6	1	1	2	4	6	7	10
20-34	7456	3.4	7	1	1	3	4	6	8	13
35-49	27129	3.7	8	1	1	3	5	7	9	14
50-64	32870	4.1	10	1	1	3	5	8	10	16
65+	19995	4.8	16	1	2	4	6	9	12	20
GRAND TOTAL	**88281**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1727	3.2	7	1	1	2	4	6	8	14
20-34	160	2.6	3	<1	<1	2	3	5	7	9
35-49	185	3.1	6	<1	1	2	4	7	8	13
50-64	271	4.3	17	<1	1	3	5	9	12	23
65+	300	4.2	13	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	125	3.3	9	1	1	2	4	6	9	18
20-34	124	4.2	12	<1	1	3	6	9	11	15
35-49	226	3.7	13	<1	1	2	4	8	11	19
50-64	455	3.8	11	1	1	3	5	8	10	15
65+	317	4.2	19	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2055	4.2	19	1	1	3	5	8	12	21
20-34	547	3.8	10	1	1	3	5	8	10	17
35-49	932	4.7	20	1	1	3	6	10	13	19
50-64	2276	6.3	29	1	2	5	8	12	16	27
65+	4019	7.2	40	1	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	229	7.2	98	1	1	4	9	18	25	89
20-34	210	6.7	80	1	2	4	7	13	20	57
35-49	540	6.3	52	1	2	4	7	13	18	33
50-64	1370	7.1	53	1	2	5	9	15	19	49
65+	1686	8.4	74	1	2	6	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2643	3.4	9	1	1	2	4	7	9	14
B. *Operated*	1247	3.9	13	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	9829	5.9	31	1	1	4	8	12	15	27
B. *Operated*	4035	7.5	66	1	2	5	9	16	21	48
1. SINGLE DX	3890	3.5	10	1	1	3	4	7	9	15
2. MULTIPLE DX	13864	6.4	42	1	2	5	8	13	17	32
A. NOT OPERATED	12472	5.4	27	1	1	4	7	11	14	26
B. OPERATED	5282	6.7	56	1	1	4	8	14	19	40
TOTAL 0-19 YRS	4136	3.9	19	1	1	3	5	8	11	21
20-34	1041	4.2	25	1	1	3	5	9	11	22
35-49	1883	4.9	28	1	1	3	6	10	13	24
50-64	4372	6.1	35	1	2	5	8	12	16	30
65+	6322	7.2	48	1	2	5	9	14	19	35
GRAND TOTAL	**17754**	**5.8**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.1	2	1	1	2	3	4	5	7
20-34	1087	2.2	3	<1	1	2	3	4	5	8
35-49	1214	2.2	2	1	1	2	3	4	5	8
50-64	735	2.3	2	1	1	2	3	4	5	8
65+	456	3.3	11	<1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	390	2.0	3	<1	<1	1	2	4	6	10
20-34	252	4.2	11	1	1	4	6	8	9	15
35-49	235	4.9	11	1	1	4	7	9	11	17
50-64	236	5.5	12	1	1	5	8	10	11	16
65+	324	6.6	28	1	2	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	3.1	5	1	1	3	4	6	8	11
20-34	998	3.3	9	1	1	3	4	6	8	17
35-49	1108	3.3	7	1	1	3	4	6	8	12
50-64	1381	4.0	14	1	1	3	5	6	10	22
65+	2611	6.3	37	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	520	3.2	16	<1	<1	2	3	7	11	22
20-34	398	5.9	26	1	2	4	7	11	14	26
35-49	573	6.5	26	1	2	5	8	12	17	27
50-64	932	7.8	33	2	2	7	10	15	19	30
65+	2394	10.3	75	2	3	8	13	19	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3796	2.3	4	<1	1	2	3	4	5	8
B. *Operated*	1437	4.5	16	<1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	6415	4.7	23	1	1	3	6	9	13	24
B. *Operated*	4817	8.2	56	1	2	6	11	16	21	40
1. SINGLE DX	5233	2.9	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	11232	6.2	40	1	1	4	8	13	17	32
A. NOT OPERATED	10211	3.8	17	1	1	3	4	8	11	21
B. OPERATED	6254	7.4	49	1	1	6	10	15	20	35
TOTAL 0-19 YRS	1531	2.7	8	<1	1	2	3	5	7	13
20-34	2735	3.3	11	1	1	2	4	7	9	15
35-49	3130	3.6	11	1	1	3	4	7	10	17
50-64	3284	4.8	21	1	1	3	6	10	13	23
65+	5785	7.7	55	1	2	6	10	15	21	39
GRAND TOTAL	**16465**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8036	2.3	3	<1	1	2	3	4	5	8
20-34	7459	2.8	5	<1	1	2	4	5	7	10
35-49	3983	3.3	7	1	1	3	4	6	8	12
50-64	2414	3.5	7	1	1	3	5	7	8	13
65+	1743	4.0	10	1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	981	3.7	5	1	2	3	4	6	8	12
20-34	1425	4.0	8	1	1	3	5	7	9	15
35-49	602	4.7	17	1	1	4	6	9	11	20
50-64	383	5.2	18	1	1	4	7	10	13	23
65+	192	5.7	18	1	2	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5478	2.9	5	1	1	2	4	5	7	11
20-34	8086	3.6	10	1	1	3	5	7	9	14
35-49	6193	4.5	12	1	1	4	6	8	11	16
50-64	6290	4.9	13	1	2	4	6	9	12	17
65+	9113	5.8	23	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	797	4.6	9	1	2	4	6	9	11	15
20-34	2011	6.0	25	1	1	5	8	12	15	25
35-49	1445	7.3	31	1	2	6	9	14	18	29
50-64	1344	8.5	49	2	2	7	11	17	21	33
65+	1450	9.7	57	2	3	8	12	19	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23635	2.9	5	1	1	2	4	6	7	11
B. *Operated*	3583	4.3	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	35160	4.4	14	1	1	3	6	9	11	18
B. *Operated*	7047	7.3	38	1	2	5	9	14	19	30
1. SINGLE DX	27218	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	42207	4.9	20	1	1	4	6	10	13	21
A. NOT OPERATED	58795	3.8	11	1	1	3	5	7	10	16
B. OPERATED	10630	6.3	31	1	2	5	8	13	17	27
TOTAL 0-19 YRS	15292	2.7	4	1	1	2	3	5	7	10
20-34	18981	3.6	10	1	1	3	4	7	9	15
35-49	12223	4.4	14	1	1	3	6	9	11	18
50-64	10431	5.1	18	1	1	4	6	10	13	21
65+	12498	6.0	27	1	2	5	7	11	15	25
GRAND TOTAL	**69425**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	881	2.8	6	1	1	2	4	5	7	11
20-34	429	3.1	7	<1	1	2	4	6	8	11
35-49	304	3.1	8	<1	1	2	4	7	9	16
50-64	279	3.5	9	<1	1	3	4	7	10	15
65+	402	4.8	35	1	1	3	6	9	13	22
B. *Operated*										
0-19 YRS	84	3.9	9	1	1	3	6	9	10	12
20-34	159	4.2	12	1	1	4	5	8	11	17
35-49	127	4.5	14	<1	<1	3	6	10	12	17
50-64	154	4.5	17	<1	1	3	6	10	13	20
65+	138	5.5	25	1	1	4	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2134	3.2	7	1	1	2	4	6	8	13
20-34	1403	4.0	13	1	1	3	5	8	11	18
35-49	1479	5.0	21	1	1	4	6	10	13	24
50-64	2231	6.2	35	1	2	4	7	12	16	30
65+	4746	6.9	39	2	2	5	8	14	18	31
B. *Operated*										
0-19 YRS	198	6.8	60	1	1	5	8	14	19	29
20-34	459	6.4	41	1	1	5	8	12	16	26
35-49	522	7.6	52	1	1	6	9	15	19	35
50-64	765	9.7	100	1	2	7	12	21	28	49
65+	1214	11.8	111	2	3	9	15	24	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2295	3.3	12	<1	1	2	4	7	9	15
B. *Operated*	662	4.6	16	<1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	11993	5.5	30	1	1	4	7	11	15	26
B. *Operated*	3158	9.5	90	1	2	7	12	20	27	49
1. SINGLE DX	2957	3.6	13	<1	1	3	4	7	10	16
2. MULTIPLE DX	15151	6.4	45	1	1	4	8	13	18	33
A. NOT OPERATED	14288	5.2	27	1	1	4	6	10	14	25
B. OPERATED	3820	8.6	80	1	2	6	11	18	25	46
TOTAL 0-19 YRS	3297	3.3	11	1	1	2	4	6	9	15
20-34	2450	4.3	18	1	1	3	5	8	12	19
35-49	2432	5.3	28	1	1	4	7	11	15	27
50-64	3429	6.6	50	1	2	5	8	14	19	32
65+	6500	7.7	56	1	2	6	9	15	21	41
GRAND TOTAL	18108	5.9	41	1	1	4	7	12	17	31

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5617	3.6	16	1	1	3	4	7	9	18
20-34	3141	3.6	17	<1	1	3	4	7	8	19
35-49	2729	3.9	15	1	1	3	5	7	10	18
50-64	3079	4.5	40	1	1	3	5	8	12	29
65+	3919	5.3	43	1	1	4	6	10	14	31
B. *Operated*										
0-19 YRS	515	3.2	17	<1	1	2	3	6	9	23
20-34	795	3.0	9	<1	1	2	3	6	8	16
35-49	887	3.3	12	1	1	2	4	6	8	17
50-64	932	3.8	19	1	1	2	4	9	11	25
65+	666	5.1	48	1	1	3	6	10	15	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7395	4.8	29	1	1	3	6	9	13	28
20-34	5178	4.4	20	1	1	3	5	8	11	22
35-49	6676	4.9	18	1	1	4	6	9	12	20
50-64	13538	5.9	30	1	2	4	7	11	16	27
65+	32571	7.1	42	2	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	654	8.7	143	1	1	5	10	23	36	73
20-34	1046	5.6	46	1	1	3	7	11	17	36
35-49	1608	6.6	63	1	1	4	8	14	20	48
50-64	2978	8.8	114	1	2	5	11	20	30	68
65+	5262	11.7	158	2	2	8	14	26	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18485	4.2	26	1	1	3	5	8	11	23
B. *Operated*	3795	3.7	21	<1	1	2	4	8	10	25
2. MULTIPLE DX										
A. *Not Operated*	65358	6.1	35	1	2	5	8	12	16	30
B. *Operated*	11548	9.5	128	1	2	6	12	21	32	73
1. SINGLE DX	22280	4.1	25	1	1	3	5	8	11	23
2. MULTIPLE DX	76906	6.7	50	1	2	5	8	13	18	38
A. NOT OPERATED	83843	5.7	34	1	1	4	7	11	15	29
B. OPERATED	15343	8.1	108	1	1	5	10	18	28	65
TOTAL 0-19 YRS	14181	4.5	30	1	1	3	5	8	12	28
20-34	10160	4.2	22	1	1	3	5	8	10	23
35-49	11900	4.7	23	1	1	3	6	9	12	24
50-64	20527	6.0	45	1	1	4	7	12	17	34
65+	42418	7.5	59	1	2	5	9	15	20	42
GRAND TOTAL	99186	6.1	46	1	1	4	7	12	17	35

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1527	2.1	3	1	1	2	3	4	5	10
20-34	126	5.0	20	1	1	4	7	10	12	26
35-49	49	5.0	23	1	1	5	6	9	11	28
50-64	21	8.0	127	2	2	5	8	12	32	55
65+	23	6.5	33	1	2	5	8	16	20	24
B. *Operated*										
0-19 YRS	285	5.2	10	1	2	5	7	9	11	16
20-34	119	8.3	103	2	3	6	9	15	18	72
35-49	39	7.7	36	1	2	7	10	16	20	29
50-64	15	8.4	26	3	4	6	10	18	19	20
65+	7	11.4	132	3	4	8	10	32	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1231	3.9	27	1	1	2	4	8	12	27
20-34	292	6.4	80	1	1	4	7	13	20	53
35-49	182	6.3	31	1	1	4	9	14	16	27
50-64	124	7.3	38	1	1	6	10	15	18	32
65+	138	9.3	93	1	2	6	12	20	26	46
B. *Operated*										
0-19 YRS	406	10.7	149	1	2	7	13	27	45	99+
20-34	404	15.0	340	1	2	8	18	41	71	99+
35-49	169	16.6	271	1	2	12	23	52	67	99+
50-64	99	19.5	430	2	3	13	26	64	98	99+
65+	79	19.5	396	2	3	12	27	44	70	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1746	2.5	8	1	1	2	3	5	7	14
B. *Operated*	465	6.4	40	1	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1967	5.1	43	1	1	3	6	11	16	34
B. *Operated*	1157	14.4	283	1	2	9	18	41	66	99+
1. SINGLE DX	2211	3.3	17	1	1	2	4	7	9	18
2. MULTIPLE DX	3124	8.5	152	1	1	4	10	21	36	90
A. NOT OPERATED	3713	3.9	28	1	1	2	4	8	12	26
B. OPERATED	1622	12.1	226	1	2	7	14	30	54	99+
TOTAL 0-19 YRS	3449	4.0	36	1	1	2	4	8	13	38
20-34	941	10.1	204	1	1	6	10	22	41	90
35-49	439	10.2	148	1	2	6	13	26	40	99+
50-64	259	12.1	227	1	2	8	14	[illegible]	54	99+
65+	247	12.4	208	1	2	7	15	28	39	79
GRAND TOTAL	**5335**	**6.4**	**103**	**1**	**1**	**3**	**7**	**15**	**23**	**72**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	687	2.4	4	1	1	2	3	5	6	10
20-34	194	4.2	24	1	1	3	5	8	11	23
35-49	71	5.0	29	1	1	3	6	10	16	29
50-64	45	4.6	57	<1	1	2	4	12	22	43
65+	31	5.9	45	1	1	3	9	12	15	35
B. *Operated*										
0-19 YRS	92	6.7	95	1	2	5	8	11	17	96
20-34	81	6.7	60	1	1	5	8	13	16	50
35-49	22	5.8	30	2	2	4	7	12	20	25
50-64	12	7.5	56	1	1	5	9	20	25	26
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	735	4.7	37	1	1	3	5	10	14	29
20-34	467	6.1	48	1	1	4	7	12	17	29
35-49	229	8.1	105	1	1	5	9	17	24	54
50-64	178	8.4	75	1	2	6	11	17	22	43
65+	202	11.4	125	2	3	9	14	22	34	75
B. *Operated*										
0-19 YRS	283	15.4	301	2	2	9	19	39	61	99
20-34	451	15.2	263	1	2	10	19	42	55	99+
35-49	176	14.8	262	2	2	11	18	35	74	99+
50-64	97	14.7	244	2	2	10	18	41	64	99+
65+	93	25.9	528	3	4	20	39	75	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1028	3.1	14	1	1	2	4	6	9	19
B. *Operated*	209	6.6	71	1	2	5	8	12	17	73
2. MULTIPLE DX										
A. *Not Operated*	1811	6.6	67	1	1	4	8	14	20	42
B. *Operated*	1100	16.0	301	2	2	10	20	43	67	99+
1. SINGLE DX	1237	3.7	25	1	1	2	4	8	10	23
2. MULTIPLE DX	2911	10.2	176	1	1	6	12	24	40	96
A. NOT OPERATED	2839	5.3	50	1	1	3	6	12	17	36
B. OPERATED	1309	14.5	276	1	2	9	18	39	62	99+
TOTAL 0-19 YRS	1797	5.6	88	1	1	3	6	12	20	62
20-34	1193	9.3	147	1	1	5	11	21	38	80
35-49	498	9.9	160	1	2	6	12	22	35	99
50-64	332	9.7	133	1	1	7	12	21	32	96
65+	328	15.0	280	2	3	10	18	39	65	99+
GRAND TOTAL	**4148**	**8.2**	**140**	**1**	**1**	**4**	**9**	**19**	**33**	**83**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	1.8	2	<1	<1	1	2	3	5	8
20-34	269	2.1	2	<1	<1	1	3	4	5	8
35-49	81	2.6	8	<1	1	2	3	4	7	18
50-64	36	2.3	3	<1	<1	2	3	4	5	8
65+	34	3.7	14	<1	1	3	5	7	12	18
B. *Operated*										
0-19 YRS	3114	2.0	2	<1	<1	2	2	4	5	8
20-34	3910	2.6	4	<1	1	2	3	5	6	10
35-49	1087	2.9	6	<1	1	2	3	6	7	12
50-64	338	3.4	9	1	1	3	4	6	9	17
65+	154	4.1	14	1	1	3	5	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	2.3	4	<1	1	2	3	5	6	10
20-34	717	2.8	8	<1	<1	2	4	5	7	11
35-49	307	3.7	10	<1	1	3	5	7	10	16
50-64	230	4.5	21	1	1	3	5	9	13	22
65+	549	6.4	40	1	1	5	8	14	17	32
B. *Operated*										
0-19 YRS	2724	3.9	20	1	1	3	4	7	10	23
20-34	4790	4.6	30	1	1	3	5	9	12	24
35-49	1694	5.4	40	1	1	4	7	11	15	34
50-64	825	6.6	52	1	2	4	8	13	19	41
65+	682	9.2	82	1	2	6	12	20	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	598	2.2	4	<1	<1	1	3	4	6	10
B. *Operated*	8603	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2198	3.9	19	<1	1	3	5	8	12	21
B. *Operated*	10715	5.0	36	1	1	3	6	10	14	30
1. SINGLE DX	9201	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	12913	4.8	33	1	1	3	6	10	14	29
A. NOT OPERATED	2796	3.5	17	<1	1	2	4	8	10	20
B. OPERATED	19318	3.9	23	<1	1	3	4	8	11	23
TOTAL 0-19 YRS	6411	2.8	11	<1	<1	2	3	5	7	16
20-34	9686	3.6	18	1	1	2	4	7	9	19
35-49	3169	4.3	26	1	1	3	5	9	12	23
50-64	1429	5.4	38	1	1	3	6	12	15	32
65+	1419	7.5	60	1	2	5	10	16	22	39
GRAND TOTAL	**22114**	**3.8**	**22**	**<1**	**1**	**3**	**4**	**8**	**11**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	840	4.6	19	1	1	4	6	9	11	21
20-34	1479	5.3	21	1	1	4	7	10	12	24
35-49	870	5.8	18	1	2	5	7	11	13	25
50-64	839	6.9	26	2	2	6	9	12	15	24
65+	1478	9.1	35	2	3	8	12	17	21	29
B. *Operated*										
0-19 YRS	125	11.3	84	2	3	9	14	20	27	54
20-34	232	11.3	92	2	3	9	15	23	30	45
35-49	90	12.5	115	2	2	9	18	26	34	50
50-64	66	14.0	91	2	4	12	17	27	32	48
65+	61	10.8	49	2	3	10	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	693	5.6	31	1	1	4	7	11	14	28
20-34	1639	6.4	28	1	2	5	8	12	16	25
35-49	1142	7.8	58	2	2	6	9	14	19	41
50-64	1879	9.2	47	2	3	8	11	17	21	33
65+	8841	11.6	67	3	4	10	15	21	26	44
B. *Operated*										
0-19 YRS	316	15.2	216	2	3	11	21	33	49	91
20-34	776	14.7	226	2	3	10	18	33	50	93
35-49	379	14.7	157	2	4	11	20	32	40	94
50-64	413	16.4	221	2	4	12	21	36	49	84
65+	1029	19.1	190	4	6	16	24	37	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5506	6.5	28	1	2	5	8	12	16	26
B. *Operated*	574	11.7	90	2	3	9	15	24	30	49
2. MULTIPLE DX										
A. *Not Operated*	14194	10.1	62	2	3	8	13	19	24	41
B. *Operated*	2913	16.5	206	3	4	13	21	35	49	91
1. SINGLE DX	6080	7.0	36	1	2	5	9	14	18	30
2. MULTIPLE DX	17107	11.2	92	2	3	9	14	21	28	54
A. NOT OPERATED	19700	9.1	55	2	2	7	12	17	22	37
B. OPERATED	3487	15.7	190	2	4	12	20	33	47	85
TOTAL 0-19 YRS	1974	7.1	74	1	1	5	8	15	22	51
20-34	4126	7.8	79	1	2	5	9	16	22	52
35-49	2481	8.3	70	1	2	6	10	17	23	46
50-64	3197	9.6	73	2	3	7	12	18	24	48
65+	11409	12.0	80	3	4	10	15	22	28	50
GRAND TOTAL	**23187**	**10.1**	**81**	**2**	**3**	**8**	**13**	**20**	**26**	**50**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	6.7	53	1	1	5	8	11	21	38
20-34	37	7.1	145	<1	1	5	7	10	19	74
35-49	21	4.4	7	1	1	4	6	7	9	12
50-64	17	7.9	47	1	2	6	8	19	25	27
65+	15	9.1	34	3	4	7	12	15	22	25
B. Operated										
0-19 YRS	27	22.4	328	3	7	17	28	55	84	99+
20-34	62	20.1	214	2	5	18	28	42	56	97
35-49	14	16.8	103	3	6	15	23	35	37	38
50-64	8	20.4	356	1	2	17	30	50	57	57
65+	6	28.0	537	5	6	22	40	65	68	68
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	8.3	176	1	1	4	5	25	41	57
20-34	64	13.3	224	1	2	7	17	35	50	63
35-49	33	12.5	209	1	3	7	15	37	44	68
50-64	49	11.0	188	1	2	7	13	25	37	80
65+	129	12.7	142	3	4	9	15	23	31	76
B. Operated										
0-19 YRS	61	33.3	401	8	11	35	62	99+	99+	99+
20-34	201	34.2	518	6	11	31	54	88	99+	99+
35-49	52	39.1	795	6	10	43	96	99+	99+	99+
50-64	41	30.7	512	5	7	25	62	99+	99+	99+
65+	54	30.8	571	4	7	29	60	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	6.9	71	1	1	5	8	12	20	50
B. Operated	117	20.6	248	3	5	17	27	45	59	99+
2. MULTIPLE DX										
A. Not Operated	297	12.2	176	1	2	8	15	26	45	69
B. Operated	409	33.9	543	6	9	32	63	99+	99+	99+
1. SINGLE DX	234	13.8	206	1	2	9	19	32	47	84
2. MULTIPLE DX	706	24.8	503	2	4	19	42	82	99+	99+
A. NOT OPERATED	414	10.7	152	1	2	7	13	23	36	69
B. OPERATED	526	31.0	507	5	8	28	52	99	99+	99+
TOTAL 0-19 YRS	137	21.9	411	1	3	18	37	73	99+	99+
20-34	364	25.4	483	2	3	20	41	74	99+	99+
35-49	120	23.1	618	2	3	15	48	99+	99+	99+
50-64	115	18.2	382	2	2	13	26	65	89	99+
65+	204	17.7	324	3	4	12	23	59	73	99+
GRAND TOTAL	**940**	**22.0**	**452**	**2**	**3**	**16**	**35**	**74**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.0	1	<1	1	2	3	4	4	6
20-34	270	2.5	4	<1	1	2	3	4	6	12
35-49	334	3.2	6	1	1	3	4	6	7	13
50-64	376	4.0	7	1	1	3	5	7	9	14
65+	452	5.4	14	1	2	5	7	10	13	19
B. Operated										
0-19 YRS	4	3.8	5	1	1	4	5	6	6	6
20-34	21	5.7	20	1	1	5	8	13	14	15
35-49	21	10.6	348	1	1	4	9	28	54	85
50-64	16	6.6	18	1	3	5	10	13	14	15
65+	11	7.7	37	1	1	7	10	17	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	3.9	8	1	1	3	5	7	10	14
20-34	1165	4.3	13	1	1	3	5	8	11	18
35-49	1526	5.1	21	1	1	4	7	10	12	20
50-64	2268	6.2	24	1	2	5	8	12	15	24
65+	5109	8.8	56	2	3	7	11	17	22	38
B. Operated										
0-19 YRS	134	7.2	31	2	2	6	9	13	19	31
20-34	496	8.4	67	2	2	6	10	15	21	51
35-49	487	10.2	92	2	3	7	13	21	30	50
50-64	580	11.2	116	2	3	8	14	23	32	60
65+	802	16.0	197	3	4	12	20	34	53	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1531	3.8	9	1	1	3	5	8	10	15
B. Operated	73	7.5	116	1	1	5	9	13	21	72
2. MULTIPLE DX										
A. Not Operated	10356	7.0	41	1	2	5	9	14	18	32
B. Operated	2499	11.8	133	2	3	8	14	24	34	69
1. SINGLE DX	1604	4.0	15	1	1	3	5	8	10	16
2. MULTIPLE DX	12855	8.0	62	1	2	6	10	16	21	42
A. NOT OPERATED	11887	6.6	38	1	2	5	8	13	17	30
B. OPERATED	2572	11.6	133	2	3	8	14	24	34	70
TOTAL 0-19 YRS	525	4.4	16	1	1	3	6	9	11	20
20-34	1952	5.1	29	1	1	4	6	10	14	24
35-49	2368	5.9	41	1	1	4	7	12	16	33
50-64	3240	6.8	43	1	2	5	8	13	18	33
65+	6374	9.5	78	2	3	7	12	18	25	52
GRAND TOTAL	**14459**	**7.5**	**58**	**1**	**2**	**5**	**9**	**15**	**20**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	376	5.6	27	1	2	4	7	11	15	30
20-34	327	8.5	74	1	2	6	10	18	26	48
35-49	155	9.5	103	2	2	7	11	17	28	51
50-64	292	10.3	83	2	3	8	13	19	26	48
65+	1222	11.4	67	3	4	10	15	20	25	44
B. *Operated*										
0-19 YRS	37	14.7	255	2	2	6	23	41	51	57
20-34	46	17.5	219	2	3	13	24	44	49	60
35-49	23	17.9	209	3	5	14	29	39	49	52
50-64	12	27.9	385	2	3	28	38	56	67	69
65+	33	17.6	251	3	4	12	19	47	49	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	552	8.8	71	2	2	6	11	17	25	45
20-34	730	10.8	105	2	3	7	13	22	31	50
35-49	402	13.7	159	3	4	10	16	28	43	66
50-64	751	13.7	106	3	4	11	17	25	34	53
65+	5305	15.1	118	4	5	13	19	27	35	64
B. *Operated*										
0-19 YRS	252	18.7	247	3	5	12	26	42	49	80
20-34	497	24.6	358	5	6	18	36	54	67	99+
35-49	245	26.9	340	6	7	22	38	53	66	84
50-64	267	26.7	384	5	7	21	39	59	70	99+
65+	705	24.2	281	6	8	20	32	52	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2372	9.8	70	2	2	8	13	19	24	44
B. *Operated*	151	17.7	250	2	3	13	27	46	51	60
2. MULTIPLE DX										
A. *Not Operated*	7740	14.0	118	3	4	11	18	26	35	60
B. *Operated*	1966	24.3	323	5	7	19	34	52	64	99+
1. SINGLE DX	2523	10.3	84	2	3	8	13	20	27	48
2. MULTIPLE DX	9706	16.1	176	3	5	13	20	33	45	73
A. NOT OPERATED	10112	13.0	110	2	4	11	17	25	32	55
B. OPERATED	2117	23.8	320	5	6	19	34	51	63	99+
TOTAL 0-19 YRS	1217	10.0	122	2	2	6	12	23	36	53
20-34	1600	14.8	226	2	3	9	18	37	49	76
35-49	825	16.9	248	2	4	11	21	40	51	74
50-64	1322	15.7	193	3	4	12	19	34	48	71
65+	7265	15.4	136	4	5	13	19	29	38	69
GRAND TOTAL	**12229**	**14.9**	**163**	**3**	**4**	**11**	**19**	**30**	**42**	**70**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	672	3.1	21	<1	1	1	3	8	14	22
20-34	158	3.7	33	<1	1	2	4	7	11	28
35-49	138	2.8	4	1	1	2	4	5	7	10
50-64	271	4.1	26	<1	1	3	5	8	11	33
65+	995	5.4	29	1	1	4	6	11	16	27
B. *Operated*										
0-19 YRS	3891	3.9	24	1	1	2	4	10	16	24
20-34	548	4.6	34	1	1	3	5	8	11	33
35-49	458	4.7	27	1	1	3	5	8	13	32
50-64	652	5.3	25	1	1	4	6	10	13	28
65+	1015	6.6	36	1	2	5	8	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.9	54	1	1	3	5	10	17	42
20-34	243	5.7	44	1	1	3	7	12	20	34
35-49	150	5.9	39	1	1	4	8	11	16	34
50-64	637	7.4	62	1	2	5	9	15	22	43
65+	3395	9.7	89	2	2	7	12	20	27	50
B. *Operated*										
0-19 YRS	1156	6.5	65	1	1	4	8	16	21	35
20-34	663	9.6	109	1	2	6	11	21	29	54
35-49	454	10.2	139	1	2	6	12	25	39	66
50-64	962	10.6	146	2	2	7	13	24	33	64
65+	2464	12.6	154	2	3	9	16	27	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2234	4.3	26	1	1	3	5	9	14	25
B. *Operated*	6564	4.6	28	1	1	3	5	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	4720	8.8	82	1	2	6	11	19	25	47
B. *Operated*	5699	10.5	133	1	2	7	13	23	33	66
1. SINGLE DX	8798	4.5	28	1	1	3	5	10	15	26
2. MULTIPLE DX	10419	9.7	111	1	2	7	12	21	29	57
A. NOT OPERATED	6954	7.3	68	1	1	5	9	16	23	43
B. OPERATED	12263	7.3	86	1	1	4	9	17	24	48
TOTAL 0-19 YRS	6014	4.4	34	1	1	2	4	11	17	27
20-34	1612	6.7	72	1	1	4	8	14	22	44
35-49	1200	6.7	76	1	1	4	7	14	24	49
50-64	2522	7.7	86	1	2	5	9	16	25	49
65+	7869	9.7	101	1	2	7	12	21	28	55
GRAND TOTAL	**19217**	**7.3**	**79**	**1**	**1**	**4**	**9**	**17**	**24**	**46**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	1.6	1	<1	<1	1	2	3	4	6
20-34	138	2.1	3	<1	<1	1	3	4	5	8
35-49	92	2.0	2	<1	<1	2	3	4	5	8
50-64	106	2.6	12	<1	<1	2	3	5	6	22
65+	221	3.5	11	<1	1	3	4	7	9	18
B. *Operated*										
0-19 YRS	7906	1.8	3	<1	1	1	2	3	4	8
20-34	2169	3.0	5	1	1	3	4	5	7	11
35-49	1560	2.8	5	1	1	2	4	5	7	12
50-64	2129	2.8	4	1	1	2	3	5	7	11
65+	2218	3.6	11	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	2.8	14	<1	1	2	3	6	8	22
20-34	289	3.5	12	1	1	3	4	8	9	18
35-49	189	4.2	27	<1	1	3	5	9	12	26
50-64	273	5.4	28	1	1	4	7	11	17	26
65+	898	8.0	60	1	2	6	10	16	21	44
B. *Operated*										
0-19 YRS	1722	4.1	29	1	1	2	5	9	15	28
20-34	1724	6.2	47	1	1	4	7	13	18	39
35-49	1095	6.1	47	1	1	4	7	12	17	37
50-64	1599	6.3	65	1	1	4	7	14	19	45
65+	2985	8.1	79	1	2	5	10	17	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	2.3	6	<1	<1	1	3	5	6	11
B. *Operated*	15982	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1944	5.8	42	1	1	4	7	12	18	33
B. *Operated*	9125	6.4	59	1	1	4	8	14	20	40
1. SINGLE DX	[illegible]23	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	11069	6.3	56	1	1	4	8	14	19	39
A. NOT OPERATED	2885	4.7	33	<1	1	3	6	11	15	29
B. OPERATED	25107	3.9	28	1	1	2	4	8	12	27
TOTAL 0-19 YRS	10307	2.2	8	<1	1	1	2	4	6	15
20-34	4320	4.3	24	1	1	3	5	8	12	25
35-49	2936	4.1	25	1	1	3	5	8	12	26
50-64	4107	4.3	33	1	1	3	5	9	13	27
65+	6322	6.2	55	1	1	4	7	13	19	38
GRAND TOTAL	**27992**	**3.9**	**29**	**1**	**1**	**2**	**4**	**8**	**12**	**27**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.0	3	<1	<1	1	2	4	6	8
20-34	122	2.2	2	<1	<1	1	3	5	6	7
35-49	68	2.4	3	<1	<1	2	3	5	6	10
50-64	47	2.7	5	<1	1	2	3	4	8	12
65+	56	3.6	7	<1	<1	3	5	7	9	12
B. *Operated*										
0-19 YRS	2259	1.7	2	<1	<1	1	2	3	4	7
20-34	2752	2.0	3	<1	<1	2	2	3	5	9
35-49	1074	2.1	7	<1	<1	2	2	4	5	8
50-64	539	2.4	5	<1	1	2	3	4	6	13
65+	299	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	2.6	7	<1	<1	2	3	6	9	14
20-34	200	3.5	10	<1	1	3	5	7	9	14
35-49	126	3.9	11	1	1	3	5	7	10	18
50-64	115	5.5	18	1	1	4	7	13	14	17
65+	288	7.6	40	1	2	6	10	15	21	35
B. *Operated*										
0-19 YRS	878	3.3	19	<1	1	2	4	6	9	28
20-34	1745	3.5	18	<1	1	2	4	7	10	22
35-49	842	3.5	19	1	1	2	4	6	9	21
50-64	665	3.9	24	1	1	3	5	7	11	22
65+	600	6.5	65	1	1	4	7	15	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	6923	2.0	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	869	5.0	24	<1	1	4	7	11	14	24
B. *Operated*	4730	3.9	26	1	1	2	4	8	11	29
1. SINGLE DX	7337	2.0	4	<1	<1	2	2	4	5	9
2. MULTIPLE DX	5599	4.1	26	1	1	3	5	8	12	27
A. NOT OPERATED	1283	4.2	19	<1	<1	3	5	9	12	22
B. OPERATED	11653	2.8	14	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	3398	2.2	7	<1	<1	1	2	4	6	12
20-34	4819	2.6	9	<1	1	2	3	5	7	15
35-49	2110	2.8	13	<1	1	2	3	5	7	15
50-64	1366	3.4	16	<1	1	2	4	7	10	18
65+	1243	5.7	46	1	1	3	7	13	18	39
GRAND TOTAL	**12936**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	14.6	173	1	2	11	23	32	39	52
20-34	34	6.2	83	<1	1	4	6	8	33	43
35-49	47	8.9	158	1	1	7	10	15	23	84
50-64	122	8.2	96	<1	1	6	10	17	23	59
65+	643	9.8	79	1	1	8	13	20	25	47
B. *Operated*										
0-19 YRS	429	11.2	100	2	3	8	14	24	29	48
20-34	210	11.5	84	3	4	9	13	20	27	56
35-49	394	10.6	34	4	5	9	13	17	21	33
50-64	1774	12.4	47	5	6	11	15	19	23	43
65+	10533	16.2	67	7	9	15	19	25	31	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	17.7	217	1	2	14	28	40	45	56
20-34	56	12.3	286	1	1	6	12	33	55	76
35-49	77	10.3	143	1	2	6	12	18	30	70
50-64	241	13.3	170	2	3	9	18	28	49	99+
65+	2655	14.8	179	2	3	11	19	32	46	91
B. *Operated*										
0-19 YRS	311	18.1	257	4	5	13	23	38	51	88
20-34	507	21.2	277	6	7	16	26	46	56	92
35-49	678	18.1	184	5	7	14	22	39	49	99
50-64	3112	18.4	156	7	8	15	21	33	45	95
65+	33664	20.5	157	8	10	17	24	36	48	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1020	10.2	105	1	1	8	14	22	29	51
B. *Operated*	13340	15.3	67	5	8	14	18	24	30	50
2. MULTIPLE DX										
A. *Not Operated*	3125	14.6	181	2	3	11	19	32	46	88
B. *Operated*	38272	20.3	160	8	10	17	24	36	48	92
1. SINGLE DX	14360	14.9	72	5	7	14	18	24	30	50
2. MULTIPLE DX	41397	19.9	164	7	9	17	24	36	48	92
A. NOT OPERATED	4145	13.6	166	1	2	10	17	29	42	80
B. OPERATED	51612	19.0	141	7	9	16	22	33	44	84
TOTAL 0-19 YRS	1010	14.5	181	2	3	10	20	31	42	64
20-34	807	17.4	244	3	5	12	22	40	50	87
35-49	1196	14.8	145	4	5	11	17	30	40	86
50-64	5249	15.9	128	5	7	13	19	28	38	81
65+	47495	19.1	143	7	9	16	22	33	44	84
GRAND TOTAL	**55757**	**18.6**	**145**	**6**	**8**	**16**	**22**	**33**	**44**	**84**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1594	18.1	175	1	2	18	25	34	43	61
20-34	92	25.6	591	1	2	20	41	59	77	99+
35-49	48	14.0	274	1	1	6	25	46	51	99+
50-64	66	18.5	435	2	2	8	30	50	58	91
65+	278	17.0	336	1	2	11	21	50	60	90
B. *Operated*										
0-19 YRS	1760	14.2	165	1	2	11	22	32	39	55
20-34	586	14.3	190	2	2	11	17	28	44	79
35-49	194	13.8	179	1	3	11	17	31	45	98
50-64	221	17.1	206	3	5	13	20	39	55	99+
65+	646	18.9	151	6	8	16	23	36	50	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	776	19.8	222	1	2	19	28	38	48	76
20-34	149	23.4	502	2	2	12	44	54	65	99+
35-49	73	20.4	359	2	3	13	32	52	65	93
50-64	192	20.3	375	2	3	14	29	52	73	99+
65+	968	20.1	373	2	3	13	28	51	71	99+
B. *Operated*										
0-19 YRS	1621	22.4	278	3	4	19	31	47	56	86
20-34	1436	23.3	365	3	5	18	31	54	72	99+
35-49	495	23.8	447	2	3	18	34	63	82	99+
50-64	580	24.4	369	4	7	18	32	56	78	99+
65+	2218	25.6	312	8	10	21	33	57	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2078	18.2	227	1	2	17	25	38	48	71
B. *Operated*	3407	15.3	173	1	2	12	21	33	43	67
2. MULTIPLE DX										
A. *Not Operated*	2158	20.2	327	2	3	16	29	48	61	99+
B. *Operated*	6350	24.0	332	3	6	19	32	54	71	99+
1. SINGLE DX	5485	16.4	196	1	2	14	23	35	45	68
2. MULTIPLE DX	8508	23.0	334	3	5	19	31	52	69	99+
A. NOT OPERATED	4236	19.2	279	1	2	16	27	43	54	92
B. OPERATED	9757	21.0	294	2	4	17	28	47	62	99+
TOTAL 0-19 YRS	5751	18.3	217	1	2	17	26	38	48	67
20-34	2263	21.1	353	2	3	15	29	50	66	99+
35-49	810	20.5	384	2	3	14	29	54	71	99+
50-64	1059	21.8	349	3	4	16	30	51	71	99+
65+	4110	22.6	313	4	6	18	29	52	71	99+
GRAND TOTAL	**13993**	**20.4**	**290**	**2**	**3**	**17**	**27**	**46**	**60**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1172	2.6	5	1	1	2	3	5	6	10
20-34	544	3.4	8	1	1	3	4	7	9	14
35-49	352	4.5	17	1	1	3	6	9	12	17
50-64	360	5.3	23	1	1	4	7	10	14	24
65+	437	7.8	54	2	2	6	10	13	18	32
B. *Operated*										
0-19 YRS	3034	3.9	17	1	1	3	5	8	10	18
20-34	2294	6.2	34	1	2	5	7	11	15	28
35-49	1391	6.6	36	1	2	5	8	12	15	27
50-64	1021	8.5	55	2	3	7	10	16	21	39
65+	603	10.8	64	2	3	9	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	429	4.4	19	1	1	3	5	9	11	25
20-34	415	5.1	52	1	1	3	6	10	13	24
35-49	332	7.1	71	1	1	5	9	13	20	47
50-64	525	8.5	84	1	2	6	10	16	24	48
65+	1204	11.2	89	2	3	9	14	22	30	55
B. *Operated*										
0-19 YRS	1487	9.5	122	1	2	6	11	21	31	64
20-34	2112	12.5	179	2	3	8	15	28	42	80
35-49	1311	12.5	161	2	3	8	15	27	39	73
50-64	1280	15.4	231	3	4	11	18	34	53	99
65+	1294	17.3	206	3	5	13	22	37	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2865	4.1	20	1	1	3	5	9	12	21
B. *Operated*	8343	6.0	37	1	1	4	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	2905	8.4	78	1	2	6	10	18	24	48
B. *Operated*	7484	13.2	185	2	3	9	16	29	44	84
1. SINGLE DX	11208	5.5	33	1	1	4	7	11	15	27
2. MULTIPLE DX	10389	11.9	160	2	2	8	14	26	39	78
A. NOT OPERATED	5770	6.3	54	1	1	4	8	13	19	40
B. OPERATED	15827	9.4	120	1	2	6	11	20	30	65
TOTAL 0-19 YRS	6122	5.1	47	1	1	3	6	10	15	37
20-34	5365	8.3	102	1	2	5	9	17	26	60
35-49	3386	8.7	96	1	2	6	10	18	26	58
50-64	3186	10.9	141	2	2	8	13	22	34	79
65+	3538	12.9	135	2	3	10	16	26	37	74
GRAND TOTAL	**21597**	**8.6**	**104**	**1**	**2**	**5**	**10**	**18**	**27**	**60**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	577	2.6	5	<1	1	2	3	5	7	11
20-34	660	3.1	6	<1	<1	2	4	6	8	13
35-49	495	3.6	14	<1	1	3	4	7	9	14
50-64	485	4.0	12	1	1	3	5	7	10	17
65+	577	6.0	27	1	2	4	8	12	16	27
B. *Operated*										
0-19 YRS	3506	3.5	7	1	1	3	4	6	8	14
20-34	5118	4.3	9	1	2	4	5	8	10	16
35-49	3441	5.0	11	1	2	4	6	9	11	16
50-64	3297	5.7	16	2	2	5	7	10	12	18
65+	1871	7.8	33	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	3.7	16	<1	1	3	5	7	10	22
20-34	656	4.2	15	1	1	3	5	8	11	19
35-49	508	5.4	27	1	1	4	7	11	13	22
50-64	815	6.3	33	1	2	5	8	12	17	26
65+	1619	8.6	55	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	1816	5.6	40	1	2	4	6	11	15	37
20-34	3672	7.1	70	1	2	5	8	13	19	47
35-49	2544	7.5	52	2	2	5	9	14	19	43
50-64	2903	8.8	68	2	3	7	10	16	22	47
65+	3221	12.1	109	3	4	9	14	23	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2794	3.8	14	<1	1	3	5	8	11	18
B. *Operated*	17233	4.9	15	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	3920	6.6	40	1	1	5	8	13	18	31
B. *Operated*	14156	8.5	76	2	2	6	10	16	23	51
1. SINGLE DX	20027	4.8	15	1	1	4	6	9	11	18
2. MULTIPLE DX	18076	8.1	69	1	2	6	10	16	22	46
A. NOT OPERATED	6714	5.4	31	1	1	4	7	11	15	27
B. OPERATED	31389	6.5	45	1	2	5	8	12	17	37
TOTAL 0-19 YRS	6221	4.0	18	1	1	3	5	7	10	21
20-34	10106	5.3	34	1	2	4	6	9	13	29
35-49	6988	5.8	29	1	2	5	7	11	14	29
50-64	7500	6.9	40	2	2	5	8	12	17	33
65+	7288	9.7	76	2	3	7	12	18	24	50
GRAND TOTAL	**38103**	**6.3**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.0	8	<1	<1	1	2	3	4	19
20-34	111	2.2	3	<1	1	2	3	4	5	9
35-49	60	2.6	7	<1	<1	2	3	5	7	14
50-64	42	3.3	11	<1	1	2	4	7	10	18
65+	63	4.9	22	1	1	3	6	10	13	28
B. *Operated*										
0-19 YRS	183	2.6	2	1	1	2	3	4	5	9
20-34	179	2.9	3	1	1	3	4	5	6	10
35-49	65	4.0	20	1	2	3	4	6	7	33
50-64	24	5.4	16	2	2	4	6	11	15	18
65+	11	4.6	23	1	1	4	6	12	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	2.9	9	<1	1	2	3	6	8	17
20-34	552	3.9	17	1	1	3	5	7	10	20
35-49	363	5.0	20	1	1	4	7	10	13	23
50-64	321	6.2	32	1	1	5	8	12	15	24
65+	723	8.8	72	2	2	7	11	17	24	45
B. *Operated*										
0-19 YRS	175	5.1	39	1	1	3	6	10	18	37
20-34	289	5.9	48	1	1	4	7	13	17	36
35-49	158	6.9	65	1	1	5	8	14	22	53
50-64	132	9.6	126	1	2	6	11	22	30	64
65+	168	12.6	120	2	2	9	17	29	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.7	10	<1	<1	2	3	5	7	17
B. *Operated*	462	3.1	7	1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	2352	5.7	40	1	1	4	7	12	16	30
B. *Operated*	922	7.7	80	1	1	5	9	17	26	47
1. SINGLE DX	870	2.9	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	3274	6.3	52	1	1	4	8	13	19	39
A. NOT OPERATED	2760	5.3	37	1	1	3	7	11	16	29
B. OPERATED	1384	6.2	60	1	1	4	7	13	21	42
TOTAL 0-19 YRS	883	3.2	15	<1	1	2	3	6	9	21
20-34	1131	4.1	23	1	1	3	5	8	12	21
35-49	646	5.2	31	1	1	4	6	10	14	29
50-64	519	6.8	56	1	1	5	8	14	18	46
65+	965	9.2	80	1	2	7	12	19	26	48
GRAND TOTAL	**4144**	**5.6**	**45**	**1**	**1**	**3**	**7**	**12**	**17**	**36**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.5	4	1	1	2	3	5	7	8
20-34	11	3.2	1	2	2	3	4	5	6	6
35-49	5	4.6	10	1	1	3	8	8	8	8
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	3	10.3	17	7	7	9	13	15	15	15
B. *Operated*										
0-19 YRS	16	5.6	23	1	1	5	7	15	17	17
20-34	12	6.3	23	<1	1	5	8	13	17	18
35-49	5	12.4	72	3	3	10	19	24	24	24
50-64	1	7.0		7	7	7	7	7	7	7
65+	6	23.8	548	4	5	17	26	65	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.5	53	1	1	3	6	11	24	38
20-34	22	8.2	110	<1	<1	4	11	23	32	45
35-49	17	6.1	27	1	2	4	8	12	18	22
50-64	14	6.7	18	2	2	5	9	14	15	15
65+	28	13.4	230	3	3	10	19	23	31	83
B. *Operated*										
0-19 YRS	43	25.3	645	1	3	19	37	79	95	99+
20-34	57	21.2	416	3	4	16	26	79	99+	99+
35-49	20	21.5	389	4	7	14	28	62	94	99+
50-64	15	24.2	592	2	3	17	49	82	95	99+
65+	25	28.0	705	2	5	16	45	71	86	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.1	6	1	1	3	4	7	8	13
B. *Operated*	40	9.4	135	1	2	6	11	19	25	69
2. MULTIPLE DX										
A. *Not Operated*	128	7.9	101	1	1	4	10	19	23	53
B. *Operated*	160	23.7	529	3	4	16	33	78	95	99+
1. SINGLE DX	119	5.2	58	1	1	3	6	10	17	39
2. MULTIPLE DX	288	16.7	399	1	2	9	23	50	84	99+
A. NOT OPERATED	207	6.1	70	1	1	3	7	12	22	41
B. OPERATED	200	20.8	482	2	3	13	28	67	90	99+
TOTAL 0-19 YRS	163	9.7	275	1	1	4	8	29	41	97
20-34	102	14.7	312	1	2	9	22	46	83	99+
35-49	47	13.1	234	1	2	9	20	28	49	99+
50-64	33	14.5	349	2	2	8	15	50	78	99+
65+	62	20.1	477	3	4	11	22	59	76	89
GRAND TOTAL	**407**	**13.3**	**326**	**1**	**1**	**7**	**17**	**38**	**69**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.4	1	<1	<1	1	1	2	4	4
20-34	71	2.3	6	<1	<1	1	3	5	8	14
35-49	18	2.1	3	<1	<1	1	2	5	6	7
50-64	11	1.7	1	<1	<1	2	2	3	3	3
65+	54	2.8	12	<1	1	1	3	8	11	18
B. *Operated*										
0-19 YRS	468	2.6	2	1	1	3	3	4	5	8
20-34	1581	2.8	3	1	1	3	4	5	5	8
35-49	510	2.8	3	1	1	3	4	5	6	8
50-64	220	2.2	3	<1	1	2	3	4	5	10
65+	247	2.6	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	4	<1	<1	2	3	5	6	9
20-34	114	3.4	17	<1	<1	2	4	7	9	24
35-49	51	3.6	7	1	1	3	6	8	8	11
50-64	59	4.1	13	1	1	3	5	10	12	15
65+	178	7.4	66	1	1	5	9	16	22	50
B. *Operated*										
0-19 YRS	104	3.1	4	<1	1	3	4	6	7	9
20-34	386	4.1	14	1	1	3	5	8	11	20
35-49	202	4.3	14	1	1	3	5	7	13	20
50-64	211	5.8	54	1	1	4	7	13	18	56
65+	449	6.5	61	1	1	4	8	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	2.2	7	<1	<1	1	2	4	8	14
B. *Operated*	3026	2.7	3	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	444	5.0	37	<1	1	3	6	10	16	28
B. *Operated*	1352	5.1	36	1	1	3	6	11	16	33
1. SINGLE DX	3208	2.7	3	<1	1	2	3	5	5	9
2. MULTIPLE DX	1796	5.1	37	1	1	3	6	10	16	33
A. NOT OPERATED	626	4.2	30	<1	1	2	5	9	13	27
B. OPERATED	4378	3.5	14	1	1	3	4	6	9	19
TOTAL 0-19 YRS	642	2.6	2	<1	1	2	3	5	6	8
20-34	2152	3.0	6	1	1	3	4	5	6	12
35-49	781	3.2	6	1	1	3	4	6	7	14
50-64	501	3.9	28	<1	1	2	4	8	12	29
65+	928	5.4	48	1	1	3	6	12	18	35
GRAND TOTAL	**5004**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.1	2	<1	<1	2	2	4	5	7
20-34	100	2.5	4	<1	<1	2	4	6	7	8
35-49	51	3.0	10	<1	<1	2	4	6	9	18
50-64	27	3.3	6	<1	1	3	4	7	8	12
65+	19	4.7	18	<1	<1	5	6	13	13	13
B. *Operated*										
0-19 YRS	3082	2.7	3	<1	1	2	3	5	6	9
20-34	6549	2.7	4	<1	1	2	4	5	6	9
35-49	3413	2.7	4	<1	1	2	4	5	6	9
50-64	1623	3.1	5	1	1	2	4	6	7	11
65+	409	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.2	6	<1	<1	1	3	4	6	15
20-34	130	2.2	4	<1	<1	1	3	4	6	10
35-49	93	3.5	11	<1	<1	3	5	7	12	16
50-64	85	4.2	27	<1	<1	2	5	9	15	27
65+	67	7.7	105	1	1	6	9	15	17	71
B. *Operated*										
0-19 YRS	1977	3.2	10	<1	1	2	4	6	7	13
20-34	4366	3.3	9	<1	1	2	4	6	8	14
35-49	2721	3.4	12	<1	1	2	4	7	9	15
50-64	2479	3.6	12	<1	1	3	4	7	10	18
65+	1135	5.0	30	1	1	3	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	2.7	6	<1	<1	2	3	6	7	13
B. *Operated*	15076	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	455	3.7	28	<1	<1	2	4	8	11	19
B. *Operated*	12678	3.5	13	<1	1	3	4	7	9	17
1. SINGLE DX	15348	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	13133	3.5	13	<1	1	3	4	7	9	18
A. NOT OPERATED	727	3.3	20	<1	<1	2	4	7	9	18
B. OPERATED	27754	3.1	8	<1	1	2	4	6	7	14
TOTAL 0-19 YRS	5214	2.9	6	<1	1	2	4	5	6	11
20-34	11145	2.9	6	<1	1	2	4	5	7	11
35-49	6278	3.1	7	<1	1	2	4	6	7	13
50-64	4214	3.4	10	<1	1	2	4	7	9	17
65+	1630	4.8	29	1	1	3	6	10	14	26
GRAND TOTAL	**28481**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.7	20	<1	<1	2	4	9	12	22
20-34	198	5.1	17	1	1	5	7	10	12	20
35-49	129	6.8	46	1	1	5	9	13	16	46
50-64	78	8.2	101	1	1	5	11	17	23	61
65+	36	5.3	20	1	1	4	7	13	14	19
B. *Operated*										
0-19 YRS	809	3.1	17	<1	1	2	3	6	10	21
20-34	989	4.0	19	<1	1	3	4	9	14	22
35-49	510	5.0	38	<1	1	3	6	12	17	25
50-64	287	5.3	46	1	1	3	6	13	18	37
65+	198	6.9	67	1	1	3	8	21	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.9	40	1	1	3	6	10	19	30
20-34	363	7.2	51	1	2	6	8	13	16	39
35-49	249	8.3	57	2	2	7	10	14	21	46
50-64	195	8.4	88	1	2	6	10	15	22	56
65+	194	8.6	63	1	2	7	12	17	25	48
B. *Operated*										
0-19 YRS	473	6.5	57	1	1	4	8	16	20	37
20-34	866	8.4	100	1	1	5	11	20	26	48
35-49	524	9.2	117	1	2	5	11	21	30	55
50-64	436	9.2	140	1	1	5	10	20	31	60
65+	437	13.3	208	1	2	8	20	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	5.5	37	<1	1	4	7	12	15	31
B. *Operated*	2793	4.3	29	<1	1	2	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	1129	7.7	61	1	2	6	9	15	20	49
B. *Operated*	2736	9.1	123	1	1	5	11	21	32	61
1. SINGLE DX	3380	4.5	31	<1	1	3	5	10	15	27
2. MULTIPLE DX	3865	8.7	105	1	1	5	10	20	29	55
A. NOT OPERATED	1716	6.9	54	1	1	5	9	13	19	44
B. OPERATED	5529	6.7	82	1	1	3	8	16	24	48
TOTAL 0-19 YRS	1556	4.3	36	<1	1	2	5	10	15	26
20-34	2416	6.2	57	1	1	4	7	14	20	37
35-49	1412	7.3	75	1	1	5	9	16	23	45
50-64	996	7.8	102	1	1	4	9	17	20	54
65+	865	10.5	144	1	2	6	14	26	41	98
GRAND TOTAL	7245	6.7	78	1	1	4	8	16	22	46

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.4	3	<1	<1	2	3	5	6	9
20-34	250	2.5	5	<1	<1	2	3	5	7	11
35-49	141	3.3	7	<1	1	2	4	7	9	12
50-64	99	3.6	6	1	1	3	5	7	9	10
65+	102	5.7	19	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	1613	3.1	4	<1	1	3	4	6	7	9
20-34	2150	3.6	5	1	1	3	5	6	7	10
35-49	570	3.6	6	1	1	3	5	7	8	13
50-64	194	5.0	13	1	2	4	6	10	12	20
65+	79	7.1	21	2	2	6	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	3.2	11	<1	1	2	4	7	9	16
20-34	224	3.8	15	<1	1	3	5	7	10	22
35-49	157	4.8	17	<1	1	4	6	10	12	25
50-64	216	6.2	35	1	2	5	8	11	17	33
65+	537	8.0	54	2	3	6	10	15	21	38
B. *Operated*										
0-19 YRS	1501	4.2	8	1	1	4	5	7	9	15
20-34	2674	4.4	9	1	1	4	6	8	9	15
35-49	921	4.8	17	1	1	4	6	8	10	16
50-64	382	6.3	28	1	2	5	8	12	16	29
65+	178	9.5	113	2	2	7	10	17	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	789	3.2	8	<1	<1	2	4	7	8	13
B. *Operated*	4606	3.5	6	<1	1	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1270	6.0	30	1	1	4	7	12	16	30
B. *Operated*	5656	4.7	16	1	1	4	6	8	10	18
1. SINGLE DX	5395	3.4	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	6926	4.9	20	1	1	4	6	9	11	22
A. NOT OPERATED	2059	4.9	28	<1	1	3	6	10	14	26
B. OPERATED	10262	4.1	12	1	1	4	5	7	9	16
TOTAL 0-19 YRS	3447	3.6	6	<1	1	3	5	6	8	12
20-34	5298	3.9	8	1	1	3	5	7	8	13
35-49	1789	4.3	13	1	1	4	6	8	10	16
50-64	891	5.7	25	1	2	4	7	11	14	26
65+	896	7.9	60	2	2	6	9	15	21	42
GRAND TOTAL	12321	4.3	14	1	1	4	5	8	10	18

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	4.7	10	1	1	4	7	8	11	14
20-34	3856	5.8	12	2	2	5	7	10	12	18
35-49	3758	6.3	14	2	2	5	8	11	13	20
50-64	1642	6.3	15	2	2	6	8	11	13	19
65+	478	6.4	15	2	2	5	8	11	14	18
B. *Operated*										
0-19 YRS	27	6.9	31	1	2	6	9	13	17	26
20-34	662	6.3	22	1	2	5	9	13	16	21
35-49	554	6.9	27	1	2	5	10	14	17	24
50-64	166	7.4	25	1	2	6	10	14	16	23
65+	16	7.9	21	1	2	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	5.6	16	1	2	5	7	11	13	19
20-34	3722	6.9	20	2	3	6	9	12	15	23
35-49	4893	7.5	25	2	3	6	9	13	16	25
50-64	3809	7.5	22	2	3	7	9	13	16	23
65+	3240	8.3	35	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	27	7.7	63	<1	1	6	9	19	26	34
20-34	634	9.6	49	2	3	8	13	17	22	37
35-49	906	10.7	46	2	3	10	14	19	24	32
50-64	471	11.3	61	3	4	10	15	20	26	39
65+	257	14.1	124	4	5	11	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10132	6.0	14	2	2	5	8	11	13	18
B. *Operated*	1425	6.7	25	1	2	5	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	16044	7.5	25	2	3	6	9	13	16	25
B. *Operated*	2295	10.9	60	2	3	9	14	20	25	39
1. SINGLE DX	11557	6.1	15	2	2	5	8	11	13	19
2. MULTIPLE DX	18339	7.9	31	2	3	7	10	14	18	28
A. NOT OPERATED	26176	6.9	21	2	3	6	9	12	15	23
B. OPERATED	3720	9.3	51	2	2	8	12	17	22	34
TOTAL 0-19 YRS	832	5.3	15	1	1	4	7	10	12	20
20-34	8874	6.6	20	2	2	6	8	12	15	22
35-49	10111	7.3	24	2	3	6	9	13	16	25
50-64	6088	7.5	25	2	3	6	9	13	16	25
65+	3991	8.5	40	2	3	7	11	15	18	32
GRAND TOTAL	**29896**	**7.2**	**25**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	805	3.0	8	<1	1	2	4	6	8	14
20-34	3032	5.0	13	1	1	4	7	9	12	17
35-49	2410	5.8	15	1	2	5	8	10	13	19
50-64	1011	6.0	18	1	2	5	8	11	13	19
65+	282	5.7	22	1	2	4	7	11	13	28
B. *Operated*										
0-19 YRS	40	4.7	16	1	1	3	5	11	13	18
20-34	662	5.3	19	1	1	4	8	11	14	22
35-49	594	5.7	21	1	2	4	8	12	15	22
50-64	137	6.3	22	1	2	5	9	13	16	23
65+	15	7.1	33	<1	1	7	12	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1153	4.1	10	1	1	4	5	8	9	14
20-34	5763	6.1	17	1	2	5	8	11	14	21
35-49	5171	7.0	22	2	2	6	9	12	15	24
50-64	3205	7.0	22	2	2	6	9	13	16	23
65+	2337	7.7	36	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	66	5.4	22	1	1	4	8	13	16	19
20-34	822	8.0	43	1	2	7	10	16	20	33
35-49	844	8.9	46	2	2	8	12	17	21	32
50-64	420	9.7	52	2	2	8	13	18	24	36
65+	165	12.5	113	2	3	11	16	22	26	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7540	5.2	15	1	1	4	7	10	12	18
B. *Operated*	1448	5.6	20	1	2	4	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	17629	6.6	22	1	2	6	8	12	15	23
B. *Operated*	2317	8.9	52	2	2	7	12	17	22	34
1. SINGLE DX	8988	5.3	16	1	1	4	7	10	13	18
2. MULTIPLE DX	19946	6.9	26	1	2	6	9	13	16	26
A. NOT OPERATED	25169	6.2	20	1	2	5	8	11	14	22
B. OPERATED	3765	7.6	42	1	2	6	10	15	19	30
TOTAL 0-19 YRS	2064	3.7	10	1	1	3	5	7	9	15
20-34	10279	5.9	19	1	2	5	8	11	14	22
35-49	9019	6.8	23	1	2	6	9	12	15	24
50-64	4773	7.0	25	2	2	6	9	13	16	25
65+	2799	7.8	41	2	2	6	10	14	18	32
GRAND TOTAL	**28934**	**6.4**	**23**	**1**	**2**	**5**	**8**	**12**	**15**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	2.3	4	<1	<1	2	3	5	6	10
20-34	519	2.6	6	<1	<1	2	3	6	7	12
35-49	305	3.3	8	<1	<1	2	4	7	9	14
50-64	207	3.5	9	<1	<1	3	5	8	9	15
65+	192	4.5	10	<1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	755	2.4	2	1	1	2	3	4	5	8
20-34	1896	2.8	3	1	1	3	4	5	6	9
35-49	1478	3.3	4	1	1	3	4	6	7	11
50-64	1382	4.3	6	1	2	4	5	7	9	14
65+	458	5.2	10	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	3.2	9	<1	1	2	4	6	9	16
20-34	544	3.7	15	<1	1	3	5	8	9	15
35-49	526	4.5	17	1	1	3	6	9	11	23
50-64	591	5.5	28	1	1	4	7	11	16	23
65+	1095	7.3	41	2	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	288	3.2	6	1	1	3	4	6	8	15
20-34	586	3.7	12	1	1	3	4	6	8	18
35-49	600	4.8	24	1	2	4	5	8	11	25
50-64	1068	5.6	22	2	2	4	6	10	13	23
65+	625	7.3	33	2	3	6	9	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1563	3.0	7	<1	<1	2	4	6	8	13
B. *Operated*	5969	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	3002	5.5	29	1	1	4	7	11	15	26
B. *Operated*	3167	5.2	23	1	2	4	6	10	13	25
1. SINGLE DX	7532	3.3	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	6169	5.3	26	1	1	4	6	10	14	26
A. NOT OPERATED	4565	4.6	23	<1	1	3	6	9	13	23
B. OPERATED	9136	4.0	12	1	1	3	5	7	10	18
TOTAL 0-19 YRS	1629	2.6	4	<1	1	2	3	5	6	12
20-34	3545	3.1	7	<1	1	3	4	5	7	12
35-49	2909	3.9	12	1	1	3	5	7	9	17
50-64	3248	4.9	16	1	2	4	6	9	12	20
65+	2370	6.7	32	2	2	5	6	12	17	29
GRAND TOTAL	13701	4.2	16	1	1	3	5	8	11	20

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8411	1.5	1	<1	1	1	2	2	3	5
20-34	2358	2.0	3	<1	1	1	2	4	5	8
35-49	730	2.2	3	<1	1	2	3	5	6	9
50-64	345	2.6	7	<1	1	2	3	5	6	14
65+	226	2.7	9	1	1	2	3	5	7	16
B. *Operated*										
0-19 YRS	42	2.5	15	<1	<1	1	2	3	13	21
20-34	31	2.9	12	<1	1	2	3	6	14	16
35-49	15	7.2	195	<1	<1	2	5	24	46	53
50-64	7	3.1	6	1	1	2	4	7	8	8
65+	5	4.0	8	1	1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9035	2.2	5	1	1	2	2	4	5	10
20-34	6995	3.2	10	<1	1	2	4	7	9	15
35-49	3003	4.0	16	1	1	3	5	9	11	21
50-64	2076	4.5	21	1	1	3	6	9	13	20
65+	2561	6.5	52	1	1	5	8	13	18	33
B. *Operated*										
0-19 YRS	2035	3.7	35	1	1	2	4	7	11	34
20-34	2370	4.5	47	1	1	2	5	9	14	38
35-49	929	5.1	47	1	1	3	6	11	17	38
50-64	631	6.4	73	1	1	4	7	13	21	46
65+	821	8.5	118	1	1	5	11	20	31	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12070	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	100	3.4	41	<1	1	2	3	7	14	38
2. MULTIPLE DX										
A. *Not Operated*	23670	3.4	16	1	1	2	4	7	10	19
B. *Operated*	6736	5.0	57	1	1	3	5	11	17	41
1. SINGLE DX	12170	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	30456	3.7	26	1	1	2	4	8	11	24
A. NOT OPERATED	35740	2.8	12	1	1	2	3	6	8	16
B. OPERATED	6886	5.0	57	1	1	3	5	11	17	41
TOTAL 0-19 YRS	19523	2.0	7	<1	1	1	2	4	5	10
20-34	11754	3.2	17	<1	1	2	4	7	9	18
35-49	4677	4.0	22	1	1	3	5	8	12	23
50-64	3059	4.7	31	1	1	3	6	9	13	27
65+	3613	6.7	66	1	1	4	8	14	20	43
GRAND TOTAL	42626	3.2	20	1	1	2	3	7	10	21

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3334	1.8	5	<1	1	1	2	3	4	11
20-34	855	3.1	27	<1	<1	2	3	6	10	26
35-49	258	3.4	14	<1	1	2	4	8	11	17
50-64	159	4.8	84	<1	1	2	5	9	16	59
65+	181	5.2	42	<1	1	2	7	13	16	32
B. *Operated*										
0-19 YRS	173	8.5	109	1	1	6	10	19	30	97
20-34	144	11.3	141	1	2	8	14	21	41	76
35-49	92	10.4	73	2	3	8	14	21	24	50
50-64	101	10.3	55	2	3	8	13	20	33	99+
65+	151	14.8	132	4	6	12	17	29	40	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3850	3.1	31	<1	1	2	3	6	10	29
20-34	2217	4.8	58	<1	1	2	5	10	17	40
35-49	982	5.4	48	1	1	3	6	11	18	50
50-64	800	6.9	75	1	1	4	8	15	25	53
65+	1584	9.2	101	1	2	6	12	20	29	56
B. *Operated*										
0-19 YRS	1001	14.0	361	1	1	6	21	50	77	99+
20-34	1276	15.5	416	1	1	8	23	55	87	99+
35-49	531	15.5	377	1	1	8	20	51	82	99+
50-64	435	15.6	299	1	1	10	23	44	69	99+
65+	994	19.0	292	2	3	14	26	45	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4787	2.3	14	<1	1	1	2	4	7	17
B. *Operated*	661	11.1	113	1	2	8	14	23	34	97
2. MULTIPLE DX										
A. *Not Operated*	9433	5.1	59	1	1	2	6	12	18	43
B. *Operated*	4237	16.0	360	1	1	9	23	50	76	99+
1. SINGLE DX	5448	3.4	34	<1	1	1	3	8	13	31
2. MULTIPLE DX	13670	8.4	178	1	1	3	9	24	40	99
A. NOT OPERATED	14220	4.1	46	<1	1	2	4	9	15	37
B. OPERATED	4898	15.3	329	1	1	9	22	46	71	99+
TOTAL 0-19 YRS	8358	4.0	77	<1	1	1	3	8	17	64
20-34	4492	7.7	182	<1	1	3	8	21	41	99+
35-49	1863	8.2	161	1	1	4	9	20	40	99+
50-64	1495	9.4	157	1	1	5	11	24	40	99+
65+	2910	12.6	188	1	2	8	16	30	43	85
GRAND TOTAL	**19118**	**7.0**	**142**	**1**	**1**	**2**	**7**	**19**	**33**	**87**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.0	8	1	1	2	4	6	8	15
20-34	162	3.0	4	<1	1	3	4	5	7	9
35-49	84	3.3	7	1	1	3	4	6	9	15
50-64	39	3.7	11	<1	1	2	5	7	11	16
65+	25	4.2	19	1	1	2	5	7	15	20
B. *Operated*										
0-19 YRS	129	5.6	12	2	2	5	7	10	12	18
20-34	381	5.9	13	2	2	5	7	10	13	20
35-49	104	6.3	28	2	2	5	7	13	16	30
50-64	44	7.5	23	2	3	6	9	13	17	24
65+	22	8.5	122	3	3	5	9	18	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	3.9	9	1	1	3	5	8	9	15
20-34	496	4.7	18	1	2	4	6	8	11	23
35-49	282	5.0	13	1	2	4	6	10	12	18
50-64	302	6.4	26	1	2	5	9	13	16	25
65+	341	9.0	60	2	3	7	11	18	24	42
B. *Operated*										
0-19 YRS	398	9.7	108	2	3	7	11	18	29	78
20-34	1141	9.9	91	2	3	7	11	18	27	56
35-49	504	10.5	97	3	3	8	12	21	29	48
50-64	359	10.9	114	3	4	8	13	19	32	79
65+	347	14.1	151	3	4	10	17	30	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	3.2	7	1	1	3	4	6	8	15
B. *Operated*	680	6.1	19	2	2	5	7	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	1666	5.8	29	1	2	4	7	11	15	28
B. *Operated*	2749	10.7	107	3	3	8	12	20	31	64
1. SINGLE DX	1100	5.0	16	1	1	4	6	9	13	20
2. MULTIPLE DX	4415	8.8	83	2	2	6	11	17	25	53
A. NOT OPERATED	2086	5.3	26	1	1	4	6	11	14	26
B. OPERATED	3429	9.7	93	2	3	7	11	18	28	56
TOTAL 0-19 YRS	882	6.6	62	1	2	5	8	13	18	44
20-34	2180	7.5	61	1	2	5	9	14	19	48
35-49	974	7.9	65	1	2	6	9	15	22	42
50-64	744	8.5	73	1	2	6	11	16	21	51
65+	735	11.3	111	2	3	8	14	24	33	64
GRAND TOTAL	**5515**	**8.1**	**72**	**1**	**2**	**6**	**10**	**16**	**22**	**49**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	939	3.6	9	<1	1	3	5	8	10	13
20-34	498	3.2	6	1	1	2	4	7	8	13
35-49	136	3.9	10	1	1	3	6	8	9	16
50-64	58	3.0	5	<1	1	2	4	7	7	10
65+	30	4.3	16	1	1	3	5	12	12	14
B. *Operated*										
0-19 YRS	440	6.9	20	2	3	6	8	11	13	26
20-34	508	7.4	20	2	3	7	9	11	16	25
35-49	182	7.8	22	2	3	7	10	13	16	28
50-64	56	7.2	12	1	2	7	9	12	14	15
65+	35	8.5	30	2	4	8	10	13	15	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1015	4.0	13	1	1	3	5	8	10	19
20-34	945	4.2	13	1	1	3	5	9	11	18
35-49	369	4.5	16	1	1	4	6	9	12	20
50-64	222	5.4	20	1	1	4	7	11	14	23
65+	254	8.0	80	1	2	5	10	19	23	55
B. *Operated*										
0-19 YRS	1227	11.7	117	3	4	8	13	23	33	61
20-34	2186	12.8	146	3	5	9	14	27	38	79
35-49	841	14.1	167	3	5	10	17	29	43	83
50-64	431	15.8	179	4	5	12	20	32	49	99+
65+	345	19.0	276	3	5	14	24	42	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1661	3.5	9	1	1	2	5	7	9	14
B. *Operated*	1221	7.3	21	2	3	7	9	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	2805	4.6	21	1	1	3	6	9	13	22
B. *Operated*	5030	13.4	158	3	5	9	15	28	39	82
1. SINGLE DX	2882	5.1	17	1	1	4	7	10	12	21
2. MULTIPLE DX	7835	10.3	127	1	2	7	12	22	32	72
A. NOT OPERATED	4466	4.2	17	1	1	3	5	9	11	20
B. OPERATED	6251	12.2	137	3	4	9	13	25	36	77
TOTAL 0-19 YRS	3621	6.8	61	1	1	5	8	13	19	41
20-34	4137	9.0	101	1	2	7	10	18	28	65
35-49	1528	10.1	120	1	2	7	12	21	30	72
50-64	767	11.2	135	1	2	8	14	23	34	79
65+	664	13.6	208	2	2	9	16	30	47	88
GRAND TOTAL	**10717**	**8.9**	**103**	**1**	**2**	**6**	**10**	**18**	**27**	**64**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.0	5	<1	1	2	4	6	8	11
20-34	30	2.8	3	1	1	2	3	5	6	9
35-49	23	2.3	3	<1	<1	2	3	5	6	7
50-64	5	2.6	1	<1	<1	3	3	4	4	4
65+	6	6.8	120	1	1	2	5	27	29	29
B. *Operated*										
0-19 YRS	805	2.7	6	<1	1	2	4	6	7	12
20-34	491	3.0	5	1	1	2	4	6	7	12
35-49	200	3.2	5	1	1	3	4	6	8	11
50-64	97	3.6	8	1	1	3	4	6	9	17
65+	78	3.7	15	1	1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.1	5	<1	1	2	5	6	7	9
20-34	89	3.4	7	1	1	3	4	7	8	14
35-49	31	4.6	25	<1	<1	3	6	9	12	26
50-64	24	5.0	16	1	1	4	7	10	13	17
65+	46	5.6	26	1	1	4	8	12	14	27
B. *Operated*										
0-19 YRS	758	3.8	11	1	1	3	5	7	9	17
20-34	682	4.2	16	1	1	3	5	8	11	22
35-49	307	4.5	12	1	1	4	6	8	11	19
50-64	181	4.7	51	1	1	3	6	8	11	67
65+	234	6.2	59	1	1	4	8	13	17	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.0	9	<1	1	2	4	5	8	14
B. *Operated*	1671	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	301	3.9	12	<1	1	3	5	8	10	16
B. *Operated*	2162	4.4	22	1	1	3	5	8	11	22
1. SINGLE DX	1807	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	2463	4.3	21	1	1	3	5	8	11	21
A. NOT OPERATED	437	3.6	11	<1	1	3	5	8	9	15
B. OPERATED	3833	3.8	15	1	1	3	5	7	10	17
TOTAL 0-19 YRS	1746	3.2	8	<1	1	2	4	6	8	14
20-34	1292	3.7	11	1	1	3	5	7	9	16
35-49	561	4.0	11	1	1	3	5	8	10	17
50-64	307	4.4	34	1	1	3	5	8	10	19
65+	364	5.6	47	1	1	4	7	11	16	45
GRAND TOTAL	**4270**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	2.2	3	<1	<1	2	3	4	5	8
20-34	270	2.2	3	<1	<1	2	3	4	6	8
35-49	111	2.3	4	<1	<1	2	3	5	7	10
50-64	55	2.6	6	<1	<1	2	3	4	7	14
65+	61	2.5	4	<1	<1	2	3	5	7	11
B. *Operated*										
0-19 YRS	1436	1.8	3	<1	<1	1	2	3	5	9
20-34	779	2.5	11	<1	<1	2	3	5	7	12
35-49	283	2.9	12	<1	<1	2	3	6	9	22
50-64	135	2.4	7	<1	<1	2	3	4	8	15
65+	125	3.2	25	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	815	2.6	10	<1	1	2	3	5	7	12
20-34	1124	2.8	11	<1	<1	2	3	6	8	14
35-49	554	3.8	21	<1	1	3	5	8	11	17
50-64	418	4.7	49	1	1	3	5	9	14	39
65+	928	6.2	46	1	1	4	8	13	18	40
B. *Operated*										
0-19 YRS	2325	3.1	22	<1	1	2	4	6	9	17
20-34	2960	3.9	27	<1	1	2	5	8	11	25
35-49	1227	4.7	37	<1	1	3	6	9	14	38
50-64	878	5.4	54	1	1	3	6	11	15	39
65+	1385	6.5	53	1	1	4	8	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	2.3	4	<1	<1	2	3	4	6	9
B. *Operated*	2758	2.2	7	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	3839	4.0	27	<1	1	2	5	8	12	24
B. *Operated*	8775	4.4	35	<1	1	3	5	9	13	31
1. SINGLE DX	3606	2.2	7	<1	<1	1	3	4	6	12
2. MULTIPLE DX	12614	4.2	33	<1	1	3	5	9	13	29
A. NOT OPERATED	4687	3.6	23	<1	1	2	4	8	11	23
B. OPERATED	11533	3.9	29	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	4927	2.6	14	<1	<1	2	3	5	7	14
20-34	5133	3.4	20	<1	1	2	4	7	10	22
35-49	2175	4.1	29	<1	1	3	5	8	12	32
50-64	1486	4.8	47	<1	1	3	6	10	14	38
65+	2499	6.1	49	1	1	4	8	13	18	40
GRAND TOTAL	**16220**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	2.1	3	<1	1	2	2	4	5	9
20-34	969	2.2	3	<1	<1	2	3	4	5	8
35-49	276	2.4	7	<1	1	2	3	4	6	9
50-64	101	2.6	6	<1	1	2	3	6	7	13
65+	20	3.5	9	<1	<1	2	5	8	10	11
B. *Operated*										
0-19 YRS	669	2.9	11	<1	1	2	4	6	8	18
20-34	884	4.1	14	<1	1	3	5	8	10	19
35-49	279	4.4	16	1	1	3	6	9	10	18
50-64	101	5.1	37	1	1	4	6	10	12	37
65+	44	4.0	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	3.1	10	<1	1	2	4	6	9	14
20-34	857	3.4	17	<1	1	2	4	7	9	17
35-49	288	3.5	19	<1	1	2	4	6	11	24
50-64	152	4.7	17	1	1	3	6	11	14	17
65+	117	7.4	80	1	1	4	8	18	25	50
B. *Operated*										
0-19 YRS	725	7.0	98	1	1	5	8	13	20	59
20-34	1728	7.7	84	1	1	6	9	14	22	53
35-49	598	8.9	93	1	2	6	11	18	28	60
50-64	265	9.8	84	1	2	7	12	22	29	51
65+	131	10.4	116	1	2	7	14	21	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1843	2.2	4	<1	<1	2	3	4	5	10
B. *Operated*	1977	3.8	15	<1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	1746	3.8	21	<1	1	2	4	7	11	22
B. *Operated*	3447	8.0	91	1	1	6	9	16	24	54
1. SINGLE DX	3820	3.0	10	<1	1	2	4	6	8	15
2. MULTIPLE DX	5193	6.6	71	1	1	4	8	14	20	48
A. NOT OPERATED	3589	3.0	13	<1	1	2	3	6	8	17
B. OPERATED	5424	6.5	67	1	1	4	8	13	19	47
TOTAL 0-19 YRS	2203	4.1	42	<1	1	2	5	8	12	32
20-34	4438	5.0	45	<1	1	3	6	10	14	35
35-49	1441	5.7	54	1	1	3	7	12	18	40
50-64	619	6.6	55	1	1	4	9	14	21	43
65+	312	7.9	86	1	1	5	10	18	27	48
GRAND TOTAL	**9013**	**5.1**	**48**	**<1**	**1**	**3**	**6**	**11**	**15**	**37**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	2.6	4	<1	1	2	3	5	6	9
20-34	777	2.7	4	<1	<1	2	4	5	7	9
35-49	263	2.6	3	<1	<1	2	3	5	6	10
50-64	133	3.1	8	<1	<1	2	3	7	9	16
65+	59	4.5	61	<1	<1	2	5	8	13	54
B. *Operated*										
0-19 YRS	3344	2.1	5	<1	<1	1	2	4	5	11
20-34	4764	2.4	9	<1	<1	2	3	4	6	13
35-49	1957	2.5	11	<1	<1	2	3	5	7	15
50-64	1206	2.4	7	<1	<1	2	3	5	7	12
65+	393	2.7	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	467	3.8	20	1	1	3	4	7	10	20
20-34	851	3.9	20	<1	1	3	5	7	11	23
35-49	357	4.5	19	<1	1	3	5	9	13	26
50-64	213	5.2	21	1	1	4	7	11	15	26
65+	227	6.6	33	1	2	5	7	12	18	32
B. *Operated*										
0-19 YRS	2590	3.2	23	1	1	2	3	6	9	24
20-34	4408	3.6	24	<1	1	2	4	7	10	25
35-49	1798	4.2	35	1	1	2	4	9	13	32
50-64	1257	4.1	32	1	1	2	4	9	13	30
65+	735	5.4	57	1	1	3	6	12	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	2.8	6	<1	<1	2	3	5	7	10
B. *Operated*	11664	2.3	8	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2115	4.4	22	<1	1	3	5	9	12	26
B. *Operated*	10788	3.8	29	1	1	2	4	8	11	29
1. SINGLE DX	13369	2.4	8	<1	<1	2	3	5	6	12
2. MULTIPLE DX	12903	3.9	28	1	1	2	4	8	12	28
A. NOT OPERATED	3820	3.7	16	<1	1	3	4	7	10	19
B. OPERATED	22452	3.0	19	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	6874	2.7	13	<1	1	2	3	5	7	17
20-34	10800	3.0	16	<1	1	2	3	6	8	19
35-49	4375	3.4	22	<1	1	2	4	7	10	25
50-64	2809	3.4	20	<1	1	2	4	7	10	23
65+	1414	4.8	42	1	1	3	5	11	14	36
GRAND TOTAL	**26272**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.0	8	<1	<1	2	4	6	8	10
20-34	668	3.2	9	<1	1	2	4	6	8	15
35-49	219	3.5	11	<1	1	3	4	7	8	15
50-64	112	3.8	16	<1	1	3	5	8	9	26
65+	62	6.4	36	1	1	4	7	15	18	30
B. *Operated*										
0-19 YRS	2149	3.8	23	<1	1	2	4	7	11	26
20-34	1662	4.5	31	<1	1	3	5	9	14	28
35-49	626	4.8	37	1	1	3	5	10	14	31
50-64	313	5.2	42	<1	1	3	6	11	21	35
65+	179	6.9	47	1	1	5	8	14	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	4.3	15	1	1	3	5	8	9	22
20-34	470	4.7	25	1	1	4	6	9	12	19
35-49	223	5.5	48	1	1	4	6	10	13	36
50-64	212	6.4	38	1	2	5	8	11	16	37
65+	318	10.0	97	2	3	8	13	18	26	65
B. *Operated*										
0-19 YRS	1089	7.0	74	1	1	4	8	16	27	48
20-34	1356	8.2	106	1	1	5	9	20	29	55
35-49	580	9.1	120	1	2	6	11	22	32	68
50-64	455	10.1	145	1	2	6	12	22	30	71
65+	492	14.0	180	2	2	10	18	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1714	3.3	11	<1	1	2	4	7	9	15
B. *Operated*	4929	4.4	30	<1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	1629	5.9	45	1	1	4	7	12	16	36
B. *Operated*	3972	8.9	117	1	1	5	11	22	31	62
1. SINGLE DX	6643	4.1	25	<1	1	3	5	8	12	27
2. MULTIPLE DX	5601	8.1	98	1	1	5	9	16	28	58
A. NOT OPERATED	3343	4.6	29	<1	1	3	5	9	13	28
B. OPERATED	8901	6.4	74	1	1	4	7	14	23	40
TOTAL 0-19 YRS	4297	4.5	35	<1	1	3	5	9	14	34
20-34	4156	5.5	55	1	1	3	6	11	18	39
35-49	1648	6.2	69	1	1	4	7	13	21	44
50-64	1092	7.3	87	1	1	4	8	17	23	56
65+	1051	11.2	132	1	2	8	15	25	35	75
GRAND TOTAL	**12244**	**5.9**	**62**	**1**	**1**	**3**	**7**	**13**	**20**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	2	<1	<1	1	1	3	5	8
20-34	16	4.2	30	1	1	2	4	8	18	23
35-49	10	2.8	5	1	1	2	3	6	8	8
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	5	3.0	7	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	70	3.3	22	1	1	2	3	7	13	30
20-34	97	4.1	17	<1	1	3	5	9	11	22
35-49	44	4.5	18	<1	1	3	8	10	11	21
50-64	31	4.7	24	<1	1	3	7	14	16	16
65+	5	4.8	16	1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	15	<1	<1	1	2	6	8	21
20-34	31	3.3	7	1	1	3	4	8	8	12
35-49	18	3.9	4	<1	1	4	6	6	7	8
50-64	25	4.8	13	<1	1	4	7	11	13	13
65+	31	9.6	166	1	2	5	12	17	22	72
B. *Operated*										
0-19 YRS	190	8.8	119	1	1	5	11	26	32	66
20-34	416	9.4	142	1	1	6	12	23	34	68
35-49	148	10.2	164	1	1	6	13	31	41	99+
50-64	88	10.1	167	1	1	6	11	26	34	67
65+	72	12.0	210	1	2	7	14	29	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.7	11	<1	<1	2	3	6	8	22
B. *Operated*	247	4.1	20	<1	1	2	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	135	5.0	52	1	1	3	6	11	15	29
B. *Operated*	914	9.7	148	1	1	6	12	26	35	75
1. SINGLE DX	306	3.8	18	<1	1	2	5	9	11	22
2. MULTIPLE DX	1049	9.1	138	1	1	5	11	24	33	72
A. NOT OPERATED	194	4.3	40	<1	1	3	5	8	13	23
B. OPERATED	1161	8.5	126	1	1	5	10	22	32	67
TOTAL 0-19 YRS	314	6.4	87	1	1	3	7	18	30	46
20-34	560	8.0	116	1	1	4	9	20	30	54
35-49	220	8.2	122	1	1	4	9	25	36	99+
50-64	148	7.9	113	1	1	5	9	17	26	67
65+	113	10.6	184	1	1	6	12	22	36	78
GRAND TOTAL	**1355**	**7.9**	**116**	**1**	**1**	**4**	**9**	**20**	**30**	**67**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.3	6	<1	1	3	4	7	10	11
20-34	114	4.5	15	<1	1	4	6	9	11	21
35-49	59	7.0	63	1	1	5	8	15	26	42
50-64	37	6.7	26	1	1	6	9	15	21	99+
65+	47	7.6	67	1	2	4	11	17	23	44
B. *Operated*										
0-19 YRS	669	3.3	11	<1	1	2	4	7	9	20
20-34	1156	4.0	19	1	1	3	4	8	11	20
35-49	518	4.0	23	1	1	3	4	8	11	21
50-64	340	4.6	23	1	1	3	5	9	14	25
65+	120	7.3	51	2	2	4	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	6.2	91	<1	1	3	7	17	30	99+
20-34	296	7.4	125	1	1	4	8	15	24	81
35-49	196	7.5	62	1	1	5	9	15	24	44
50-64	174	7.7	75	<1	1	5	9	16	27	48
65+	339	12.0	115	2	3	9	17	24	30	52
B. *Operated*										
0-19 YRS	526	5.2	66	1	1	3	5	10	15	51
20-34	1107	5.6	62	1	1	4	5	11	19	44
35-49	707	5.7	44	1	1	4	6	13	18	39
50-64	469	7.8	96	1	2	4	9	17	26	51
65+	360	12.6	146	2	2	9	17	28	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	5.4	33	<1	1	4	7	11	16	35
B. *Operated*	2803	4.0	20	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	1153	8.7	104	1	1	5	11	19	29	60
B. *Operated*	3169	6.7	78	1	1	4	7	15	22	48
1. SINGLE DX	3132	4.2	22	1	1	3	5	9	12	24
2. MULTIPLE DX	4322	7.2	86	1	1	4	8	17	24	51
A. NOT OPERATED	1482	7.9	90	1	1	5	9	18	26	54
B. OPERATED	5972	5.4	53	1	1	3	6	12	18	40
TOTAL 0-19 YRS	1415	4.3	40	1	1	3	5	9	13	34
20-34	2673	5.0	49	1	1	3	5	10	15	41
35-49	1480	5.4	41	1	1	3	6	11	17	38
50-64	1020	6.7	67	1	1	4	8	14	22	47
65+	866	11.3	120	2	2	8	16	24	32	54
GRAND TOTAL	**7454**	**5.9**	**61**	**1**	**1**	**3**	**6**	**13**	**20**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	3.9	5	1	2	4	5	6	7	12
20-34	439	3.3	4	<1	1	3	4	5	6	10
35-49	144	4.0	8	1	1	4	5	7	9	14
50-64	35	3.9	6	<1	1	4	5	7	7	12
65+	16	4.4	12	1	1	3	5	10	13	14
B. *Operated*										
0-19 YRS	49	5.8	12	1	1	5	8	11	14	14
20-34	21	4.9	16	1	2	4	5	11	15	16
35-49	13	4.2	10	1	1	2	6	10	10	10
50-64	6	2.5	2	1	1	2	3	5	5	5
65+	10	5.3	16	2	2	4	8	11	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	644	3.9	7	1	1	3	5	7	8	15
20-34	351	3.6	9	1	1	3	5	6	8	12
35-49	147	4.2	9	1	1	4	6	8	9	18
50-64	117	4.3	8	1	1	4	6	8	10	13
65+	153	5.9	46	1	2	4	6	11	18	54
B. *Operated*										
0-19 YRS	102	5.0	15	1	1	4	7	11	13	18
20-34	108	4.7	16	1	1	4	6	9	12	23
35-49	44	4.4	14	<1	1	3	6	9	12	19
50-64	26	6.3	44	1	1	5	8	11	22	32
65+	45	9.2	79	1	2	7	11	21	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1658	3.8	5	1	1	4	5	6	7	12
B. *Operated*	99	5.1	13	1	2	4	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	1412	4.1	13	1	1	3	5	7	9	18
B. *Operated*	325	5.5	29	1	1	4	7	11	16	32
1. SINGLE DX	1757	3.9	6	1	1	4	5	6	8	13
2. MULTIPLE DX	1737	4.4	16	1	1	4	5	8	11	20
A. NOT OPERATED	3070	3.9	9	1	1	4	5	6	8	14
B. OPERATED	424	5.4	25	1	1	4	7	11	14	32
TOTAL 0-19 YRS	1819	4.0	7	1	1	4	5	7	8	14
20-34	919	3.6	8	1	1	3	5	6	8	14
35-49	348	4.1	9	1	1	4	5	7	10	18
50-64	184	4.5	13	1	1	4	6	8	10	17
65+	224	6.4	51	1	2	4	7	13	20	47
GRAND TOTAL	**3494**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2711	1.8	2	<1	<1	1	2	3	4	8
20-34	2325	2.3	5	<1	<1	2	3	5	6	11
35-49	995	2.8	6	<1	<1	2	4	6	8	13
50-64	668	3.2	7	<1	1	2	4	6	8	14
65+	902	4.4	12	<1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	409	3.2	17	<1	1	2	3	6	10	24
20-34	404	3.5	13	<1	1	2	4	8	10	18
35-49	247	3.7	11	<1	1	3	5	8	10	15
50-64	169	4.4	18	<1	1	3	6	9	13	20
65+	130	6.1	26	1	2	4	8	14	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4178	2.4	5	<1	1	2	3	5	6	10
20-34	5183	3.3	12	<1	1	2	4	7	9	15
35-49	2971	4.4	20	1	1	3	6	9	12	22
50-64	2975	5.2	23	1	1	4	7	11	14	22
65+	8830	7.5	50	1	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	641	4.1	29	1	1	3	5	8	12	27
20-34	941	5.0	38	<1	1	3	6	10	15	30
35-49	544	6.8	75	1	1	4	8	15	23	47
50-64	558	8.3	63	1	2	6	10	19	25	44
65+	1085	12.8	147	2	2	9	17	28	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7601	2.5	6	<1	<1	2	3	5	7	12
B. *Operated*	1359	3.8	16	<1	1	2	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	24137	5.1	31	1	1	3	6	11	15	26
B. *Operated*	3769	7.8	89	1	1	5	10	19	26	46
1. SINGLE DX	8960	2.7	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX	27906	5.4	40	1	1	3	7	12	16	31
A. NOT OPERATED	31738	4.5	26	<1	1	3	6	10	13	23
B. OPERATED	5128	6.8	73	1	1	4	8	16	23	42
TOTAL 0-19 YRS	7939	2.4	7	<1	1	2	3	5	6	12
20-34	8853	3.2	14	<1	1	2	4	7	9	17
35-49	4757	4.3	24	<1	1	3	5	9	12	24
50-64	4370	5.3	28	1	1	4	7	11	15	25
65+	10947	7.8	59	1	2	6	10	16	21	40
GRAND TOTAL	**36866**	**4.8**	**33**	**<1**	**1**	**3**	**6**	**10**	**15**	**28**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.4	7	<1	1	2	3	5	6	12
20-34	174	2.7	6	<1	1	2	3	5	7	13
35-49	61	3.5	12	1	1	2	4	7	9	21
50-64	31	3.3	12	1	1	2	4	8	14	14
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	108	5.7	49	1	1	3	7	14	21	34
20-34	259	4.9	37	1	1	3	6	11	16	28
35-49	119	5.7	57	1	1	3	7	12	19	43
50-64	78	5.2	50	<1	1	3	6	12	18	42
65+	12	6.5	32	<1	1	4	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.0	13	1	1	2	3	6	8	18
20-34	165	3.7	7	1	1	3	5	7	9	14
35-49	74	4.8	23	1	1	3	6	11	14	26
50-64	62	4.1	10	<1	1	3	6	9	12	13
65+	24	7.0	56	1	2	4	9	13	21	37
B. *Operated*										
0-19 YRS	175	6.7	81	<1	1	3	9	17	20	49
20-34	423	8.3	135	1	1	4	9	19	32	60
35-49	213	9.6	166	1	1	5	12	27	38	73
50-64	165	8.9	175	1	1	4	10	21	33	70
65+	55	12.8	202	1	2	8	16	27	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	2.8	8	1	1	2	3	5	8	15
B. *Operated*	576	5.3	45	1	1	3	6	12	18	38
2. MULTIPLE DX										
A. *Not Operatec*	441	3.9	15	1	1	3	5	8	11	18
B. *Operated*	1031	8.6	143	1	1	4	10	20	34	64
1. SINGLE DX	1016	4.2	30	1	1	2	4	9	14	29
2. MULTIPLE DX	1472	7.2	110	1	1	4	8	16	28	58
A. NOT OPERATED	881	3.3	12	1	1	2	4	7	10	17
B. OPERATED	1607	7.4	111	1	1	4	9	18	29	56
TOTAL 0-19 YRS	571	4.5	42	1	1	2	5	10	17	40
20-34	1021	5.7	72	1	1	3	6	13	19	43
35-49	467	7.0	101	1	1	4	7	17	29	56
50-64	336	6.6	105	1	1	3	7	14	24	60
65+	93	10.3	145	1	2	7	13	24	39	64
GRAND TOTAL	**2488**	**6.0**	**79**	**1**	**1**	**3**	**6**	**14**	**21**	**48**

378: Foreign body on external eye (930)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.4	1	<1	<1	1	1	2	3	7
20-34	29	1.2		<1	<1	<1	1	2	2	3
35-49	9	1.1		<1	<1	<1	1	2	2	2
50-64	6	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	42	1.5	1	<1	<1	1	1	3	4	5
20-34	23	1.9	2	<1	1	2	2	3	5	7
35-49	12	2.8	5	<1	<1	2	4	7	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	<1	2	3	4	5	5
20-34	15	2.1	4	<1	<1	1	2	3	8	9
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	26	2.8	5	<1	<1	2	4	6	8	8
20-34	13	3.6	4	<1	1	4	5	6	7	7
35-49	9	3.9	16	<1	<1	2	5	11	13	13
50-64	6	5.0	12	1	1	4	8	10	10	10
65+	3	3.0	3	2	2	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	1.3	1	<1	<1	<1	1	2	3	6
B. *Operated*	81	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	37	2.3	4	<1	<1	2	3	4	7	9
B. *Operated*	57	3.4	7	<1	<1	3	5	7	8	13
1. SINGLE DX	159	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	94	3.0	6	<1	<1	2	4	6	8	12
A. NOT OPERATED	115	1.6	2	<1	<1	1	2	3	4	9
B. OPERATED	138	2.5	5	<1	<1	2	3	5	7	10
TOTAL 0-19 YRS	118	1.8	2	<1	<1	1	2	4	5	8
20-34	80	2.0	3	<1	<1	1	2	4	6	8
35-49	35	2.6	7	<1	<1	2	3	7	7	13
50-64	14	3.4	8	<1	<1	2	5	8	10	10
65+	6	3.5	9	1	1	2	5	9	9	9
GRAND TOTAL	**253**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2175	1.4	1	<1	<1	1	1	2	3	6
20-34	416	1.6	2	<1	<1	1	2	3	5	9
35-49	413	1.6	3	<1	<1	1	1	2	4	11
50-64	437	1.6	2	<1	<1	1	2	3	4	9
65+	433	1.7	2	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	663	2.0	4	<1	1	1	2	4	6	9
20-34	90	3.1	12	<1	<1	2	3	8	9	18
35-49	90	2.9	9	<1	<1	2	4	7	10	15
50-64	83	3.1	17	<1	1	1	3	8	12	22
65+	104	3.3	38	1	1	2	3	7	10	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	538	2.6	8	<1	1	2	3	5	7	14
20-34	200	3.4	13	<1	1	2	4	9	11	16
35-49	265	3.5	20	<1	1	2	4	8	12	21
50-64	404	3.3	11	1	1	2	4	8	10	16
65+	885	4.3	21	1	1	3	5	10	14	21
B. *Operated*										
0-19 YRS	264	4.4	36	<1	1	3	5	9	15	30
20-34	137	6.8	64	1	1	4	9	15	22	46
35-49	171	6.8	96	1	1	3	9	14	24	60
50-64	280	6.9	74	1	1	4	9	15	21	53
65+	572	8.3	100	1	1	5	11	19	27	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3874	1.5	2	<1	<1	1	1	2	3	7
B. *Operated*	1030	2.4	10	<1	1	1	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	2292	3.6	16	1	1	2	4	8	12	20
B. *Operated*	1424	7.0	81	1	1	4	9	16	23	52
1. SINGLE DX	4904	1.7	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	3716	4.9	43	1	1	3	6	11	16	33
A. NOT OPERATED	6166	2.2	8	<1	<1	1	2	5	7	15
B. OPERATED	2454	5.1	56	<1	1	2	6	12	18	38
TOTAL 0-19 YRS	3640	1.9	6	<1	<1	1	2	3	5	11
20-34	843	3.0	19	<1	<1	1	3	8	11	20
35-49	939	3.2	29	<1	<1	1	3	7	12	25
50-64	1204	3.5	27	<1	1	2	4	9	12	25
65+	1994	4.9	46	1	1	3	5	12	17	34
GRAND TOTAL	**8620**	**3.0**	**23**	**<1**	**<1**	**1**	**3**	**7**	**11**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	7.5	49	1	1	6	10	18	23	30
20-34	83	7.1	59	1	1	5	9	16	24	40
35-49	44	7.0	33	1	1	5	10	15	18	28
50-64	33	12.6	116	1	2	9	19	31	33	43
65+	13	7.7	31	1	2	6	10	16	20	21
B. *Operated*										
0-19 YRS	328	11.1	115	1	2	7	14	29	33	49
20-34	262	9.9	128	1	2	6	13	21	37	55
35-49	129	10.7	131	1	2	6	14	26	35	54
50-64	103	11.9	107	1	2	9	18	26	33	48
65+	65	17.8	288	2	3	11	26	47	55	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	7.8	45	1	1	6	11	17	20	38
20-34	215	8.3	52	1	1	6	12	19	22	33
35-49	142	8.8	78	1	2	6	12	19	28	47
50-64	108	10.8	131	1	2	8	13	21	30	68
65+	140	13.0	56	3	4	12	17	24	28	32
B. *Operated*										
0-19 YRS	571	20.6	278	2	4	17	30	46	59	99+
20-34	592	19.3	255	2	3	15	27	46	55	99+
35-49	350	22.0	352	3	4	16	29	52	65	97
50-64	315	22.4	287	3	5	19	31	48	61	99+
65+	322	27.6	388	4	6	25	42	64	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	7.9	58	1	1	6	10	19	25	37
B. *Operated*	887	11.3	136	1	2	7	15	27	36	54
2. MULTIPLE DX										
A. *Not Operated*	859	9.3	68	1	2	7	13	20	25	38
B. *Operated*	2150	21.8	308	3	4	18	31	50	64	99+
1. SINGLE DX	1200	10.4	118	1	2	7	13	25	33	53
2. MULTIPLE DX	3009	18.2	271	2	3	13	26	43	57	99+
A. NOT OPERATED	1172	8.9	66	1	1	7	12	19	25	38
B. OPERATED	3037	18.7	281	2	3	14	27	45	57	99+
TOTAL 0-19 YRS	1293	14.2	199	1	2	10	20	33	45	89
20-34	1152	14.2	202	1	2	10	19	35	48	83
35-49	665	16.0	269	2	2	11	21	39	55	88
50-64	559	17.7	242	2	3	13	25	40	54	98
65+	540	22.1	327	3	4	17	31	54	72	99+
GRAND TOTAL	**4209**	**16.0**	**240**	**1**	**2**	**11**	**22**	**38**	**52**	**97**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1348	4.6	22	1	1	3	6	10	13	23
20-34	716	4.6	22	<1	1	3	6	11	14	20
35-49	351	5.3	32	<1	1	3	7	13	16	29
50-64	156	6.1	29	1	1	5	8	14	17	26
65+	78	9.4	95	1	1	8	11	22	27	55
B. *Operated*										
0-19 YRS	308	7.9	70	1	1	6	10	17	23	43
20-34	205	8.9	84	1	1	6	11	22	26	47
35-49	97	10.6	90	1	2	7	15	21	26	48
50-64	58	12.0	91	2	2	10	16	26	29	47
65+	31	14.5	148	2	2	12	19	28	38	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2743	5.8	29	1	1	4	8	12	16	27
20-34	1629	5.2	27	1	1	3	7	12	16	25
35-49	853	6.5	41	1	1	4	9	14	18	32
50-64	565	8.0	65	1	1	6	10	18	24	43
65+	527	11.8	129	1	2	8	16	25	34	58
B. *Operated*										
0-19 YRS	635	12.7	152	1	2	9	17	29	39	58
20-34	556	11.3	117	1	2	8	15	24	32	50
35-49	309	15.3	223	1	3	11	20	36	45	78
50-64	248	19.3	273	2	4	14	27	45	58	99+
65+	224	24.4	364	3	5	19	36	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2649	4.9	26	1	1	3	7	11	15	25
B. *Operated*	699	9.2	84	1	1	6	12	21	27	48
2. MULTIPLE DX										
A. *Not Operated*	6317	6.4	45	1	1	4	9	14	19	32
B. *Operated*	1972	14.9	210	1	2	10	20	35	46	74
1. SINGLE DX	3348	5.8	42	1	1	4	8	13	18	29
2. MULTIPLE DX	8289	8.5	97	1	1	5	11	19	27	51
A. NOT OPERATED	8966	6.0	40	1	1	4	8	13	18	30
B. OPERATED	2671	13.4	183	1	2	9	18	30	42	70
TOTAL 0-19 YRS	5034	6.5	51	1	1	4	8	14	20	37
20-34	3106	6.4	52	1	1	4	8	15	20	35
35-49	1610	8.2	90	1	1	5	11	18	25	48
50-64	1027	10.7	136	1	2	7	13	25	35	65
65+	860	14.9	219	1	2	10	19	35	48	78
GRAND TOTAL	**11637**	**7.7**	**83**	**1**	**1**	**5**	**10**	**17**	**25**	**47**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.5	6	<1	<1	2	3	5	6	15
20-34	180	4.9	39	1	1	3	6	10	14	40
35-49	102	4.3	19	1	1	3	5	10	13	22
50-64	47	6.2	45	1	1	4	6	14	23	32
65+	18	11.0	462	1	2	5	7	22	67	94
B. *Operated*										
0-19 YRS	259	2.4	5	<1	1	2	3	4	7	11
20-34	514	2.5	8	<1	<1	2	3	5	6	11
35-49	221	3.1	16	<1	<1	2	3	7	12	19
50-64	115	3.3	34	<1	1	2	3	5	7	40
65+	22	8.9	310	<1	<1	3	4	34	56	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	5.4	117	1	1	2	5	10	13	67
20-34	211	6.8	90	1	1	4	8	14	20	67
35-49	144	8.5	141	1	1	5	9	16	24	77
50-64	139	7.3	52	1	1	5	9	16	22	31
65+	198	10.7	101	2	2	8	13	25	31	99+
B. *Operated*										
0-19 YRS	344	4.0	102	1	1	2	3	6	10	76
20-34	669	5.0	76	<1	1	2	5	11	18	77
35-49	284	6.6	121	1	1	3	6	15	37	70
50-64	184	8.1	201	1	1	3	8	20	33	89
65+	104	14.8	260	1	2	10	21	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.5	44	<1	1	3	5	10	14	29
B. *Operated*	1131	2.8	18	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	835	7.8	103	1	1	5	9	17	26	76
B. *Operated*	1585	6.1	123	1	1	2	5	15	27	84
1. SINGLE DX	1600	3.3	26	<1	1	2	3	6	10	24
2. MULTIPLE DX	2420	6.7	117	1	1	3	7	15	26	79
A. NOT OPERATED	1304	6.6	84	1	1	4	8	14	21	60
B. OPERATED	2716	4.7	82	<1	1	2	4	10	17	69
TOTAL 0-19 YRS	868	3.6	63	<1	1	2	3	6	9	52
20-34	1574	4.4	53	<1	1	2	4	9	15	50
35-49	751	5.6	84	<1	1	3	5	12	20	66
50-64	485	6.5	106	1	1	3	6	16	23	71
65+	342	11.8	183	2	2	8	14	29	47	99+
GRAND TOTAL	**4020**	**5.3**	**83**	**<1**	**1**	**2**	**5**	**12**	**20**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1186	2.1	3	<1	<1	1	2	4	5	9
20-34	1079	2.7	7	<1	<1	2	3	5	7	14
35-49	452	3.2	9	<1	<1	2	4	8	9	14
50-64	210	3.6	10	<1	<1	2	5	8	10	14
65+	164	4.5	16	<1	1	4	6	9	13	18
B. *Operated*										
0-19 YRS	287	3.9	19	<1	1	2	5	10	13	21
20-34	457	4.8	35	1	1	3	6	10	14	27
35-49	215	5.2	52	1	1	3	6	11	16	34
50-64	99	4.9	21	1	1	3	8	11	14	21
65+	60	6.8	50	1	1	4	8	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1170	2.9	14	<1	1	2	3	5	7	14
20-34	1466	3.8	19	<1	1	3	5	7	10	19
35-49	843	5.3	33	1	1	4	7	10	13	28
50-64	684	5.6	32	1	2	4	7	11	15	27
65+	1337	7.8	42	1	2	6	10	15	21	31
B. *Operated*										
0-19 YRS	426	8.4	106	1	1	5	10	21	34	53
20-34	727	8.9	135	1	1	5	10	20	32	83
35-49	395	9.8	132	1	2	6	12	23	42	99+
50-64	313	10.9	151	1	2	7	13	23	35	66
65+	265	14.8	226	2	2	10	21	36	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3091	2.7	7	<1	<1	2	3	6	8	14
B. *Operated*	1118	4.8	34	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	5500	5.0	31	1	1	3	6	10	14	27
B. *Operated*	2126	10.0	146	1	1	6	12	24	37	82
1. SINGLE DX	4209	3.2	15	<1	<1	2	4	7	10	19
2. MULTIPLE DX	7626	6.4	68	1	1	4	8	14	21	50
A. NOT OPERATED	8591	4.2	23	<1	1	3	5	9	12	23
B. OPERATED	3244	8.2	113	1	1	5	10	20	30	71
TOTAL 0-19 YRS	3069	3.5	28	<1	1	2	4	7	11	30
20-34	3725	4.6	45	<1	1	3	5	9	15	37
35-49	1905	5.7	55	<1	1	4	7	11	18	46
50-64	1306	6.5	63	1	1	4	8	14	19	45
65+	1826	8.5	75	1	2	6	10	18	24	50
GRAND TOTAL	**11835**	**5.3**	**51**	**<1**	**1**	**3**	**6**	**11**	**17**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6364	1.7	3	<1	<1	1	2	3	4	8
20-34	2912	2.1	9	<1	<1	1	2	4	5	10
35-49	1159	2.3	6	<1	1	2	3	4	6	11
50-64	453	2.7	4	<1	1	2	4	6	7	10
65+	368	4.5	19	1	1	3	5	9	13	24
B. *Operated*										
0-19 YRS	37	2.1	2	<1	<1	1	3	5	5	7
20-34	34	2.4	3	<1	<1	2	3	5	6	7
35-49	14	2.5	4	<1	1	2	3	5	7	8
50-64	9	10.2	55	1	1	10	15	21	23	23
65+	16	8.9	67	1	1	5	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7014	3.8	38	<1	1	2	4	7	12	34
20-34	10366	4.2	38	<1	1	2	4	9	15	31
35-49	5954	5.0	45	1	1	3	6	11	17	32
50-64	3530	6.1	51	1	1	4	7	13	19	37
65+	5480	7.4	49	1	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	122	6.3	89	<1	1	3	6	15	26	49
20-34	465	8.8	135	1	1	4	12	25	33	70
35-49	296	11.3	179	1	1	7	16	31	46	99+
50-64	287	14.0	236	2	3	9	17	32	47	91
65+	513	15.1	156	3	4	12	19	31	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11256	2.0	6	<1	<1	1	2	4	5	10
B. *Operated*	110	3.9	24	<1	<1	2	4	9	16	24
2. MULTIPLE DX										
A. *Not Operated*	32344	5.0	44	1	1	3	6	11	16	33
B. *Operated*	1683	11.9	172	1	1	8	16	28	39	83
1. SINGLE DX	11366	2.1	6	<1	<1	1	2	4	5	10
2. MULTIPLE DX	34027	5.4	53	1	1	3	6	12	18	37
A. NOT OPERATED	43600	4.3	36	<1	1	2	5	9	14	30
B. OPERATED	1793	11.4	167	1	1	7	15	27	38	81
TOTAL 0-19 YRS	13537	2.9	23	<1	1	2	3	5	8	26
20-34	13777	4.0	36	<1	1	2	4	8	14	31
35-49	7423	4.8	47	<1	1	3	5	11	17	35
50-64	4279	6.3	64	1	1	4	7	13	20	41
65+	6377	7.9	61	1	2	6	10	16	21	39
GRAND TOTAL	**45393**	**4.5**	**43**	**<1**	**1**	**2**	**5**	**10**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3091	1.8	3	<1	1	1	2	4	5	9
20-34	1259	1.7	2	<1	<1	1	2	3	4	8
35-49	701	1.9	2	<1	1	1	2	3	5	9
50-64	407	2.1	8	<1	1	1	2	4	5	9
65+	215	2.2	4	<1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	44	3.6	13	<1	1	2	4	9	13	16
20-34	45	4.5	23	<1	1	3	5	10	15	23
35-49	21	5.3	29	1	1	3	7	9	17	26
50-64	19	5.0	16	1	1	4	8	11	14	14
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1631	3.1	22	<1	1	2	3	6	9	21
20-34	1443	3.3	23	<1	1	2	3	7	10	22
35-49	987	3.5	22	<1	1	2	4	7	10	25
50-64	845	4.2	36	1	1	2	5	8	13	38
65+	719	5.2	46	1	1	3	6	10	17	40
B. *Operated*										
0-19 YRS	62	6.2	50	<1	1	3	8	17	22	31
20-34	97	11.9	268	1	2	7	13	26	54	99+
35-49	76	15.6	403	1	2	9	18	46	87	99+
50-64	68	15.1	290	1	2	9	18	44	64	98
65+	61	17.3	278	1	2	11	29	35	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5673	1.8	3	<1	1	1	2	4	5	9
B. *Operated*	133	4.3	19	<1	1	3	5	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	5625	3.6	28	<1	1	2	4	7	11	27
B. *Operated*	364	13.2	276	1	2	8	17	31	56	99+
1. SINGLE DX	5806	1.9	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	5989	4.2	48	<1	1	2	4	9	14	39
A. NOT OPERATED	11298	2.7	16	<1	1	2	3	6	8	20
B. OPERATED	497	10.8	222	1	1	6	13	27	44	97
TOTAL 0-19 YRS	4828	2.3	11	<1	1	1	2	5	7	14
20-34	2844	2.9	26	<1	1	2	3	6	9	23
35-49	1785	3.4	38	<1	1	2	3	6	10	30
50-64	1339	4.1	47	1	1	2	4	8	13	41
65+	999	5.3	62	1	1	3	6	11	20	44
GRAND TOTAL	11795	3.1	28	<1	1	2	3	6	9	26

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1674	2.2	4	<1	1	2	3	4	6	10
20-34	1019	2.1	4	<1	1	1	2	4	5	10
35-49	736	2.3	5	<1	<1	2	3	4	6	10
50-64	593	2.6	5	<1	1	2	3	5	7	13
65+	527	4.0	18	1	1	3	5	8	10	22
B. *Operated*										
0-19 YRS	23	10.0	265	<1	1	3	11	27	56	65
20-34	28	6.1	45	1	1	2	8	17	21	25
35-49	31	5.0	82	1	1	2	4	10	23	67
50-64	25	6.8	56	1	2	4	8	16	27	32
65+	21	8.2	159	1	1	4	7	26	44	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1800	3.6	16	1	1	2	4	7	10	20
20-34	1609	3.5	17	1	1	2	4	7	10	20
35-49	1640	4.2	18	1	1	3	5	9	12	22
50-64	2374	5.1	27	1	1	4	6	10	13	25
65+	5187	7.0	43	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	121	12.2	345	1	1	6	13	34	72	99+
20-34	162	8.5	122	1	1	4	10	28	39	99+
35-49	163	10.8	180	1	1	7	13	24	81	76
50-64	303	10.8	119	1	1	8	14	27	45	99+
65+	564	14.1	189	2	3	10	18	30	44	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4549	2.5	7	<1	1	2	3	5	7	12
B. *Operated*	128	7.0	114	1	1	3	8	18	26	54
2. MULTIPLE DX										
A. *Not Operated*	12610	5.3	31	1	1	4	7	11	15	27
B. *Operated*	1313	12.1	161	1	2	8	16	28	45	99+
1. SINGLE DX	4677	2.6	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	13923	6.0	49	1	1	4	7	12	17	38
A. NOT OPERATED	17159	4.6	26	1	1	3	6	10	13	25
B. OPERATED	1441	11.6	177	1	1	8	15	28	44	99+
TOTAL 0-19 YRS	3618	3.3	26	<1	1	2	4	6	9	22
20-34	2818	3.3	21	<1	1	2	4	7	10	26
35-49	2570	4.1	29	1	1	3	5	9	12	26
50-64	7295	5.2	36	1	1	4	6	10	15	33
65+	6299	7.4	59	1	2	5	9	15	20	41
GRAND TOTAL	18600	5.1	42	1	1	3	6	11	19	31

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	3.9	15	<1	1	3	4	8	12	20
20-34	227	4.1	25	<1	1	3	5	8	11	25
35-49	189	5.0	22	<1	1	4	6	10	15	25
50-64	216	5.4	20	<1	1	4	7	11	14	23
65+	374	6.2	48	<1	1	4	8	14	19	35
B. *Operated*										
0-19 YRS	1471	5.4	34	<1	1	4	6	11	16	33
20-34	1761	4.6	34	<1	1	3	5	10	16	29
35-49	1584	5.7	42	<1	1	3	7	14	17	29
50-64	2447	7.9	65	1	2	5	11	17	23	37
65+	4087	8.6	86	1	2	5	12	19	25	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	5.3	35	1	1	4	7	12	16	34
20-34	557	6.0	38	1	1	4	7	13	18	31
35-49	522	6.7	40	1	1	5	8	13	19	35
50-64	734	7.4	58	1	1	5	9	15	21	42
65+	1793	8.3	66	1	2	6	11	17	25	47
B. *Operated*										
0-19 YRS	2355	9.0	116	1	2	5	10	20	31	59
20-34	2752	8.0	94	1	1	4	10	18	28	50
35-49	3694	8.5	100	1	1	5	11	19	28	55
50-64	7233	10.7	133	1	2	7	14	24	35	61
65+	11891	12.5	166	2	2	8	16	29	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1295	5.0	29	<1	1	3	6	11	15	25
B. *Operated*	11350	7.0	63	1	1	4	9	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	4115	7.3	55	1	1	5	9	15	21	41
B. *Operated*	27925	10.8	140	1	2	7	14	25	35	64
1. SINGLE DX	12645	6.8	60	1	1	4	9	16	21	37
2. MULTIPLE DX	32040	10.3	131	1	2	7	13	23	34	62
A. NOT OPERATED	5410	6.7	50	1	1	5	9	14	20	37
B. OPERATED	39275	9.7	121	1	2	6	13	22	31	59
TOTAL 0-19 YRS	4624	7.1	78	1	1	4	8	16	23	51
20-34	5297	6.5	68	<1	1	4	8	15	22	43
35-49	5989	7.5	79	1	1	4	10	17	24	46
50-64	10630	9.7	112	1	2	6	13	21	31	55
65+	18145	11.1	140	1	2	7	15	25	35	64
GRAND TOTAL	**44685**	**9.3**	**113**	**1**	**2**	**6**	**12**	**21**	**30**	**57**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	844	1.6	1	<1	<1	1	2	3	4	6
20-34	872	2.3	3	<1	1	2	3	4	6	9
35-49	463	2.8	4	1	1	2	4	5	7	10
50-64	590	3.3	4	1	1	3	4	6	7	10
65+	793	3.7	6	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	804	1.9	3	<1	<1	1	2	4	5	10
20-34	999	2.7	6	<1	1	2	3	6	7	11
35-49	489	3.3	7	1	1	2	4	7	9	13
50-64	270	4.3	11	1	1	3	6	8	10	16
65+	307	5.2	26	1	1	4	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	2.5	4	1	1	2	3	5	7	9
20-34	388	3.5	8	1	1	3	4	7	9	15
35-49	304	4.1	24	1	1	3	5	7	11	20
50-64	584	4.5	24	1	1	3	6	8	10	15
65+	1260	5.1	18	1	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	157	3.8	39	<1	1	2	4	8	13	36
20-34	423	4.8	30	1	1	3	6	10	13	27
35-49	297	5.4	36	1	1	4	7	11	14	38
50-64	439	6.9	44	1	1	5	9	16	21	32
65+	734	8.3	69	1	2	6	11	17	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3562	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	2869	3.0	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	2728	4.4	18	1	1	3	5	8	11	19
B. *Operated*	2050	6.5	51	1	1	4	8	14	20	39
1. SINGLE DX	6431	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	4778	5.3	33	1	1	4	6	11	15	30
A. NOT OPERATED	6290	3.4	11	1	1	3	4	7	9	15
B. OPERATED	4919	4.5	30	1	1	3	5	10	14	28
TOTAL 0-19 YRS	1997	2.0	5	<1	1	1	2	4	5	10
20-34	2682	3.0	10	<1	1	2	4	6	8	15
35-49	1553	3.7	16	1	1	3	5	7	10	17
50-64	1883	4.7	22	1	1	4	6	9	12	22
65+	3094	5.5	31	1	1	4	6	11	15	30
GRAND TOTAL	**11209**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	5.0	12	1	2	4	6	9	11	19
20-34	667	5.4	14	1	2	4	7	10	13	20
35-49	555	6.1	21	2	2	5	7	11	15	21
50-64	386	7.3	34	2	3	6	9	13	18	31
65+	289	8.4	36	2	3	7	11	17	21	32
B. *Operated*										
0-19 YRS	306	8.0	49	1	2	6	10	16	22	35
20-34	561	7.6	44	1	2	6	9	16	21	35
35-49	430	8.0	60	1	2	6	10	16	20	41
50-64	391	10.6	118	2	2	7	14	25	35	51
65+	308	12.0	121	2	2	8	17	27	38	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	5.9	19	1	2	5	7	12	15	21
20-34	594	6.6	25	2	2	5	8	12	17	25
35-49	615	7.9	38	2	3	6	10	15	20	34
50-64	869	9.6	71	2	3	7	12	18	25	45
65+	1095	10.4	69	3	3	8	13	19	26	42
B. *Operated*										
0-19 YRS	258	11.7	130	2	2	8	14	24	34	58
20-34	637	12.1	143	2	3	9	15	24	37	66
35-49	705	14.2	197	2	3	10	18	32	45	76
50-64	1040	15.8	200	2	3	12	20	34	47	71
65+	1182	18.1	244	3	4	13	24	41	54	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2286	6.2	23	2	2	5	8	11	15	25
B. *Operated*	1996	9.0	77	1	2	6	11	19	27	43
2. MULTIPLE DX										
A. *Not Operated*	3483	8.7	55	2	3	7	11	17	22	38
B. *Operated*	3822	15.3	204	2	3	11	20	34	48	78
1. SINGLE DX	4282	7.5	50	1	2	6	9	15	21	38
2. MULTIPLE DX	7305	12.2	144	2	3	8	15	26	37	64
A. NOT OPERATED	5769	7.7	43	2	2	6	10	15	19	32
B. OPERATED	5818	13.2	170	2	3	9	17	30	42	69
TOTAL 0-19 YRS	1263	7.3	53	1	2	5	9	15	20	39
20-34	2459	7.9	63	2	2	6	9	16	21	45
35-49	2305	9.4	97	2	2	6	11	19	27	51
50-64	2686	11.8	133	2	3	8	15	26	36	60
65+	2874	13.5	158	2	3	10	17	29	41	70
GRAND TOTAL	11587	10.5	114	2	3	7	13	22	31	58

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.3	31	<1	1	2	3	6	9	26
20-34	454	3.7	15	1	1	2	5	8	11	16
35-49	454	4.8	19	1	1	4	7	10	13	22
50-64	319	5.4	19	1	1	4	7	11	13	20
65+	294	5.9	28	1	1	4	8	12	15	28
B. *Operated*										
0-19 YRS	295	4.2	19	<1	1	3	5	10	13	23
20-34	675	5.4	33	1	1	4	7	11	16	29
35-49	631	6.1	38	1	1	4	8	11	16	33
50-64	637	6.5	50	1	1	4	8	15	20	38
65+	653	7.2	58	1	1	5	9	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	350	3.6	19	<1	1	2	4	8	12	25
20-34	763	4.6	25	1	1	3	6	10	12	24
35-49	843	6.0	41	1	1	4	8	12	16	28
50-64	1063	7.7	66	1	1	6	10	16	21	42
65+	1564	8.3	61	1	2	6	11	17	21	40
B. *Operated*										
0-19 YRS	396	7.6	90	<1	1	4	10	18	27	73
20-34	1050	8.6	110	1	1	6	10	17	27	64
35-49	1331	10.8	135	1	2	7	13	24	33	70
50-64	1845	12.5	172	1	2	8	16	30	41	75
65+	2566	14.1	209	1	2	9	19	33	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1710	4.6	22	1	1	3	6	10	13	22
B. *Operated*	2891	6.1	43	1	1	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	4583	6.8	52	1	1	5	9	14	19	35
B. *Operated*	7188	11.9	169	1	2	8	15	28	39	73
1. SINGLE DX	4601	5.5	35	1	1	4	7	12	16	30
2. MULTIPLE DX	11771	9.9	130	1	1	6	12	22	33	66
A. NOT OPERATED	6293	6.2	45	1	1	4	8	13	17	32
B. OPERATED	10079	10.2	140	1	2	7	13	24	35	68
TOTAL 0-19 YRS	1230	5.0	47	<1	1	3	6	12	16	35
20-34	2942	6.1	59	1	1	4	7	13	18	40
35-49	3259	7.8	82	1	1	5	10	16	24	52
50-64	3864	9.6	118	1	2	6	12	22	32	63
65+	5077	10.9	144	1	2	7	14	24	35	67
GRAND TOTAL	16372	8.7	107	1	1	5	11	19	28	60

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.6	2	1	1	2	3	5	6	7
20-34	48	4.2	11	1	1	4	6	7	10	18
35-49	35	4.5	19	1	1	4	5	9	11	24
50-64	30	4.2	14	<1	1	3	5	7	8	21
65+	20	4.0	20	1	1	2	5	9	15	19
B. *Operated*										
0-19 YRS	11	6.0	58	2	2	3	5	17	27	28
20-34	7	9.0	41	2	2	9	15	18	18	18
35-49	7	6.7	13	2	2	7	9	12	12	12
50-64	8	9.0	252	1	1	4	6	36	48	48
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	18	1	1	2	4	6	8	18
20-34	125	5.4	36	1	1	4	6	11	15	35
35-49	100	5.7	20	1	1	5	8	11	13	25
50-64	142	5.3	22	1	1	4	7	11	13	21
65+	180	4.7	26	1	1	3	6	11	12	25
B. *Operated*										
0-19 YRS	29	11.2	261	1	2	4	12	37	48	70
20-34	35	7.3	49	1	2	5	9	14	25	32
35-49	44	12.2	196	1	2	7	18	28	61	99+
50-64	58	11.3	184	2	2	7	12	20	34	78
65+	58	13.0	261	2	2	8	13	32	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	9	1	1	3	4	7	8	19
B. *Operated*	34	7.5	83	2	2	4	9	16	26	48
2. MULTIPLE DX										
A. *Not Operated*	689	4.8	25	1	1	4	6	10	12	25
B. *Operated*	224	11.3	195	2	2	6	13	26	39	78
1. SINGLE DX	301	3.9	19	1	1	3	4	7	10	22
2. MULTIPLE DX	913	6.4	74	1	1	4	7	13	20	52
A. NOT OPERATED	956	4.4	21	1	1	3	6	9	12	21
B. OPERATED	258	10.8	182	2	2	6	12	26	37	77
TOTAL 0-19 YRS	316	3.9	40	1	1	3	4	7	10	40
20-34	215	5.5	33	1	1	4	7	12	17	31
35-49	186	7.0	69	1	1	5	8	15	24	63
50-64	238	6.7	74	1	1	4	8	13	20	50
65+	259	6.5	89	1	1	4	7	12	21	61
GRAND TOTAL	**1214**	**5.8**	**62**	**1**	**1**	**4**	**7**	**12**	**18**	**47**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	1.6	1	<1	<1	1	2	4	4	5
35-49	7	2.4	5	<1	<1	1	4	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	104	2.0	2	<1	<1	2	3	4	4	8
20-34	13588	1.7	1	<1	<1	1	2	3	4	5
35-49	5551	1.7	1	<1	<1	1	2	3	4	5
50-64	32	1.6	1	<1	<1	1	2	3	3	6
65+	13	2.0	2	<1	<1	2	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	251	1.3	1	<1	<1	1	1	2	3	5
35-49	108	1.3	1	<1	<1	1	1	2	3	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	67	2.3	3	<1	<1	2	3	5	6	7
20-34	8580	2.2	3	<1	<1	2	3	4	5	8
35-49	4370	2.2	3	<1	<1	2	3	4	5	8
50-64	27	2.7	8	<1	<1	2	2	6	10	12
65+	6	2.5	2	<1	<1	3	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.7	2	<1	<1	1	2	4	5	6
B. *Operated*	19288	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	367	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	13050	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	19334	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	13417	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	413	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	32338	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-19 YRS	177	2.1	2	<1	<1	2	3	4	5	7
20-34	22456	1.9	2	<1	<1	1	2	3	4	6
35-49	10036	1.9	2	<1	<1	1	2	4	4	7
50-64	61	2.1	4	<1	<1	1	2	4	6	12
65+	21	2.1	2	<1	<1	2	3	4	5	6
GRAND TOTAL	**32751**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499	2	22.0	288	10	10	22	34	34	34	34
1500-1749	10	15.1	45	7	7	14	17	26	27	27
1750-2499	7414	3.3	5	1	2	3	4	5	7	12
2500+	474448	2.9	2	1	1	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	2	42.5	61	37	37	42	48	48	48	48
1500-1749	2	55.5	1	55	55	55	56	56	56	56
1750-2499	13	7.5	23	2	3	7	11	14	16	16
2500+	183	3.5	4	2	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	156	59.9	698	9	17	71	87	99+	99+	99+
1000-1499	985	42.2	269	19	23	40	53	65	73	94
1500-1749	1404	25.3	105	11	13	24	31	38	44	56
1750-2499	22128	7.4	41	2	2	5	9	16	20	31
2500+	249925	3.8	4	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	300	72.3	451	35	52	89	99+	99+	99+	99+
1000-1499	881	51.7	349	23	30	53	68	91	99+	99+
1500-1749	609	34.6	218	16	20	32	41	55	67	95
1750-2499	2206	17.8	165	3	5	15	23	34	43	86
2500+	5521	8.1	77	2	2	6	9	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481875	2.9	2	1	1	3	3	5	5	7
B. *Operated*	200	4.7	47	2	2	3	4	7	12	51
2. MULTIPLE DX										
A. *Not Operated*	274598	4.4	19	2	2	3	5	7	9	23
B. *Operated*	9517	18.1	417	2	3	10	26	56	80	99+
1. SINGLE DX	482075	2.9	2	1	1	3	3	5	5	7
2. MULTIPLE DX	284115	4.8	39	2	2	4	5	7	11	36
A. NOT OPERATED	756473	3.5	9	1	2	3	4	5	6	13
B. OPERATED	9717	17.8	413	2	3	9	25	55	79	99+
TOTAL 1-999 G	457	68.0	576	20	41	84	99+	99+	99+	99+
1000-1499	1870	46.7	330	20	25	46	60	78	94	99+
1500-1749	2025	28.1	158	12	15	26	34	44	52	78
1750-2499	31761	7.2	53	2	2	5	9	16	21	36
2500+	730077	3.3	4	1	2	3	4	5	6	9
GRAND TOTAL	**766190**	**3.6**	**16**	**1**	**2**	**3**	**4**	**5**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	13.0	32	9	9	13	17	17	17	17
1000-1499	1	40.0		40	40	40	40	40	40	40
1500-1749	7	18.3	66	9	9	20	24	29	30	30
1750-2499	1005	4.8	7	2	2	4	6	7	10	15
2500+	4164	4.4	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	61.2	706	13	20	68	81	95	98	99+
1000-1499	243	41.1	246	19	24	39	49	64	74	85
1500-1749	368	24.5	101	12	14	23	30	37	41	58
1750-2499	3560	9.3	43	3	3	7	13	18	22	31
2500+	3187	5.2	7	2	3	5	6	8	9	15
B. *Operated*										
1-999 G	41	70.3	305	45	56	90	99+	99+	99+	99+
1000-1499	220	55.4	302	31	35	57	69	92	99+	99+
1500-1749	161	34.8	209	14	18	34	43	53	67	99
1750-2499	375	18.8	127	4	6	18	24	33	41	58
2500+	92	9.6	51	3	4	7	11	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5179	4.5	5	2	2	4	5	7	8	12
B. *Operated*	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	7382	9.5	99	3	3	6	11	20	29	51
B. *Operated*	889	32.2	515	5	7	28	52	76	99+	99+
1. SINGLE DX	5183	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX	8271	12.0	193	3	3	6	14	29	45	84
A. NOT OPERATED	12561	7.4	67	2	3	5	7	15	22	46
B. OPERATED	893	32.1	516	5	7	28	52	76	99+	99+
TOTAL 1-999 G	67	65.3	536	20	35	83	99+	99+	99+	99+
1000-1499	464	47.9	323	22	28	47	62	76	93	99+
1500-1749	536	27.5	156	12	14	25	34	43	50	81
1750-2499	4940	9.1	53	2	3	6	12	19	23	35
2500+	7447	4.8	6	2	3	5	6	7	8	13
GRAND TOTAL	**13454**	**9.1**	**134**	**2**	**3**	**5**	**8**	**20**	**33**	**73**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	79	3.0	3	1	1	3	3	5	6	10
2500+	1195	2.4	1	1	1	2	3	4	5	6
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	60.3	134	47	47	67	84	99+	99+	99+
1000-1499	24	35.7	335	13	13	31	43	55	67	95
1500-1749	21	26.8	150	10	13	25	30	44	56	60
1750-2499	213	8.2	52	1	2	6	11	17	22	32
2500+	645	4.1	17	1	2	3	5	7	9	28
B. Operated										
1-999 G	4	46.0	1785	10	10	97	99+	99+	99+	99+
1000-1499	13	53.5	374	22	23	56	68	93	98	99+
1500-1749	6	45.0	590	26	26	37	53	86	90	90
1750-2499	24	16.0	91	2	7	13	22	28	35	41
2500+	51	6.9	39	1	1	5	10	16	20	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1275	2.5	2	1	1	2	3	4	5	7
B. Operated	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	906	6.6	83	1	2	4	6	14	26	52
B. Operated	98	19.2	485	1	2	12	27	68	96	99+
1. SINGLE DX	1278	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1004	7.9	136	1	2	4	7	19	31	79
A. NOT OPERATED	2181	4.2	40	1	1	3	4	7	12	37
B. OPERATED	101	18.8	478	1	2	11	27	67	95	99+
TOTAL 1-999 G	7	52.1	996	10	11	81	99+	99+	99+	99+
1000-1499	37	41.9	413	13	17	42	55	71	94	99+
1500-1749	28	30.9	279	11	15	27	35	53	63	90
1750-2499	316	7.5	54	1	2	5	10	17	23	34
2500+	1894	3.1	9	1	1	3	3	5	7	14
GRAND TOTAL	**2282**	**4.9**	**68**	**1**	**1**	**3**	**4**	**8**	**17**	**53**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	3.1	21	<1	<1	2	3	6	8	31
20-34	36	2.9	22	<1	<1	2	3	5	9	28
35-49	25	2.3	9	<1	<1	2	2	3	6	16
50-64	9	2.3	2	<1	<1	2	4	4	4	4
65+	18	3.4	21	<1	1	2	3	7	15	20
B. Operated										
0-19 YRS	2421	2.4	3	<1	<1	2	3	4	5	8
20-34	3645	2.5	3	<1	<1	2	3	4	5	9
35-49	1688	2.5	4	<1	<1	2	3	4	6	10
50-64	1333	2.9	5	<1	1	2	3	5	6	12
65+	979	3.8	12	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.6	17	<1	<1	1	2	6	11	23
20-34	50	2.2	7	<1	<1	1	2	5	8	14
35-49	24	1.8	4	<1	<1	1	2	3	6	11
50-64	29	4.6	22	<1	<1	2	6	12	16	17
65+	34	2.9	9	<1	1	2	3	6	11	13
B. Operated										
0-19 YRS	906	3.4	19	<1	1	3	4	6	8	20
20-34	990	4.1	34	<1	1	3	4	7	11	30
35-49	598	4.1	20	1	1	3	5	8	11	27
50-64	635	4.5	23	1	1	3	5	8	12	29
65+	811	7.2	62	1	2	5	8	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	2.9	18	<1	<1	2	3	5	8	28
B. Operated	10066	2.6	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	177	2.8	12	<1	<1	1	3	7	11	17
B. Operated	3940	4.6	34	1	1	3	5	9	14	32
1. SINGLE DX	10207	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	4117	4.6	33	1	1	3	5	9	13	31
A. NOT OPERATED	318	2.8	15	<1	<1	1	3	6	11	21
B. OPERATED	14006	3.2	14	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	3420	2.7	8	<1	<1	2	3	4	6	12
20-34	4721	2.8	10	<1	1	2	3	5	6	14
35-49	2335	2.9	8	<1	1	2	3	5	7	14
50-64	2006	3.4	12	<1	1	3	4	6	8	18
65+	1842	5.3	37	1	1	3	6	11	16	32
GRAND TOTAL	**14324**	**3.2**	**14**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	10	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	5.1	90	<1	<1	1	4	22	28	28
50-64	6	1.7	1	<1	<1	<1	2	4	4	4
65+	5	3.0	4	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	24	<1	<1	1	2	2	6	28
20-34	29	2.0	3	<1	1	2	2	4	4	9
35-49	77	2.2	5	<1	1	2	2	4	5	15
50-64	196	1.6	3	1	1	1	2	2	3	10
65+	443	1.7	4	1	1	1	2	3	4	12
B. *Operated*										
0-19 YRS	13	6.1	41	<1	1	5	6	12	23	26
20-34	99	3.5	22	<1	<1	1	4	7	14	25
35-49	101	3.9	46	<1	<1	1	4	9	12	42
50-64	167	3.6	27	<1	<1	1	4	9	14	28
65+	107	5.6	51	<1	<1	3	6	15	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	1	2	3	3	4	4
B. *Operated*	20	3.4	37	<1	<1	1	3	6	17	28
2. MULTIPLE DX										
A. *Not Operated*	775	1.8	5	1	1	1	2	3	4	12
B. *Operated*	487	4.1	35	<1	<1	2	5	9	16	29
1. SINGLE DX	36	2.7	21	<1	<1	1	3	5	6	28
2. MULTIPLE DX	1262	2.7	18	<1	<1	1	2	5	9	25
A. NOT OPERATED	791	1.8	5	1	1	1	2	3	4	12
B. OPERATED	507	4.1	36	<1	<1	2	5	9	16	29
TOTAL 0-19 YRS	43	3.5	31	<1	1	2	3	7	15	28
20-34	130	3.1	18	<1	<1	1	4	6	12	22
35-49	188	3.2	31	<1	<1	2	3	7	10	36
50-64	372	2.5	15	<1	<1	1	2	5	9	22
65+	565	2.4	15	<1	1	1	2	4	8	23
GRAND TOTAL	**1298**	**2.7**	**18**	**<1**	**<1**	**1**	**2**	**5**	**9**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4400	2.4	14	<1	<1	1	3	4	7	16
20-34	5930	2.3	16	<1	<1	1	2	4	6	18
35-49	1852	2.7	14	<1	<1	2	3	5	8	18
50-64	2053	2.7	15	<1	<1	1	3	5	8	21
65+	1755	4.4	71	<1	<1	2	4	10	18	79
B. *Operated*										
0-19 YRS	1964	2.9	9	<1	<1	2	3	7	9	15
20-34	5680	3.0	9	<1	<1	2	4	6	9	13
35-49	3186	3.7	13	<1	<1	2	5	9	11	16
50-64	2553	4.2	17	<1	1	2	6	10	12	18
65+	2240	4.5	22	<1	1	2	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7466	3.3	30	<1	<1	2	4	6	9	30
20-34	7786	4.2	54	<1	1	2	4	7	12	43
35-49	11262	3.9	35	1	1	2	4	7	12	33
50-64	28101	3.9	33	1	1	2	4	7	10	30
65+	26456	5.4	67	1	1	3	5	11	20	48
B. *Operated*										
0-19 YRS	2665	4.6	65	<1	<1	2	5	10	16	54
20-34	5483	4.9	59	<1	1	3	5	10	15	52
35-49	6053	5.6	56	1	1	3	7	11	17	41
50-64	9741	6.1	70	1	1	3	8	13	19	46
65+	10956	7.0	88	1	1	3	9	16	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15990	2.6	21	<1	<1	1	3	5	8	23
B. *Operated*	15623	3.5	14	<1	<1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	81071	4.4	47	1	1	2	5	8	14	39
B. *Operated*	34898	6.0	72	1	1	3	7	13	19	48
1. SINGLE DX	31613	3.1	18	<1	<1	2	3	7	10	19
2. MULTIPLE DX	115969	4.9	55	1	1	3	5	10	16	42
A. NOT OPERATED	97061	4.1	43	<1	1	2	4	7	13	37
B. OPERATED	50521	5.2	55	<1	1	3	6	11	16	41
TOTAL 0-19 YRS	16495	3.2	30	<1	<1	2	3	6	10	29
20-34	24879	3.6	37	<1	<1	2	4	7	10	35
35-49	22353	4.2	37	<1	1	2	5	9	13	32
50-64	42448	4.4	41	1	1	2	5	9	13	34
65+	41407	5.8	71	1	1	3	6	13	21	48
GRAND TOTAL	**147582**	**4.5**	**47**	**<1**	**1**	**2**	**5**	**9**	**14**	**39**

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever